
# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.67



# Kendels Seeds:Plants and Bulbs



1914 2010 Ontario Street CLEVELAND, O.

# REMARKS TO OUR CUSTOMERS

We have made some changes in the typography of our catalogue this year in our endeavor to give accurate information about our stock of seeds.

Throughout the book we designate IN BOLD FACE CAPITALS the varieties that we sell in the largest quantities, from which we may justly assume that they are the best, at least on the average.

This does not mean, however, that the other varieties are no good, special conditions of soil and variations in taste should govern the choice of varieties and we therefore carry a goodly list to suit all our customers.

For the benefit of our new customers we wish to state that we have made complete germination tests of every lot of vegetable seeds we offer, in testing chambers of our own construction, at considerable expense in time and labor, just so the chances of a crop failure are reduced to a minimum. The results are open to your inspection. Our Flower Seeds are always strictly new crop and thus of the highest vitality possible.

Bear in mind that the best seeds are the more likely to make a good garden, no matter how much labor and expense you put into it and it is decidedly poor judgment to court failure right from the start by trying to save what at most can amount to but a small sum, by buying cheap seeds. The seed bill is the least part of the expense, anyway, and pedigree vegetables are not produced from mongrel seeds. This is especially true in this year of practically a famine in many lines of seeds. We believe it is policy to increase the price rather than reduce the quality and we wish to assure our customers that we are maintaining the same high standards in our stock, in this year of dearth that we have in the past years of plenty.

#### OUR TERMS ARE NET CASH

OUR PRICES.—We shall adhere as closely as possible to the prices quoted in this Catalogue, but the market value of some seeds is variable. This is most noticeable in grass, clover and field seeds, onion setts and seed potatoes. Quotations for such articles will be furnished on application.

ORDERS, to secure prompt attention, should be accompanied with remittance, or satisfactory references.

REMITTANCES may be made at our risk by draft, money order, cash by express, express money order, or in registered letter, or, in sums of two dollars or less, by ordinary mail. Postage stamps may be sent for amounts less than one dollar.

SEEDS BY MAIL.—Seeds can be sent to any part of the United States at the rate of 8 CENTS PER POUND. Customers desiring their seeds sent by mail will therefore please add to catalogue price sufficient to pay postage at that rate. Peas, Beans, etc., postage will be 15 CENTS PER QUART; Corn, 10 CENTS PER QUART. The ounce and the packet will be sent postage free. PARTICULAR ATTENTION is invited to this, for when omitted the cost of postage will be deducted.

ADDRESS, ETC.—In ordering, please be particular to sign your NAME, also that of your POST-OFFICE, COUNTY and STATE plainly; also mention the mode of conveyance you prefer—whether by mail, express or freight. Serious delays are sometimes occasioned by failing to give attention to these matters.

BAGS ARE FURNISHED AT THE FOLLOWING RATES: Quarter bushel, 5 cents; half bushel, 10 cents; one bushel, 15 cents; two bushels, 22 cents each. In remitting for orders, please add a sum to cover the cost of the necessary bags.

# **WARRANTS**

WARRANTS.—We would repeat our remarks of former years, and assure our friends that no pains have been spared to have all our seeds of the very best quality and purity. We not only buy our stock from the most reliable growers in the trade, but make careful germination tests of all vegetable seeds thus eliminating the chief cause for a poor stand. Our Flower seeds are fresh, new crop every year. At the same time we wish it distinctly understood that we give no warranty, express or implied, as to description, quality, productiveness or any other matter of any seeds, bulbs or plants we send out and we will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

A. C. KENDEL.

NEW GLADIOLI

The interest shown at the Gladiolus Show last August has led us to provide a few of the	
choice varieties that were on exhibition and created much favorable comment. The following a	re the
cream of the entire collection:	Dozen
AMERICA. Magnificent, large flowers of a delicate flesh-pink with a trace of lavender\$.06	\$ .60
PEACE. A grand white flower of large size with pale lilac penciling on inner petals 25	2.50
PANAMA. An immense rose-pink flower produced on long stems. A grand very showy sort50	
SULPHUR KING. The best yellow gladiolus to date	2.00
NIAGARA. Large, soft primrose-yellow flowers with carmine streaks on the two lower	
petals; very striking	2.75
BARON HULOT. Although small flowering, this is a real deep-indigo blue and a con-	
spicuous sort	1.00

LYCORIS SOUAMIGERA (Amaryllis Hallii)

This is a hardy bulb, which we have imported from Japan, producing the leaves first, which are followed a month later by a flower stalk two feet high, bearing a cluster of eight or ten large lily-like flowers of a delicate lilac-pink shaded with clear blue. The crown should be covered four inches. May be planted to advantage among the perennials, where they can be seen in the middle of the summer.

20c each, \$2.00 per dozen.

HARDY CHRYSANTHEMUMS

We have been able to secure a collection of Hardy 'Mums that was shown at the Chrysanthemum Show during the week of the blizzard last November. Several sorts in the following list took prizes at the Show, and the set are a very choice collection in full color range. We offer well rooted plants out of 2½ inch pots, which will be ready in May, at 10c each, \$1.00 per dozen.

Singles MENSA. Purest white; very fine.
MRS. E. D. GODFREY. Lovely light pink.
CEDDIE MASON. Bright crimson. MERSTHAM JEWEL. Reddish terra cotta with yellow center.

DOROTHY DANN. Salmon bronze; fine. POLLY DUNCAN. Fine canary-vellow.

JULIA LAGRAVERE. Crimson maroon. BABY YELLOW. Smallest vellow variety

Pompons

KLONDIKE. Brilliant yellow. CARMELITE. Pink. EARLY SNOW. Beautiful pure white.

Any of above, 10c each, \$1.00 per dozen.

MOONPENNY DAISY. This is considered a splendid addition to the list of perennials, the plants bearing large flowers of the purest white in great profusion. We can offer the seeds only this season. Per packet ......

PENNISETUM (Fountain Grass)
This is an Ornamental Grass with showy purple or green and white plumes, intended particularly for edging Canna and Calladium beds. We have provided growing plants out of two-inch pots, which will be ready with the Cannas about the middle of May. 

**NEW PEAS** 

LITTLE MARVEL, This is a new dwarf variety similar to the Notts Excelsior but said to be a heavier yielder and bears larger pods. The vines grow 15 inches high, the pods are about  $2\frac{1}{2}$  inches long, square at the end and filled with six or Pkt. Pk. Ot. seven dark green peas... .....\$0.10 \$.40 \$3.00 PRINCE EDWARD. An English strain of the Telephone type growing four feet high and bearing a heavy crop of mammoth pods filled with dark green peas of 

NEW ZEALAND SUMMER SPINACH

While we have sold this for many years, it is only within the last two or three that there has been any noticeable increase in the demand for it. We are drawing attention to it because for a small garden it is decidedly profitable to raise, a dozen plants yielding a continuous crop large enough for a family of four from the middle of July until frost. The soil should be made rich in nitrogen, and the ends of the branches may be picked once or twice a week. The fresh new growth that comes at every joint is tender, clean, and, when cooked with a slice or two of bacon, makes a delicious dish of greens. The seeds are large as peas and should be planted a half inch deep and a foot apart. The vines will eventually spread three or four feet across, but by growing over one another, the edible tips are kept free from sand.

Per ounce packet.... \$0.10 ½ lb.....\$:30

#### POTTED VEGETABLE PLANTS

With the price of early Tomatoes so high on account of the long distance they are shipped, it is not only quite a pleasure but a decided saving to be able to pick them out of your own garden say from the middle of July on.

In order to do this, however, it is necessary to get plants that are well started. We are having a few grown in 4-inch pots for us, that will be in bloom and perhaps have small fruits on them when it comes time to safely set them out.

Price: June Pink, Beauty and King of the Earlies Tomato, 10c each, \$1.00 per dozen. Purple Egg Plant, 10c each, \$1.00 per dozen.

# MAKING A HOTBED

In this part of the country hotbeds may be started any time after the first of February and as late as the middle of March. They may be used nearly the year around. The plants that are started early to be set out in the garden, may be followed by a planting of Mushroom Spawn and this in turn may be followed in October, after the Manure has been taken out, by potted bulbs, such as Hyacinths, Tulips, Narcissus etc., protected by three or four inches of soil, saw dust or straw. Bulbs are usually through blooming in time to fill the hotbed with fresh manure again for the early plants the next spring. Standard sash are 3 ft. 4 inches by 6 ft. and this is the unit to use in determining whether the hotbed Sash. should be one, two, three or more sash long.

Choose a place sheltered from the north and west winds and dig a hole 18 inches deep. Build a frame out of inch stuff with 2 x4s or scantling for the inside corners, open at the bottom and three feet high on the north side and 2½ feet high at the south side. Above ground the sides should Location. be planed lumber. If more than one sash is to be used a 2 x 4 cross-piece should be provided for the sash to slide on. This can rest on 2 x 4 uprights, which will give the whole structure additional support both for the weight above and ground pressure at the sides.

Fresh horse manure with straw bedding piled in a heap and turned every two or three days should be used. The turning prevents burning. When enough has been accumulated for the Manure. hotbed, it should be filled in evenly, a forkful at a time until after it has been thoroughly tramped down it is six inches above the level of the ground outside.

If crops are to be grown to maturity in the hotbed, such as radishes, lettuce etc., take soil thoroughly enriched and if possible passed through a sieve with ¼ or ¾ inch mesh. If crops are to be transplanted into the garden, use soil poorer or at least no richer than the outdoor beds or the roots of the seedlings will remain in the ball of rich soil instead of striking out, thus dwarfing them and causing failure. Three or four inches of soil is enough.

The manure will create a heat at first above 100 deg. Fahrenheit, which is much too hot. When the thermometer, which should be used, shows 85 deg. such seeds as pepper, egg plant **Planting.** and tomato may be sown. Practically all others will come better at 70 deg. and under. Sow in rows 3 or 4 inches apart and keep the weeds out.

One of the most important things to insure success is the matter of ventilation. No matter how cold it gets, two or three days is as long as a hotbed can be left unopened and not that long if the sun shines. If only a pot label is put under the upper end of the sash it helps, but on bright days, more than that is necessary. A block the dimensions of a brick is handy. Watch lation. It is safer than guessing. If it gets above 80 deg. let it cool down. The reason for all this caution is to prevent the appearance of a fungus that causes the seedlings to damp off and there is no remedy to check it except to take the unaffected plants out at once.


This should be done a little at a time twice a day with a sprinkling can having a fine rose, partic-Watering ularly until the seeds are up. Too much watering will destroy the heat in the manure the same as it does a fire.

In severe weather, say 10 deg. above zero, it is advisable to cover the hotbeds with straw mats, old **Protec**-carpets or boards and litter or straw or even soil piled against the outside, a few inches **tion**. above ground, will help.

#### CONTENTS OF THIS CATALOGUE

Bulbs Page 47-51	Florists' Supplies Page 56
Plants 51-53	Cutlery
Lawn Grass Seed 1-2	Insecticides and Spraying Compounds 59
Vegetable Seeds 3-26	Incubators and Brooders . Third page
Flower Seeds	Lawn Mowers Fourth page
Bird Seeds	Mushroom Spawn 17
Clover and Grass Seeds 28-29	Nitro-Culture 60
Field Seeds 27 28	Plant Tubs 55
Herbs 27	Poultry Remedies 59
Tree Seeds	Seed Drills 54
Cultivators	Sprayers
Fertilizers 60	Tree Tanglefoot 59

#### BUCKEYE INCUBATORS AND BROODERS



In spite of the low price, Buckeye Incubators are considered among the best on the market. Every Buckeye Incubator is guaranteed to hatch every hatchable egg and remain in perfect working order five years. They are cheap because they are simplicity itself and if they hatch every hatchable egg, as they are guaranteed to do, they do as much as the highest priced.

"Anybody can hatch chickens with a Buckeye."

Style A. Capacity, 60 Eggs, complete with Galvanized Tank 10.00 Style E. 60 Eggs\$ 7.50
No. 1. Capacity, 110 Eggs, complete with Copper Tank and Underwriters' Insurance Label 18.00
No. 2. Capacity, 175 Eggs, with Copper Tank and Underwriters' Insurance Label
No. 3. Capacity, 250 Eggs, with Copper Tank and Insurance label
No. 4. Capacity, 350 Eggs, with Copper Tank and Insurance label
No. 1. Indoor Heated Brooder for 50 Chicks \$8.00, No. 3, for 100 Chicks
No. 2. Outdoor-Heated Brooder for 50 Chicks \$12.00, No. 4, for 100 Chicks
No. 5. Lampless Brooder for 25 Chicks \$2.00, No. 6, for 50 Chicks


Complete descriptive catalogue, giving much valuable information about Buckeye Incubators and how to manage them, mailed on application for a 2c stamp.

# CONKEY'S POULTRY REMEDIES

# EACH ARTICLE MUST SATISFY YOU OR YOU RECEIVE YOUR MONEY BACK

For 2c postage we will mail Conkey's valuable book "Poultry Diseases" which was formerly sold for 25c per copy.


The prices given do not include transportation.



<sup>\*</sup>Call for free samples or send 5c postage for each.



# TOWNSEND'S BALL BEARING LAWN MOWERS, ETC.





THE "VICTORY"

THE "SPIDER"

The Townsend Ball Bearing Lawn Mowers are constructed throughout of the best materials and are as carefully and accurately made as a bicycle. The running parts are of the finest hardened steel and may be easily adjusted to take up the wear. This is a particular advantage in adjusting the reel, as thus the knives are always parallel to the cutter-bar, and cannot jump away when cutting thick grass.


The cutter-bar is tubular, and therefore very rigid. It is easily taken out to be sharpened without

disturbing the frame, and may be adjusted to a hair.

The ball bearings make it possible to mow with a machine one-third larger with the same power, which means that a 24-inch ball bearing mower will mow as easily as an 18-inch of other makes.

The three styles we carry with the wide range in prices, ought to enable everyone to own one of these excellent mowers.

	14 in.	10 in.	18 in.	20 in.	22 in.	24 in
Price of "The Flyer"		\$7.00	\$8.00			
Price of "The Spider"		9.00				
Price of "The Victory"		11.00	12.00	\$13 00	\$14 00	\$15.00
The or the victory			00	φ10.00	<b>\$11.00</b>	φ10.00



# THE CAPITOL LAWN MOWER

After the lawn has been moved there remains a fringe of grass around the edges that could heretofore only be reached with a pair of shears on one's hands and knees-a

tedious, back-breaking job.

This machine does the work perfectly and as rapidly as a man can walk. Being driven by one wheel, allows the cutter to go as close to a fence as grass will grow and

not leave a spear.

A disk above the drive wheel is used to cut the edges of the sod along the walks and around the flower beds. The machine is turned over and run backwards when the disk is to be used. The saving in labor will soon pay for one of these

machines.


Price, boxed and delivered f.o.b., \$6.50.

# **DUNHAM ."WATERWEIGHT"** LAWN ROLLERS

These are the last word in Lawn Rollers. The tank is electric weldedno rivets or bolt heads are visible, the edges are rounded and it may be filled without standing on end. Just the thing if you are obliged to keep it in the basement.

No.	Dia in.	Length in.	Wt. Empty	Filled with Water	Filled with Sand	Price
. 3	14	20	60	200	300	\$ 8.00
5	18	24	75	300	500	10.00
7	24	24	125	500	800	13.00

With the counter weight on handle as shown in cut add 60 lbs. to weight and \$1.50 to price.



"WATERWEIGHT" LAWN ROLLERS

# LAWN GRASS SEED

HERE is perhaps nothing which so adds to the beauty and attractiveness of the place we call home, as a smooth, fine, well-kept lawn. It is like the setting of a fine gem. It ought not to be a difficult matter to convince our customers of this, when so many fine lawns greet us on every hand.

We wish it were as easy to convince them that we have made it our business to create the want and supply the demand for a strictly high grade article in Lawn Grass Seed, which we have done for many years.

THERE IS MUCH DECEPTION PRACTICED in mixing and selling seeds for lawns, but we can truthfully say that we spare no pains or expense to secure the best and cleanest grasses adapted to our soil and climate, that it is possible to procure and we may add, that we attribute the success of our "FOREST CITY" and our "SHADY NOOK" LAWN GRASS SEED largely to the purity of the seeds we use, as well as the proper proportions in which we mix the different kinds together.

As with almost every article of merit, substitutions are offered for our Lawn Seed. We therefore caution our customers to buy their seeds at headquarters, and save themselves from disappointment caused by having grading contractors and gardeners sow seed of an inferior grade at a less price than the best, after a greater or less outlay of money and labor. Insist on getting "FOREST CITY" and "SHADY NOOK" and you will get the best.



In order to obtain A REALLY FINE LAWN, there are several requisites—a good depth of rich soil, properly drained; a very heavy dressing of thoroughly decayed stable manure, Sheep Manure or PURE BONE DUST; nicety of grading in levels and slopes; a firm and smooth surface upon which to sow the seed, and a SUFFICIENT QUANTITY OF THE VERY BEST LAWN GRASS SEED SUITED TO THE SITUATION. The latter item is of prime importance.

A rich soil of good depth and liberally fertilized will maintain a fine green sward many years, provided a small quantity of seed is sown and raked in when the grass begins to grow, in the spring. Fresh manure should never be used in making a lawn; when decaying it is liable to allow an uneven settling of the soil, and in addition is so full of weed seed, that the lawn is practically ruined. We have found PURE RAW BONE DUST, of which we have the best grade to be had, the best and safest fertilizer for general purposes. It is clean, easily applied, effective and odorless. It is cheaper than manure, as twenty-five pounds of Bone Dust is equal in fertilizing value to a wagon load of manure, and in addition does not require an extra man to spread it on. For a new lawn or garden, use at the rate of 1,000 lbs. to the acre or about one pound for every five by ten feet of surface; for an old

lawn use one pound for every ten by ten feet.

Make a smooth surface with harrow and rake, and use a roller to make it firm and even BEFORE SOW-ING THE SEED. After sowing, cover the seed well, by raking it in, and again use the roller to finish the work. Use five bushels, or even more of the Forest City Lawn Seed per acre, or about one package for every ten by fifteen feet of surface. In this latitude there is no season more favorable for sowing than the last of August or the first of September. Sown at this time the grass will be strong enough to winter over safely; and the weeds which will inevitably appear, will not have time to mature and scatter their seed, being mostly annual plants. It is usually

then necessary to scatter a little seed on the lawn in the spring to fill in the bare spots, where the grass has been winter-killed. If the seeding must be done in the spring it should be done as early as possible, so that the young grass may be strong enough to withstand the heat of midsummer. It may be sown soon after the 1st of April, or as soon as the ground is dry enough to rake without lumping, and if sown before the middle of May it will produce a beautiful lawn by July.

Mowing should begin when the grass is an inch or two high.

In consequence of the frequent cutting required, the grasses have no time to mature seed for re-seeding the ground; therefore, in order to keep the lawn well stocked with the proper varieties of grass, and not allow noxious weeds and wild grass to gain the ascendancy, there should be a sowing of seed made every spring, and once or twice during the season, together with a liberal dressing of bone dust and a good raking given to loosen the surface and incorporate the fresh sown seed with the soil.

If the above directions are carefully followed and the weather is right, a fine lawn may be expected.

If the weeds become too numerous to pull or cut out, sow a quantity of white clover rather thickly, and the weeds will disappear soon after the clover gets well established.

# Look for the Name "FOREST CITY" on the Label.

We have sold our Lawn Grass Seed for many years in large quantities in and about Cleveland. Its lawns are famous the world over. We feel, therefore, that the Lawn Seed that makes these famous lawns may be appropriately named "Forest City" Lawn Grass Seed, and under this name it will be hereafter sold

((DODDOM CIMINI I ANNI CDACC CEED	Per pkg. (8 oz.)	15c	2 lbs	50c
"FOREST CITY" LAWN GRASS SEED	4½ 1bs	1.00	Bushel (18 lbs.)	3.50
PURE RAW BONE DUST	Per lb	5c	25 lbs	1.00
PURE RAW BONE DUST	(100 lbs	3.00	S'k (200 lbs. net)	5.50

# "SHADY NOOK" LAWN GRASS SEED

After a series of experiments extending over several years we have been able finally to combine several grasses that we have found will make a good sod under trees and in shaded places. We offer this mixture as "Shady Nook" Lawn Grass Seed.

If we may judge by the increasing demand and the commendations we have received on every hand it is surely filling a long felt need. Your soil may be too poor under the trees to sustain a lawn for any length of time, but it can not be too shady for "Shady Nook". Thoroughly fertilize the soil before sowing and water frequently if necessary.

Sow as early as possible and in the spring only, at the rate of one pound for a space 10x20 feet square. For further directions see above under the word "How."

"SHADY NOOK" Lawn Grass Seed per pound 25c; 5 lbs. for \$1.00.

# VEGETABLE SEEDS

In ordering seeds to be sent by mail, please do not forget to read "SEEDS BY MAIL" on the inside cover page.

#### ARTICHOKE—(Artichoke)

The bulbs of the Jerusalem Artichoke are used extensively as feed for swine and make also a palatable vegetable, being prepared like salsify, and are also used for pickles. The tops may be cut and cured and used as dry fodder.

	•	Pkt.	Oz. 1/4lb.	Lb.
French Globe.	The standard and best variety for sowing			
		Qt.	Peck.	Bu.
Jerusalem. (	Tubers)*	.\$0 25	\$1 00	\$3 50

#### ASPARAGUS—(Spargel)

A bed of Asparagus when properly made, lasts many years; it should find a place in every garden, and to those who grow vegetables on a large scale, the Asparagus crop is a reliable one. Asparagus roots may be purchased in the spring or may be grown from seed sown in April, or May in good soil, in drills twelve to fourteen inches apart. The permanent beds should be made VERY RICH WITH WELL-ROTTED MANURE, and thoroughly worked over to a depth of nearly two feet. The asparagus roots (either one or two years old) are transplanted into this bed, setting them in rows three feet apart, leaving about twelve inches between the plants in the row and six or seven inches below the surface for green Asparagus and two or three inches deeper for the white sprouts. Cover the crowns two or three inches with soil and fill the trenches gradually for some weeks.

	Pkt.	Oz.	⅓lb.	Lb.
Palmetto. Of southern origin, very desirable; bright	green\$ 05	\$ 10	\$ 15	\$ 50
Conover's Colossal. Large and prolific		10	15	50
Barr's Mammoth. Very large tender stalks; almost	white 05	10	15	50

#### ASPARAGUS ROOTS

Conover's Colossal.	One year	Per	hundred,	\$0	70;	per	thousand,	\$6 00
Conover's Colossal.	Two years	"	"		80;	4.6	44	7 00

#### BEANS-Dwarf or Bush-(Bush Bohnen)

Dwarf Beans, as a rule, are both hardier and earlier than the running sorts. They are usually planted to a depth of about two inches and in rows from two to three feet apart, according to the character of the soil, which, to be best adapted to their germination, growth and yield, should be light, dry, warm and RICH, especially with potash.

	kt.	Qt.	Peck .	Bu.
BURPEE'S STRINGLESS GREEN POD. The Pods of this bean are round,				
full and longer and straighter than Valentine and enormously productive.				
The earliest on the list, and is excellent for home use	10	\$ 30	\$1 75	\$6 50
Canadian Wonder. Large, flat, green pods, and excellent to use as a shell bean. Seeds red				
Long Yellow Seeded Six Weeks. Excellent early, flat string bean	10	30	1 75	6 00
	10	30	1 /3	0 00
REFUGEE. Later sort; very productive; round, stringless pods; planted almost				
exclusively for late	10	30	1 75	6 00
Dwarf Caseknife. A flat, green podded variety, very prolific and early, white				
seed	15	40		
BURPEE'S BUSH LIMA. A dwarf variety of the Pole Lima. We find that				
they do not bear continuously, hence to prolong the period of picking, two				
or three plantings should be made	10	40	2 50	0.00
	10	10	2 00	9 00
Dreer's Bush Lima. Is a short, thick bean, maturing somewhat later than				
the preceding sort; vines trailing, immensely productive, and beans are of				
excellent quality	15	50	3 00	
BURPEE'S IMPROVED BUSH LIMA. Similar in type to the preceding but				
	15	50	3 00	
more promic. Excenent for nome use	15	90	<b>3</b> 00	

DWARF WAX BEANS

DWARF WAX BEANS				_	
Black Wax. Early, round-podded, stringless; black seed\$ 1	ct. (		Peck \$2 5		
	.0	"	$\frac{5}{2}$ 5	.,	
WARDWELL'S KIDNEY WAX. Pods long, flat, beautiful light yellow color,	.0	40	2 0	פ נ	00
very early and an abundant yielder. Also an excellent sort if planted late.					
The most popular wax bean on the market	10	40	3 0	C	
Currie's Rust Proof Black Wax. A flat variety of wax beans, less liable to					
	10	35	2 5	0 9	00
Davis Kidney Wax. Vines bear a good crop of very white, straight pods,					
from 5 to 6 inches long, of excellent quality when gathered while young; seeds of this sort are white and may be used as a shell bean. Should never					
	10	35	2 5	0 9	00
*** F					
FIELD BEANS					
These Beans subject to change in price					
Large White Cranberry or Marrow Bean. Used as an early shell bean\$	10	¢ 25	\$1 5	n ¢5	. 00
	10	7	$\frac{\varphi_1}{1}$ 3		
White Pea or Navy. The most popular baking bean			1 2		
white I ca of Ivavy. The most popular baking beam	10	23	1 4	<i>J</i> -1	: 30
BEANS—Pole or Running—(Stangen Bohnen)					
			**		
Large White Lima. (Best Eastern.) Best shell bean grown; a late sort\$ 1	10 \$	\$ 35	\$2 0	0 \$7	00
CARPINTERIA POLE LIMA. Like the preceding in shape, but the seeds are	10	25	2 0	0 7	00
greenish even when dry	10	99	20	0 1	00
and becoming very popular	15	40	3 0	0 7	00
Pole Horticultural or Speckled Cranberry. A popular and very old variety				•	
	10	30	1 7	5 6	50
	10	30	1 7	5 6	00
Lazy Wife. Exceedingly prolific, thick, white seeded sort both for green or					
	15	40	2 2		00
				<b>~</b> 0	00
	15		2 2		00
			2 2 2		00
Scarlet Runner. Very ornamental, free climber; bright scarlet flowers	15				
	15				

# BEET—(Rothe Ruebe—Runkel Ruebe)

A rather light scil, well enriched, is best suited for the cultivation of the various beets. The mangels and sugar beets in particular require vc.y liberal manuring. For an early crop of table beets sow the seed as early as the ground is in a condi-



Swiss Chard or Spinach Beet.

tion to be worked; light frosts will not injure the young plants. For a main crop, sow the first of May; and for winter beets during the first two weeks of June. Sow in drills twelve to fifteen inches apart, and about one inch deep, pressing the earth firmly upon the seed—a very important matter. Use about six pounds of seed per acre. Thin out when the plants are large enough. The varieties for table use should be left four or five inches apart, while the mangels and sugar beets should stand thirteen inches apart in the row. Hoeing and hand weeding should be attended to early, as weeds must not be allowed to interfere with the young plants.

Pkt.	Oz.	⅓lb. Lb.
CROSBY'S EARLY EGYPTIAN.  Extra early, round dark red; the best early sort	\$ 15	\$ 40 \$1 25
Detroit Dark Red Turnip. Very smooth; globe-shaped; small top; skin dark red, with flesh bright red, shaded to light; very sweet and tender; best late sort 05	15	50 1 50

$\mathbf{R}$	F	FΊ	rc		Car	tin	ued	7
-1)	I M			_	-or	111111	uea	

05 10 30 1 00

Lane's Imperial Sugar. A very sweet, white beet, of excellent

Vilmorin's Improved White

quality for feeding...... 05 10



**15** 40

	Pkt.	Oz.	1/4lb.	Lb.	
Early Eclipse. Very early, dark blood color, small top and free from fibrous roots, good for bunching	0.5	15	40	1 40	
EARLY BLOOD TURNIP, (EDMAND'S.) A select strain, of great regularity in shape; deep blood skin and a very dark flesh of best quality. The best beet for general crop	05	15	40	1 25	

#### VARIETIES GROWN FOR FEEDING STOCK.


Norbiton Giant Mangel

Sugar. The sweetest of all white beets	05	10	15	40
WHITE SILESIAN SUGAR. The variety so much grown in Europe for sugar making; very sweet and keeps well; much relished by stock and poultry for winter feeding	05	10	15	40
NORBITON GIANT MANGEL WURZEL. A long red variety, of great size and good keeping quality. Very popular sort yielding an immense crop	05	10	15	49
GIANT HALF SUGAR ROSE. A large variety adapted especially for heavy soil because it grows three-fourths out of the ground and can be easily pulled; rapidly gaining in favor	05	10	13	40
Yellow Globe Mangel Wurzel.  Does better on shallow or clay soils than the long varieties, and it is more easily pulled; is also of richer quality, and an excellent keeper.	05	10	15	40
Golden Tankard Mangel Wurzel. A rather longer root than Yellow Globe; in good soil producing large crops; quality excellent; very sweet	05	10	15	40

#### BRUSSELS SPROUTS—(Sprossen Kohl)

A variety of the cabbage family, which produces miniature heads from the sides of the stalk. These heads are a great delicacy, boiled in the same way as cauliflower. The seed should be sown about the middle of May, and cultivated like cabbage.

Dwarf Improved French.	The best for genera		Oz.	1/4 lb.	Lb.
use		.\$ 05	\$ 25	\$ 75 \$	2 50



Dwarf Improved French Brussels Sprouts.

The cabbage crop is one of the first importance to vegetable growers, and, to be successfully grown, needs great care and sound judgment, both as to the selection of proper seed and the cultivation throughout. The early, medium and later sorts all thrive upon similar soils, yet need varying treatment. It is safe to select either a piece of strong swardland, or if more convenient, land that has not borne crops of cabbage or turnips for two or three years previously. Sward-land should be plowed in the fall and again cross-plowed in early spring after a heavy dressing of strong manure; high cultivation is absolutely necessary. In this vicinity the larger portion of the early varieties are grown from seed sown in hot-beds in February and March, only moderate bottom-heat being required. Transplant into other frames without much if any bottom heat, as soon as the plants show the fourth leaf, setting them low in the earth to make them stocky. In April, or as soon as the ground can easily be worked, set out in rows three feet apart and about eighteen inches between the plants. The smaller varieties may be grown a little closer. The ground should be thoroughly stirred with a cultivator, and hoed every week till the plants cover the ground. Cold-frame plants are often used for early planting; such plants are obtained by sowing the seed about the middle of September, and later transplanting into coldframes, where they are wintered over. These plants are desirable on account of their hardiness, and are less liable to become stunted when set in the open ground. In some localities a crop of celery is made to follow early cabbage the same season, by setting every third row with celery plants. (See remarks on celery culture). For a fall crop sow in the open ground in May, and transplant in June and early July.



All Seasons Cabbage.



Dwarf Early Flat Dutch Cabbage.

- F	kt.	Oz.	⅓lb.	Lb.
TRUE EARLY WAKEFIELD. A standard, very early variety; of medium size; in shape pyramidal, with a rounded peak; being very hardy, it is well fitted to winter in cold frames. By far the best very early sort\$	05	\$ 30	\$ 75 \$	\$ <b>2 5</b> 0
Early Winningstadt. A sugar-loaf variety of the earlier sort; grows to good size, and does better on light soils than any other sort; much desired on account of its solid head	05	20	60	2 00
ALL SEASON'S CABRACE. Early, large sized, very solid, round head; as its name implies, it can be planted to come in for all seasons, early, medium or late. It is an excellent variety and can be depended upon for a second				
early crop of fine salable cabbage	05	30	75	2 50
Burpee's Sure Head. Hard flat head; a sure header and good keeper	05	25	7,5	2 50

# CABBAGE—Continued






Henderson's Early Summer Cabbage.

Early Dwarf Savoy Cabbage.

1	Pkt.	Oz.	⅓lb.	Lb.
All Head. Sure header. An excellent flat headed variety for fall use	\$ 05	\$ 30	<b>\$1</b> 00	<b>\$3</b> 50
HOLLAND. A variety that has come into great favor on account of its medium sized, exceedingly hard and heavy heads, and is in much demand by cabbage dealers on that account. Our strain of Holland Cabbage can be depended upon to prove satisfactory in every respect	0.5	30	80	3 00
Large Late Drumhead. A very large, reliable, solid-heading variety for winter use; an excellent keeper		25	75	2 50
LATE PREMIUM FLAT DUTCH. A standard variety; the most reliable and valuable for a main crop; a good keeper, and in every way desirable; makes a very large, flat head and is the principal sort used for kraut	05	25	75	2 50
Early Dwarf Ulm Savoy. A very early-heading, finely-curled variety of extra fine table quality; Savoys are excelled in delicacy of flavor only by cauliflower	05	25	75	2 50
Green Curled Savoy. A variety with finely curled leaves of delicate flavor; used for a fall crop or for winter	05	20	60	2 00
Perfection Drumhead Savoy. Rather larger and finely curled; the very best for family use; keeps well all winter until late in the spring	05	25	75	2 50
Mammoth Rock Red. This is the largest and surest heading Red Cabbage ever introduced. The head is large, round and solid	05	30	75	2 75







Perfection Drumhead Savoy Cabbage.

#### CARROT—(Mohrruehe—Gelbe Ruehe)

Carrots are grown for feeding stock, as well as for culinary purposes; there is usually a market demand for considerable quantities for cooking, many of the earlier sorts being sold in bunches when about half grown. A rather light, sandy loam, deeply tilled, is best suited to the growth of carrots, and upon such soil, if it has been liberally fertilized the previous year, a good crop may be grown without much, if any, additional manure. Strong, fresh manure should never be used. Make the surface smooth, and sow in drills about fourteen inches apart, and about half an inch deep, thinning the plants when large enough, so as to stand about three or four inches apart. April or May is the proper time to sow, varying the time according as an early or late crop is wanted. Good crops have been grown from sowings as late as the 10th, of June. Early weeding is very important. Sowing a little radish seed with carrot, just enough to show the row often saves a crop.


Early Scarlet Horn. medium sized root, halflong, stump-rooted, of fine color, and much used for cooking; grown for early use, and to sell in bunches; bears close

best and most popular variety for the garden; perfect in shape, sweet, dark red color; very productive.....

1/4lb. Lb.

\$ 20 \$ 50 \$1 50

15 05 40 1 25



Half Long Scarlet Stump-Rooted Carrot.



Large White Belgian Carrot.

Danver's Half-Long. A good variety for general crop; is of a rich orange color, and a good keeper; yields largely, and is easily					
harvested	05	15	40	1 25	W
Long Orange. A large, medium long variety, much used for main crop; yields largely	05	15	40	1 25	
OX-HEART OR LARGE				-	The state of the s
SCARLET STUMP-ROOTED. A very superior stump-rooted variety, growing much thicker than the Chantenay, but resembling it in color and shape. Used largely for stock	05	15	40	1 25	
Long Scarlet Altringham. This is a large, long, dark red variety; a heavy cropper; much esteemed for feeding on account of the high color it imparts to	0.5	15	40	1 25	
butter	05	10	40	1 25	
Large Orange Belgian. Is very large and good quality; grown for stock	05	10	30	1 00	
Large White Belgian. This variety, exclusively grown for stock, is the largest of all carrots, growing half out of the ground; it is an					
immense cropper, easily pulled and a good keeper	05	10	30	1 00	Long Scarlet Altringham Carrot.
F 8					-

#### CAULIFLOWER—(Blumen Kohl)

The growing of cauliflower is receiving more attention than formerly; particularly so the earlier varieties. The crops of Snowball and Dwarf Erfurt begin to come forward in June, and these, with the later sorts, are in the market, almost without intermission, until November. Cauliflowers require very high cultivation and plenty of moisture, even more so than cabbage.



Lenormand's Short Stem Cauliflower.


Whether grown in the kitchen garden or upon a large scale, the crop is a paving one, and there is not a more delicious vegetable grown. The demand is evidently increasing. Cold-frame plants are probably the best and hardiest for early crops; the frames however, need rather more protection during cold nights than is required for cabbage plants. Seed sown in hot-beds in February will produce plants that are not much, if any, inferior to cold-frame plants. They should be transplanted once before setting in the open ground, and also should be gradually hardened by exposure; in this way they will be in condition to set out as early in April as the ground will permit. Set the early sorts about two feet by fifteen inches apart, and cultivate the same as cabbage. When irrigation is practicable, great advantage is obtained during a drought. For late cauliflower, sow seed in open ground, from the middle of May to the middle of June, and transplant the same as cabbage. When plants first appear they are liable to the attacks of a small black fly; guard against this fly by frequent dustings with plaster, which apply in the morning while the dew is on. When the heads are forming. tie the leaves together at the top, thus avoiding discoloration by exposure to the sun. The crop of cauliflower depends entirely upon the state of the weather during the time of heading. If it is hot and dry, the heads will be inferior in size, solidity and color; if moist and cool, the

same plants would produce beautiful, white, solid heads. For this reason it is deemed advisable to use three or four varieties every season, which may be sown and transplanted all at the same time; but as their season for heading differs, some of them are certain to come in when the weather is favorable. All the different varieties we offer are sure to head. If any plant should fail to head in time, if taken up before freezing and planted in a cellar, a head corresponding to the strength of the plant will be almost a certain result.

In comparing our prices on Cauliflower please bear in mind that all the stocks we offer are absolutely the best selected strains to be had. In placing our orders in Europe we always insist on the purest, most reliable and satisfactory grades grown, and though the additional cost is considerable, it is but slight when compared with a good and poor crop of cauliflower.

P	kt.	Oz.	⅓lb.	
Henderson's Snowball. One of the earliest sorts; dwarf and com- pact; rather smaller than Extra Early 'Dwarf Erfurt but very			*	SA BOOM
reliable for heading\$0	10	\$2 25	\$7 50	
extra Early Dwarf Erfurt. Superior to all other early dwarf varieties; very white, compact heads; very reliable either for forcing or for late crop. The most popular variety in our market. Our stock of Erfurt Cauliflower is the best grown	. 10	2 25	7 50	1/10
· ·		Ÿ		
Early Paris. A tall-growing variety,				n n
used for late crop; has been very				Earliest Dwarf Erfurt Cauliflower.
popular for many years	10	75	2 50	
T			1 1 1	to the constate

Lenormand's Short Stem. This is an extra large-headed variety, with a short stem; a great favorite for late heading; a most reliable sort......\$ 10 \$ 60 \$2 00



# CELERY—(Sellerie)

But little celery is grown for early use, as it is not in its most palatable condition until about October, the bulk of the crop being used during November and later. For this reason it is generally grown as a second crop, following early cabbage, onions, peas, etc. If it is desired to start the seed early in hot-beds, great care must be taken to shade it from the sun immediately on sowing, as one hour's sunshine, through the glass upon the seed so slightly covered, will destroy its vitality, and cause great disappointment. The proper time to sow in the open ground is early in April, transplanting about the first of July. The seed being very small, should be covered very lightly, and the earth pressed firmly down upon it. Some gardeners trim off the top a little, while the plants are small, to make them more stocky. Set in rows three or four feet apart, and about four to six inches between plants in the row. Keep down all weeds, and as fall approaches, draw earth up to the plants, keeping the stalks well together. This earthing-up is continued at intervals, until only the leaves appear above the soil. When well blanched, it is ready for use. For winter use it is usually placed in trenches, and covered with earth and litter, or stored in cool cellars.

TT - - - - - - - - 1 - W/1-14

Pkt. Oz.

1/4lb. Lb.

Celeriac.

	05 \$	05 \$ 35 \$1 00 \$3 50				
Celery.	Boston Market. An excellent celery for home use in late winter; grows very dwarf, and hence easily trenched	05	25	75 1 25	- 00	
LARGE-STALKED GOLDEN SELF-BLANCHI for early use; large, solid stalk, with beauti easily and early; an excellent shipper LARGE STALKED GOLDEN SELF-BLANCH	ful golden heart; bleaches	05	2 00			
On account of the uncertainty of Golden-Bla solid, we have tried to carry over a quantity we offer as long as it will last as "tested stock on each package. This seed we absolutely kno our growers need fear no failure on account of he	nching celery being always that has been tested. This "with the year of the crop ow to be pure and solid, and	05	2 00			
Golden Rose Self Blanching. A splendid sort	growing like the preceding		,			
except, it has a faint pink streak on the outer		05	50	1 50	5 00	
GIANT PASCAL. A fine keeping sort; excellent brittle, and the best late sort grown here		05	25	75	2 50	
GIANT PASCAL. TESTED STOCK. Sometime this variety will be inferior. We have a little known purity. Date of crop on each package.	e of the old seed that is of	05	30	90	3.00	
Improved Large White Solid. A very large ki flavor, and a good keeper	nd, solid crisp, of excellent	05	20	60	2 00	
Celery Seed for Flavoring. Used in flavoring pick		0.5	05	,	60	
CELERIAC, OR TURNIP ROOTED CEL					<b>\</b>	
A variety of celery with roots of turnin shape. It is grow	n in the came monner ac ordinator		A STATE OF THE PARTY OF THE PAR	-	1200	

#### CELERIAC, OR TURNIP ROOTED CE


A variety of celery with roots of turnip shape. It is grown in the same manner as ordinary celery, but may be set closer—about eighteen by six inches. But little earthing-up is required. Can be kept in winter the same as other celery. The roots may be boiled and sliced, and used with vinegar as a salad or cooked and served with butter and flour gravy.

Pkt.	Oz.	1/4 lb.	Lb.
Large Erfurt. The largest and best root; very popular	\$ 25	\$ 75	\$2 50
LARGE SMOOTH PRAGUE. Similar to Large Erfurt, with fewer roots	25	75	2 50

#### CHICORY—(Chicorien)

Grown for the roots, which, when dried and roasted, are ground for mixing with coffee, the mixture being preferred by many to pure coffee. Cultivation of this plant precisely the same as for carrots.

	Pkt.	Oz.	1/ <sub>4</sub> Lb. Lb.	
Large Rooted	05	\$ 10	\$ 30 \$1 00	
Curled This sort is used exclusively for salad like Endive.	0.5	10	40 1 25	



#### CORN—Sweet or Sugar—(Zucker Mais)

All are so familiar with corn it is unnecessary to describe its appearance or uses. Its cultivation is very simple, and with only ordinary care good crops are grown. Plant in any good soil, in rows two and one-half to four feet apart, according as a dwarf or tall-growing variety is planted. Nothing grown in a garden gives more satisfaction for family use than sweet corn, provided there is room for its proper culture. The usual mode of planting is in hills, leaving three or four stalks in a hill, but it has been found to be a much better way to plant in straight rows, two and one-half or four feet apart, and one stalk every foot. This will give each plant an equal chance, and every stalk will bear one or more ears. It is advisable to plant three or four varieties, so that one kind may follow the other in regular succession. If not acquainted with the different varieties the selection might be left to us.

	Pkt.	Ot	Peck	Ru
Cory. The earliest of all the sweet varieties			\$1 25	
GOLDEN BANTAM. Ears and stalks small, bearing close planting. Very sweet and tender and the best first early in market		30	1 75	6 00
<b>KENDEL'S EARLY GIANT.</b> This variety has made a name for itself when ever corn is planted. It is the largest early sweet corn yet introduced and is a money maker for market gardeners. It comes with the Minnesot and Cory and the ears are twice as large. It is white, has a large grain, very sweet and tender, and is very prolific	, a y	20	1 40	4 50
KENDEL'S EARLY WHITE WONDER. We can hardly praise this cor- enough for home use. Ears eight rowed medium size and numerous, and kernels exceedingly sweet	i	20	1 40	4 50
Early Minnesota. A very fine extra early dwarf, eight rowed variety; a general favorite for the first early	a . 05	20	1 25	4 00
Perry's Hybrid. Second early; excellent for market gardeners; pink cob	. 05	20	1 25	4 00
Early Crosby. Habit very dwarf, ears set very low; a twelve-rowed variety with white cob, ear fair size, and sweet		20	1 25	4 00
Early Mammoth. An excellent variety; comes in immediately after th second early; very large ears		20	1 40	4 50
Moore's Concord. Rather taller, and with larger ears than early Crosby also a little later; a good sort for general use; twelve rowed		20	1 25	4 00
Country Gentleman. A fine variety, small cob, kernels very deep, swee and tender while in the milk, but gets hard and tough if allowed to remain on the stalks too long	1	20	1 40	4 50
Mammoth Sweet. A late variety with ears of the largest size; twelve to sixteen rowed, and of fine flavor, a general favorite		20	1 40	4 50
STOWELL'S EVERGREEN. A standard sort	. 05	20	1 25	4 50
Black Mexican. Very sweet and early and much desired for family gardens	. 05	20	1 25	4 00

#### CORN-Indian or Field-(Indianer oder Feld)

The culture of field corn is too well known to need any description.

Early Huron Dent. This sort is considered the earliest yellow corn grown. Ears good size;
folder medium solvers this Double was 20 the effective world grown. Ears good size;
fodder medium; cob very thin. Per ½ bu. or 20 lbs. of ears\$0 60
White Cap Yellow Dent. An early variety that has given good satisfaction in Northern Ohio.
Seeds light yellow. Per ½ bu. or 20 lbs. of ears
SIBLEYS PRIDE OF THE NORTH. The earliest gourd seed corn known; twelve to fourteen
rowed; bearing close planting; abundant yielder, and sure to ripen even in our shortest
seasons. Per ½ bu. or 20 lbs. of ears
IMPROVED LEAMING. A standard variety which may be planted safely to insure a large
Thir Roy ED DEMAING. A standard variety which may be planted safely to insure a large
crop; cob red, very long and thin; kernels long and of a deep orange color. Per 1/2 bu. or
20 lbs. of ears
Pigo Pon Corn Por 1/hu or 201ha of corn
Rice Pop Corn. Per ½ bu. or 20 lbs. of ears
Red Cob Ensilage. This corn has become a universal favorite with all growers of fodder
corn. Price variable. Per bu
com. The variable. Tel bu
CLARK'S CUBAN GIANT ENSILAGE. A large-growing variety, and ripens earlier
than the Red Cob, and therefore safer to use for silage
ENSILAGE—In large quantities will make special price.

# CORN SALAD or FETTICUS-(Ackersalat)

Grown for use as salad. Sow very early in spring in rows a foot apart. In six or eight weeks it is ready for use. For early spring use, sow in September, and when cold weather sets in, cover with litter, and winter over like spinach.

# CRESS, or PEPPERGRASS—(Kresse)

Used for salads and garnishing. Sow in April in rows a foot apart...... 05 10 15 50

#### WATER CRESS—(Brunnen Kresse)

A perennial aqautic plant. It is introduced by setting roots or sowing seed about mid-summer in beds prepared at the edge of slow-running water. It is used as a salad in early springtime



Corn Salad.

#### CUCUMBER—(Gurke)

To obtain early cucumbers and at the same time avoid most of the annoyance of the striped bug, it is a good plan to plant the seed about the first of May in frames without much bottom heat. Small pots may be plunged into the soil, in frames and a few seeds planted in each, or small sods, turned over, may be placed close together in the frames, and a few seeds placed in each. In three or four weeks these may be transplanted into open ground, each piece of sod being set into hills three or four feet apart each way. If transplanted in the evening and one watering given, the plants will not droop. The seeds may be planted in the hills late in May, making the crop somewhat later. Use dry plaster, or an infusion of powdered white hellebore in water, to destroy the striped bug. For pickles plant during the last two weeks in June.

·	kt.	Oz.	⅓lb.	Lb.	
IMPROVED WHITE-SPINED. The best variety grown; the sort most gen-					
erally used both for forcing and open air culture; medium length, dark-					
green color, crisp, and of excellent flavor; our strain of White Spine has been grown for us by one of the best growers in the east for many years					
and is second to none\$	05	\$ 10	\$ 30	\$1 1	0
Early Russian. The earliest variety, but three or four inches long; mostly					
esteemed for early, short, thick pickles	05	10	30	1 0	0
Boston Pickling. The best to grow for pickles; yields a large crop of short,					
straight, dark-green pickles	05	10	30	1 0	0
EXTRA LONG GREEN. A well-known late variety, producing cucumbers					
about twelve inches long; good deep color, flavor excellent	05	10	35	1 2	5

#### CUCUMBER—Continued

I	kt.	Oz.	1/4 lb.	Lb.	
Davis Perfect. Long, slim, dark, brittle; excellent for garden or green house.\$	05	\$ 10	\$ 35 \$	1 25	,
Early Frame. A short early sort, growing about five inches long	05	10	30	1 00	
Jersey Pickling. An excellent variety for pickling; very productive	05	10	30	1 00	
Green Prolific Pickling. The most productive sort of all	05	10	30	1 00	
Japan Climbing. Good under glass or in the open ground. A fine sort					
for home use	05	15	50	1 50	
West India Gherkin. A small prickly fruit used for pickling	05	20	60	2 00	
Telegraph. Used for hot-houses and frames; free-bearing, long and hand-					
some	25				

#### DANDELION—(Pardeblum)

The dandelion is a hardy perennial which makes a very desirable early spring salad. Sow the seed early in drills  $\frac{1}{2}$  inch deep an 1 15 to 18 inches apart. Weed frequently during the summer, and the next spring the leaves will be fit to use. The flavor is very much improved, if the leaves are blanched, the bitter taste being much reduced. This may be done by covering with boards or leaves and litter for a time to exclude the light. It is served like lettuce and is considered a very wholesome

Improved Thick-Leaved. The best variety, and the kind generally used ...

# EGG PLANT-(Eierpffanze)

Egg plants require a light warm soil, and being very delicate and tender, must not be set out too early. They require a high temperature at all times. Sow in hot-bed about last of April, with good, steady bottom heat, and delay in transplanting until such time in June as is necessary to avoid a temperature much below 70 degrees. Set two or three feet apart each way, according to the nature of the soil, more room being needed if the soil is very fertile. A delicious vegetable when properly cooked.

NEW YORK IMPROVED PURPLE.

The best for general culture, and a leading market variety; fruit large, oval or heart-shaped; leaves and stem somewhat prickly-a feature not seen in other varieties.....

Black Beauty. Earlier, larger, darker and more prolific than the purple....

Oz. 1/4 lb.

\$ 05 \$ 40 \$1 00

50 1 25




Purple Egg Plant.

# ENDIVE—(Endivien)

For early use, sow early in April or May, but as it is mostly used quite late in autumn, it will be in time if not sown before June or July. When large enough, transplant in rows fifteen inches apart, setting the plants eight or ten inches apart. When of full size, tie all the leaves into a bunch at the extreme top, in a few weeks it will be ready for use.

	P	kt.	Oz.	1/4 lb.	Lb.	
REAL WILLIAMS W	hite Curled. Light green, almost white\$			, - ,		
	green, almost white \$	05	\$ 20	\$ 50 3	\$1 7	5
Gi	reen Curled. Nicely					
White Curled Endive.	curled, dark green	05	20	40	1 5	0
M	loss Curled. More fine-					
ly curled and a heavy, dense plant		05	20	40	1 5	0
een Broad Leaf Batavian. Leaves broad and	smooth, like lettuce; an					
excellent kind		05	20	40	1 5	0
ite Broad Leaf Batavian. The best of all, blead	ching very easily	05	20	40	1 5	0
ench Endive. Sow in May and transplant to 6 inch						
bank up like celery. Delicious salad when blanche		05	20	50	1 7	5



White Curled Endive. ly curled and a heavy, dense plant.....

Green Broad Leaf Batavian. Leaves broad a excellent kind..... White Broad Leaf Batavian. The best of all, l French Endive. Sow in May and transplant to 6

#### KALE or BORECOLE—(Blaetter oder Krausskohl)

Sow early in May, in a prepared bed, and transplant in June, setting the plants and cultivating in the same manner as cabbage. A strong soil, well manured, is required. The many varieties of Borecole are all most delicious—more delicate in flavor than cabbage, the quality being improved after a light frost.



Extra Fine Dwarf German Kale

Dwarf Curled Extra Fine German, is a hardy green, nicely curled, dwarf-growing variety, and is the sort most generally sown. If the seed is sown in the spring, and the plants well thinned out, they may be cut at any time during the fall and winter; for spring cutting, as spinach, sow in drills in

.20

.75

.10

.10

.10

Pkt. Oz. ¼lb. Lb.

September ..... \$.05 \$.10 \$.30 \$1.00 Dwarf German Greens. Should be sown in August, in rows a foot apart, and


KOHLRABI—(Kohlrabi)

treated the same as spinach. In this way the greens are obtained early in the

Sow in May or June, in rows about eighteen inches apart, and thin out the plants to about four inches in a row. Ordinary soil, with a moderate amount of fertilizing is all that is required to grow Kohlrabi. This vegetable appears to be intermediate between turnip and cabbage, and has to a certain extent the flavor of both. The bulb that forms upon the stem, just above the ground, is fit to use when about half grown; when mature, it becomes hard and fibrous. It is boiled and served like turnips.

Pkt. Oz. ¼lb. Lb. Early White Vienna. The variety most in demand, greenish-white outside, with clear white flesh.... \$.05 \$.20 \$.60 \$2.00

Early Purple Vienna. Does not differ from the Early White, is bluish purple..... .05 .20 .60 2.00





White Vienna Kohl Rabi

#### LEEK—(Lauch)

Leeks require very rich, mellow soil, and a liberal dressing of well composted manure. Sow the seed in April in rows a foot apart, and transplant in July. Land that has borne an early crop of peas, cabbage, etc., can thus be made of use for a second crop, but additional manure should be applied before setting out the Leeks. They should be set quite deep, and in rows about fifteen inches apart with six inches between the plants. plants.

Pkt. Oz. 1/4lb. Lb. London Flag. A long-growing variety; easily blanched. \$.05 \$.25 \$.60 \$2.00 Monstrous Carentan. extra large variety; very .05 .25.60 2.00 hardy..... Large Rouen. A short, very heavy sort; a favorite with .25 .60

#### LETTUCE—(Lattich Salat)


Pkt. Oz. 1/1b. Lb.

Early Curled Silesia. An old favorite variety, very tender and finely curled . . . . . . . . \$ 05 \$ 20

Way a Head. A new

extra early head lettuce

\$ 40 \$1 50



Frankfort Head Lettuce.

intended for the first crop. Color light green		~		
GRAND RAPIDS. This lettuce heads the list for a forcing lettuce. Somewhat similar to the Black-Seeded Simpson, but has a smoother leaf\$	05	\$ 20	\$ 50 \$	\$1 75
Improved Black-Seeded Simpson. An early rapid growing, very tender curled variety, not intended for heading, but furnishing an abundance of tender leaves; good for forcing or out-door culture	05	20	50	1 75
Boston Market or Tennis Ball.  The earliest heading variety known, making very fine, compact heads. Used wholly for forcing	05	20	50	1 75
Large Boston. A fine strain for forcing under glass; very large, solid heads	05	20	60	2 00
Hanson Lettuce.  FRANKFORT HEAD. Our own stock, This is one of the best of all heading kinds for out-door culture, making a solid head like cabbage, and standing the heat remarkably well. This variety, when sown in September or October, is hardy enough to stand most of our winters.	05	20	60	2 00
KENDEL'S EXCELSIOR HEAD. A variety that has proven to be a very fine sort for private use. Makes a large, close head; very light green color; very tender, and fine flavor	05	20	50	1 50

Г	ĸı.	UZ.	/4 ID.	LD.
NEW HANSON. A light-colored slightly curled, rapidly growing sort, being at all times tender and of excellent flavor; by far the best for the kitchen garden, standing the heat well, and being slow to seed \$	05	\$ 20	\$ 50	<b>\$1 5</b> 0
Salamander. An extra large light-colored variety, forming a compact head, white inside and very slow to run to seed	05	15	40	1 50
TRIANON SELF-CLOSING COS. (Roumaine or Celery Lettuce.) The finest of all the Cos sorts, resisting warm weather	05	20	50	1 50
Brown Dutch. A dark, brown-spotted variety, remarkable for its hardiness	05	20	50	1 50

1/16 Th



Trianon Cos Lettuce.

#### MELON-WATERMELON-(Wassermelone)

Melons of all sorts should be planted on rather a light sandy loam, a gentle slope toward the south being desirable. Make hills about eight feet apart each way, and put in each a good shovelful of well composted manure, press it down and cover with earth. Upon each hill plant six or eight seeds about half an inch deep. The middle of May is early enough for planting in open ground, but the crop may be forwarded by planting in frames, as directed for cucumbers. Three plants should be left to grow in each hill. Destroy bugs and cultivate in the same manner as for cucumbers.

TOP OPEAN Maller ! all ale l'ale al l'ale	Pkt.	Oz.	⅓ lb.	Lb.
ICE CREAM. Medium size; oblong; color light green; seeds white; flesh crimson; very sweet, rich and of excellent flavor	\$ 05	\$ 10	\$ 25	\$ 80
SWEET HEART. Very large; thin rind; light green skin; very solid and fine flavor. An excellent shipper	05	10	25	80
Mountain Sweet. An old favorite; form rather long; color dark green; seeds dark; a very solid melon, sweet and crisp, early and productive	05	10	25	80
KLECKLEY SWEETS. A long dark-green skinned melon of excellent quality and fine flavor	05	10	25	80
Peerless, Ferry's. An oblong variety; light green color; flesh crimson; very tender, melting and of excellent flavor, seeds white	05	10	25	80
Citron, for Preserving. Is used for preserves only; is very hardy and productive; a late keeper	05	10	20	75

#### MELON-MUSKMELON-(Zucker Melone)

Muskmelons are cultivated in the same way as described for watermelons, except that the hills may stand closer together; six feet each way is the proper distance.

No.

Hackensack Melon.

A .		kt.	Oz.	¼ lb.	Lb.
	EXTRA EARLY NUTMEG. A most desirable variety of excellent quality; green flesh\$	05	\$ 15	\$ 40	\$1 50
	New Early Hackensack. Similar to the old Hackensack in shape, but being about ten days earlier makes it a very desirable sort; popular among market gardeners	05	15	35	1 25
	Jenny Lind. Small, very early, and of good quality; green flesh	05	10	30	1 00
Hackensack Melon.	Large Green Citron Nutmeg. A very large nutmeg, deep-ribbed, finely netted; very thick, solid, green flesh, very sweet and highly flavored; a most desirable variety for either market or private use; second	0.5	15	35	1 25
	early				
Long Island Beauty. On style	e of Hackensack; very early, and fine quality	05	15	35	1 25
	llow flesh, good quality; one of the sweetest.	05	15	35	1 25
TIP TOP. Very sweet; good shape; an excellent sort and	size; skin light green; flesh salmon; oval gives splendid satisfaction	05	15	35	1 25
grow as a main crop; larg	A very desirable sort, much in demand to the size; round shape deeply ribbed; roughly eet	05	15	35	1 25
Emerald Gem. Is medium si ribbed but not netted; flesh	ze, almost round and skin thin, dark green, very thick, light salmon color, and fine flavor	05	15	40	1 50
grows very large up to fifte	er in form than most of the green-fleshed sorts; een pounds or more; excellent flavor. A late	05	15	40	1 50
ROCKY FORD. A small very and of excellent flavor. Our	y early green fleshed melon with a thin rind stock is genuine; Colorado grown	05	10	30	1 00
Paul Rose. A new melon; a salmon; fine grain and flavo	cross between Osage and Netted Gem; flesh r delicious: best sort for clav soil	05	15	35	1 25

#### MUSTARD—(Senf)

PK		Uz.	1/4 ID.	Lb.	
White Mustard. The sort mostly grown for salads. The seed is largely					
used to mix with pickles; also in preserving cider, and is ground in large					
quantities in the manufacture of the mustard of commerce\$ 0	5	\$ 10	\$ 10	\$ 30	
Brown Mustard. Not differing materially from the white, except in the					
color of the seed	_	10	10	20	

#### MUSHROOM SPAWN

The culture of mushrooms is becoming a large and lucrative business. The locations for producing them are so numerous that almost anyone can, with a little care and trouble, successbusiness. The locations for producing them are so numerous that almost anyone can, with a little care and trouble, successfully raise mushrooms for market, and thus add considerably to the proceeds of the garden or green-house. Under the green-house benches, in cellars, old hot-beds and under bank barns, the conditions are usually the most favorable, the principal essentials being rich soil and an even temperature, ranging from 55 degrees to 70 degrees Fahr. Fresh horse manure left in a heap until the high temperature is reduced, well mixed with one-fourth its bulk of good garden soil, and packed to a depth of twelve inches, will make a suitable bed in which to plant the spawn. If the temperature is higher than 78 degrees Fahr., it is best to wait wich the planting until the bed has cooled off sufficiently. It is advisable to expose the dry spawn to a moderate moisture for a few days, to insure a safer and more rapid growth. Break the spawn into pieces the size of a black walnut, and plant sixinches apart. After twelve days cover the bed with an inch or two of soil made fine, and water with luke-warm water when the beds become a little dry. The mushrooms appear in the course of six to eight weeks.

The yield may be prolonged by watering with liquid manure, and adding a little salt or saltpetre occasionally.

A pamphlet giving minute directions, mailed for a 2c stamp.

stamp.

Mushrooms

We have always tried to secure the best Mushroom Spawn on the market, but we never had so many favorable reports on any as we have had on this particular variety of Pure Culture Spawn. It produces creamy white mushrooms uniformly large and in astonishing quantities. Even if you are having good results it will pay to try this new spawn because it will produce mushrooms that will be all of the same variety, and uniform in size and color. This is brought about by using spores from ripe mushrooms instead of the wild spawn as has been done heretofore, in making Mushroom Spawn for the market.


Pure Culture Spawn. In bricks, 25c each; 10 bricks, \$2.00; carriage extra.

Write for prices on large quantities.

# OKRA, or GUMBO—(Essbarer Hibicus)

Sown in June, in drills—the dwarf variety about two feet apart, the tall sort three feet, and one inch deep. Thin out the plants to from eighteen to twenty-four inches, according to variety.

	·	P	kt.	Oz.	¼ lb.	Lb.
Long Green.	A tall sort, pale green		05	\$ 10	\$ 20	\$ 60
White Velvet.	Pods round and smooth.	Best sort	05	10	20	60



Large White Globe Onion.

#### ONION SETTS

Plant the Bottom Sets as early in spring as convenient, to obtain early green onions, but they may be set any time up to June 1st. Set in rows a foot apart and three or four inches between them in the row, if large onions are wanted and one inch apart if only for green onions.

White Bottom Sets. Good general use; mild flavor. Price on request...

Yellow Bottom Sets. Not as mild in flavor as the white variety otherwise as good. Price on request. Market price.

Egyptian, Winter or Top Onions. A hardy onion, planted in August and pulled when large enough, either in fall or early spring. Makes no bulb and is used only for bunching. Price on request.

#### ONION-(Zwiebel)

The onion crop is perhaps next in importance to cabbage. Although an expensive vegetable to cultivate, it is usually a very profitable crop. Much depends upon the selection and preparation of the ground, the quality of the seed, the quantity



and value of the fertilizers, the time of sowing, and the care bestowed upon the growing crop. Much also depends upon the season. A long, cold rain after sowing often causes failure of the seed to germinate well; or severe drought in early summer may cause the crop to blight. Nevertheless success is the rule, and with proper care, a crop of from four to five hundred or more bushels per acre may be reasonably expected. Select, if possible, a clean, rich piece of land, upon which onions were grown the previous year. In some localities onions have been grown for over thirty consecutive years upon the same land, while in other sections it is found safer not to continue to grow them more than three or four years in succession. A crop of carrots is the best to precede onions. Scatter broadcast a heavy dressing of well rotted manure, and plow six or seven inches deep as early in the spring as the ground can be worked; harrow and rake down to a fine, even

Giant White Tripoli Onion.

Giant White Carlon of Sow for Indiana dentification of Sow for Indiana dentification o

	Pkt.	Oz.	1/4 lb.	Lb.
Large Red Wethersfield. A very large flat red onion; the me	ost desirable of		· -	
the red sorts; a late variety		\$ 15		\$1 50
Southport Red Globe. Large red globe-shaped, very desirable		20	60	2 00
WHITE SILVERSKIN. Very early; rather flat in shape; mi	ld flavor; does			
not keep as well as the yellow and red varieties; extensive	vely grown for	90	00	0.00
pickles.	05	20	60	2 00
White Globe. Quality similar to last named sort, but of globe	e-shape; rather	0.5		2
larger and a better keeper; also grown for pickles		25	75	2 50
Giant White Tripoli. Large flat variety; grows very rapid				
mild in flavor,		15	50	1 50
variety for early	_	19	50	1 50
White Barletta				
white Italian s pickling		25	75	2 50
Queen. Very ear		23	13	2 30
sort; the most				
pickling		25	75	2 50
PRIZETAKER, O		20	,,	2 30
GLOBE SPAN				
immense size, w				
skin, pure white				
grain, mild in fla	vor 05	20	60	1 75
Yellow Globe D				
standard variety				
tion; makes a				
with small neck	ripens early			
and very ur keeper and yield	s well 05	20	50	1 50
YELLOW GLOB		20	00	1 00
LAKE COUNT				
The demand for				
so increased that				
it grown for us t				
Yellow Globe Danvers by one of the	most careful			
growers in Lai				
Lake County Strain. giving excellent size, color, shap				
qualities		25	60	1 75
quanties		20	- 00	0

#### PARSLEY—(Petersilie)



Extra Double Curled Parsley.



Hamburg Large Rooted Parsley.


Parsley seed germinates very slowly, taking two to four weeks to come up; hence, if wanted early, sow as early as possible. Make the rows twelve to fourteen inches apart. Thin out to three or four inches or transplant to that distance, Can be sown in hot-beds in February, or later in open ground. Later in autumn place frames over some of the plants to lengthen out the season of cutting. For garnishing purposes nothing equals parsley; it is also used in salads, soups, etc. Any good soil is suitable for growing it.

Note.—If you have trouble to make the seed germinate, put a board on the row, until it is up.

the row, until it is up.				
	Pkt.	Oz.	1/4 lb. I	Lb.
Plain Leaved. A sort not much curled; much used in soups, etc., rather stronger in flavor	r			
than the other kind	.\$ 05	\$ 15	\$ 40 \$1	1 25
<b>EXTRA DOUBLE CURLED.</b> A fine variety, wel curled; in common use for general crop		15	40	1 50
Hamburg, Large Rooted. A rooted variety, the roots of which are used in winter; good in flavoring soups or stews; it can be kept al	n			
winter in the cellar, covered with sand	. 05	15	40	1 50

# PARSNIP—(Pastinak)

Sow in April or early in May, as parsnips require long seasons to mature. After the ground has been deeply tilled and made fine, the seed should be sown in drills twelve to fifteen inches apart and half an inch deep, and thinned out so that the roots will not crowd each other. Hoe and cultivate deeply, to keep down the weeds. Parsnips, besides being used to a large extent as a winter vegetable, make also an excellent root upon which to fatten cattle and swine, there being sections of the country where it is the only root used for that purpose. They may be dug in the autumn and stored for winter; but if left in the ground till the following spring, they are much improved in flavor. Sow a liberal quantity of seed, as from its nature it does not always come well.



Parsnip.

#### PEAS—(Erbsen)

No one who plants a vegetable garden thinks of doing so without peas, and they are relied upon by almost every market gardener, as they bring early and usually very profitable returns, besides permitting the land to be occupied by a second crop. Celery, squash, melons, sweet corn, and various other crops, may be grown after peas. The cultivation of peas requires only ordinary care, but we would call particular attention to the fact that success depends in a great measure upon the quality of the seed; and as a rule, the gardener who thinks it economy to purchase peas where he can obtain them at the lowest figure finds that he has made an expensive mistake when he gathers his crop. The dwarf varieties require a rich soil, and liberal manuring; the other sorts need only ordinary cultivation. Peas are very hardy and succeed best under low temperature. The early, round smooth varieties should be sown as early as possible in the spring, while the more tender, wrinkled sorts do better if planted after the ground has become warmer. Sow in drills two or three feet apart, according to the height of the variety planted, and not less than four inches deep. A pint will plant a row of forty feet. Make the furrows deep enough to allow room for the manure, which is usually scattered along the bottom. It is safer not to have the seed in direct contact with the manure. Successive plantings need not be made, several varieties which naturally succeed each other in their time for ripening may be planted at the same time, in this way securing a constant succession of this choice vegetable, If desired, dwarf varieties, which require no brushing can be selected.

#### Extra Early Varieties

p	kt.	Ot.	Peck	Bu	
KENDEL'S FIRST OF ALL. This Pea is the result of many years' careful selection. It leads the list of extra earlies for earliness, productiveness, size of pod and quality of flavor. It is uniform in growth and ripening, and free from rogues or runners to a marked degree. Our best gardeners prefer it to any other of this class	,	~	\$2 <b>0</b> 0		<b>5</b> 0
Kendel's Extra Early Sugar. A sweet, wrinkled pea coming in only a few					
days after First of All. Pods medium size and well filled; an average yielder. The best early to plant for home use	10	40	2 25	8	50
Gradus. A new wrinkled pea, and the earliest large podded variety in cultivation. Vine three feet; peas large and fine flavor; pods four inches long	15	40	2 75	10	00
Bliss' American Wonder. An excellent dwarf wrinkled variety; does better on sand than clay	10	30	2 00	7 .	50
NOTT'S EXCELSIOR. Vines very vigorous, growing about one foot high; pods larger than American Wonder, and more prolific; flavor excellent; the leading early wrinkled variety	10	30	2 00	7	50
McLean's Little Gem (or Carter's Premium Gem.) A leading favorite for garden use; a green, wrinkled pea, quite early and productive; flavor excellent; one foot high	10	30	2 00	7	50
Thomas Laxton. A large podded early like Gradus but better filled and will do better in some localities	15	40	2 75	10	00
Second Early and Later Varieties					
McLEAN'S ADVANCER. This variety takes the lead as a second early market pea; pods long and uniform, maturing well together, the crop closely following the early varieties; vine two feet	10	30	2 00	7	00
Allan's Dwarf Telephone. A dwarf strain of Telephone growing about eighteen inches high. Yields a good crop of well filled large pods	15	40	2 75	10	00
Queen. A wrinkled variety of English origin, large pods, well filled with large oval green peas of the finest quality and flavor, two and one-half feet high; a later sort than Advancer; should not be planted too early, as they will rot in cold ground	10	30	2 00	7	50
Bliss' Abundance. A very large cropper; large, well-formed pods well filled with large, light-green peas	10	40	2 50	0 9	00
TELEPHONE. A tall-growing blue wrinkled pea of most remarkable vigor, producing twelve to eighteen well-filled pods of enormous size; quality excellent; height about four feet. The leading tall variety	. 10	30	2 00	7	50

#### PEAS—Continued

Champion of England. One of the best known of the older varieties; a tall-		Qt.	Peck	Bu.
growing, green, wrinkled marrow, of excellent quality; pod medium; peas large, vine about five feet; an abundant cropper	\$ 10	\$ 30	\$2 00	\$7 00
IMPROVED STRATAGEM. The most desirable late dwarf variety; blue wrinkled; dwarf habit, requiring no brush; exceedingly large, well-filled pods; very sweet; ripening at the same time with Champions, and fully	3			
equal to them in quality; height one and a half foot. Should not be planted too early, being liable to rot in cold ground	10	30	2 00	7 50
Black-Eyed Marrowfat. An old and once very popular pea, yielding immense crops; vine three feet	10	25	1 50	5 00
White Marrowfat.	10	25	1 50	5 00
Dwarf Sugar. (Edible Pods.) Also grown as a string pea; pods good size, tender and sweet; vine three feet	10	30	2 00	7 00
Canada Field. Common. Price variable		15		

# PEPPER—(Spanisher Pfeffer)

Sow in March or April in a hot-bed, and transplant into open ground late in May or early in June when the weather has become well settled, as the plants are quite tender. Set in rows about two feet apart, and fifteen inches apart in the row. A warm, sandy loam is best suited to their growth.



Sweet Pepper.

	Pkt.	Oz.	1⁄4 lb.	Lb.
SWEET MOUNTAIN. This variety is very large, thick-fleshed; slightly pungent when				
cooked; used for making stuffed pickles	\$ 05	\$ 25	\$ 75	\$2 50
Spanish Mammoth.  Very sweet; six inches long; two inches thick		25	75	2 50
Long Red Cayenne. A small long-shaped variety; very pungent; the Cayenne pepper of commerce		25	75	2 50
Ruby Giant. Handsome bright red; four to six inches long; used for mangoes; an excellent sort	05	40	1 25	4 00
Chili. A small pepper, of strong flavor; makes a very ornamental plant; is used for pepper sauce	05	25	75	2 50
CHINESE GIANT. The largest; very sweet and mild; good yielder; the best sweet pepper in the list	05	• 50	1 50	5 00

#### PUMPKIN—(Kuerbis)

Pumpkins are chiefly grown as food for stock. They are also esteemed for culinary purposes—for the good old-fashioned pumpkin pie. A good method of planting is to put one seed with every other hill in every other row when planting field corn. In this way good crops of pumpkins are secured with slight labor and expense.

Oz.	⅓ lb.	Lb.
	\$ 15	\$ 40
\$ 10	25	80
10	25	80
10	30	1 00
	\$ 10 10	\$ 10 25 10 25

# RADISH—(Rettig)

Radish should be grown on light sandy loam, and to be crisp and tender they should make a rapid growth. If the soil is moderately rich, very little, if any fertilizer is necessary. For very early use, begin sowing in frames in January, and con-

tinue successive sowings every two weeks. Do not sow too early in open ground; by the first of May is early enough. For such early sowing, a warm, well sheltered situation should be selected; later sowings may follow every two or three weeks throughout the summer, using the varieties best adapted to the different stages of the season.

NOTE: Wormy radishes are easily prevented by sowing a rather liberal quantity of Tobacco Dust in the bottom of the furrow before sowing the seed.

Price 5c. per pound.

# Long-Rooted Varieties

Pkt.

Oz. 1/4 lb. Lb.

standard variety of the long red sorts; used either in forcing or in open air culture	05	\$ 10	\$ 25	\$ 75
Glass Radish (Cincinnati Market). Long bright pink, white-tipped; flesh transparent; always crisp and brittle	05	10	25	75
WHITE ICICLE. An extra early, long variety suitable for forcing or open ground; retains its crispness until of large size	05	10	25	75
LONG WHITE LADY FINGER. A long, pure white variety, of excellent quality and attractive appearance	05	10	25	75





Early Long White Lady-Finger Radish.

#### Round or Turnip-Rooted Varieties

		Oz.	¼ lb.	Lb.
STUTTGART GIANT SUMMER TURNIP. White excellent for later sow ing	- .\$ 05	\$ 10	\$ 30	\$1 00
French Breakfast or Early Scarlet, Olive Shaped, White Tipped. Ova in form; handsome scarlet; white tip; used for forcing or in the garden	1 . 05	10	25	75
VICK'S SCARLET GLOBE. A fine radish; used almost exclusively for forcing on account of its growing a very small top	r . 05	10	30	90







Early Scarlet Turnip Radish.

EADLY COADLESS STIPSIED A 1 1 1 1 1	, ,,			kt. Oz.	1/4 lb. I	Lb.
EARLY SCARLET TURNIP. A good-sized, good-color quality: one of the very best for out-door culture	ed radi	sn of ex	\$	05 \$ 1	\$ 25	\$ 80
CRIMSON GIANT. Radishes uniform size and color; and a fine variety for the garden	very l	arge an	d solid	05 10	30 1	00
•						
Pkt. Early White-Tipped Scarlet Turnip. A beautiful	Oz.	$\frac{1}{4}$ lb.	Lb.		, ,	
deep scarlet, with white tip; for forcing or out- door culture	\$ 10	\$ 25	\$ 80 €			
Extra Early Deep Scarlet. Principally for forcing; very rapid grower	10	25	80		TOLLY	•
Early White Turnip. Another sort for early use; round in form and of clear white color 05	10	25	80	The state of the s		
BURPEE'S SURPRISE. Quick growth. By successive sowings it will keep the table well supplied; its skin is very thin; color light brown; the best yellow radish for market	10	25	80		3	
Fall and Winter Varieties						
				1		
Round Black Fall, or Spanish. A very large, round sort, for fall and winter use 05	10		\$ (-80	1		
Long Black Fall, or Spanish. Grown for winter use	10	25	80	1/5		
Scarlet China Winter. One of the best winter radishes; a half-long sort, thicker at the bottom than the top	10	25	80		et China r Radish.	

# RHUBARB\_(Rhabarber)

Pkt. Oz. 1/4 lb. Lb. Victoria. The variety in general use for the market; yields immense crops....\$ 05 \$ 15 \$ 40 \$1 25 Large Roots of the Victoria variety, 15c each; per dozen, \$1.50; per hundred, \$10.00.

#### SQUASH-(Speise Kuerbis)

Squashes being very tender, should not be planted too early; and, as they make a very rapid growth, they will have ample time to mature if planted after the weather has become settled and warm. A warm, mellow soil suits them best, and they require a liberal amount of manure, which is best applied direct to the hills. Plant in May, after all danger of frost is past. The summer varieties should be planted in hills three or four feet apart each way, and the later sorts about twice this distance. Put eight or ten seeds in each hill, as there is much danger of loss from bugs. Protect against these as directed for cucumber culture. When well grown, thin to three or four plants in each hill.



Extra Large Golden Bush.

	EXTRA LARGE GOLDEN BUSH. Our own superior stock; decidedly the best and largest yellow scallop-shaped squash, attaining 12 to 15 in-			1/4 lb.	
1/8	ches in diameter\$  Early Summer Crookneck.  Another very early variety; long in shape, and of a bright yellow color; the best of the summer squashes	05	\$ 10	\$ 30	<b>\$1 00</b> 90
Extra Large Golden Bush.	Prolific Marrow. A medium early variety; between summer and fall	05	10	25	90
Boston Marrow. The earliest of the fall so the summer varieties; rich orange color;		05	10	30	1 00
American Turban. An excellent squash, a for winter		05	10	20	75
MAMMOTH WARTED HUBBARD. Ve with warts. Fine for the table.	ery large and completely covered	05	15	40	1 25
HUBBARD. The standard winter squash any other late variety; color dark green at canning factories	; our squash seed is not obtained	05	15	40	1 25
Large Winter Crookneck. An old well-kno	•	05	10	30	1 00
Vegetable Marrow. English, white-fleshed	; outside yellow	05	10	40	1 25

#### SPINACH—(Spinat)

Spinach may be grown on any ordinary soil, and its cultivation is a simple matter. It is grown both as a spring and sum-

mer crop. For early use sow in August or September, in drills twelve to fourteen inches apart, using ten pounds of seed per acre. At the approach of cold weather cover lightly with straw or any handy litter. Uncover when the plants begin to make a new growth in spring. For summer use sow early in spring, in same way as above, using less seed. If the plants stand too thick, thin to three or four inches apart. A liberal dressing of good manure should be used. The land can hardly be made too rich.



#### Extra Large Round Thick Leaf Spinach.

Extra Large Round Thick-Leaf. This strain is the very best offered anywhere, and must not be confounded with the cheap spinach with which the market is supplied. It grows a large thick leaf, and will fill the measure quicker and cut more to the acre than any other variety. Sown both in the spring and fall. 5 lb. \$1.25	Oz. \$ 05	Ļь. \$ 30
VICTORIA. A fine, very dark green sort that does not incline to run to seed as much as some very desirable for spring sowing	05	35
DUTCH LONG STANDING. Sown in fall. 5 lbs. \$1.25	10	30
NEW ZEALAND SUMMER. See first page.	10	1 00

### SALSIFY, or VEGETABLE OYSTER-(Haferwurzel)

Salsify is a most delicious vegetable. When cooked it has an oyster flavor, hence its name,
Vegetable Oyster. The cultivation is precisely the same as directed for parsnips, and it will
keep over winter in the ground where grown, in the same way as parsnips.

Pkt Oz. 1/4 lb. Lb. Mammoth Sandwich Island. A large and superior variety, which is used almost exclusively, white-rooted.....\$ 05 \$ 20 \$ 50 \$1 50

#### TOMATO-(Liebes Apfel)

The seed may be sown in hot-beds, with good bottom heat in February or March, and when the plants are two or three inches high transplant into other frames about four or five inches apart each way, or into boxes or single pots which are to remain in the frames. Set the plants out in open ground, not earlier than the last week in May or first of June. Being very tender, they will not bear the least frost. Choose a light sandy, gravelly loam, in a well sheltered situation, and with a southern exposure if possible, as early fruit is desirable. In such a location the plants may be set about three feet apart each way, using a large shovelful of well rotted manure in each bill. On rich soils but little if any manure is necessary.

rotted manure in each hill. On rich soils but little, if any manure is necessary.						
	kt.	Oz.	1⁄4 lb.	Lb.		
EARLIANA. The earliest large smooth red tomato						
in market, and has been found to be a desirable extra early sort\$	05	\$ 40	\$1 00	\$3 00		
King of the Earlies. A little smoother and perhaps						
earlier than Earliana	05	40	1 00	3 00		
JUNE PINK. Really a pink Earliana but other-						
wise much the same	05	40	1 00	3 00		
Dwarf Champion. Quite distinct in foliage and						
habit of growth, being compact and upright;	0.5	0.5		0.50		
truit early and nurnle color	05	25	75	2.50		

					uctive; f slightly	
pur	ple; v	ery sol	id and	d smo	oth	 

Acme.									
		dark							
purp	ole; ve	ery soli	id and	l smo	oth				
Livingst	on's	Perfe	ction	. E	arlv.	of a	a br	ight	red

size, of a dark rich re		
purple: very solid and s	mooth	
F - F - 7		
Livingston's Perfection.	Early, of	a bright red
ripens uniformly, and be	ars abundar	ntly until frost
ripens uniformity, and be	aroabanaa	acty difference

Livingston's Perfection. Early, of a bright red color, perfectly smooth, ripens uniformly, and bears abundantly until frost comes
ripens uniformly, and bears abundantly until flost comes
LIVINGSTON'S BEAUTY. Purplish pink in color; ripens evenly, without
cracking; bears throughout the season, attaining its natural color, even


Calden Orsean A ------ for availant and sinks

when picked green; remarkably free from rot and but slightly acid. The
best for home use
Stone. Very large, smooth, solid, bright scarlet color; one of the best for
canning
Ponderosa I argest tomato grown: quality very good: should be grown on

1011GCTOGG. Barges	tomato grown, quanty very good, should be grown on
a trellis	
Crimson Cushion.	A mammoth tomato, like Ponderosa, but ripening more
evenly	

Golden Queen.	A very in	ne yenow v	апету	• • • • •	• • • • • •	 • • • • • •
Yellow Plum.						
small-sized;	usea for pre	eserves		• • • • • •	• • • • • •	 
~ 404 0						

Red Cherry.	Sman round in	uit, resembii	ng cherries i	m size and s.	nape
Pear-Shaped.					
yellow cold	or				



Connecticut Seed Leaf. The variety extensively grown in the Northern and Middle States; largely used as cigar wrappers	05	\$ 30	<b>\$1</b> 00	\$3 00
Havana. Imported seed; highly flavored variety	05	40	1 50	4 00



Pkt.	Qz.	1/4 lb.	Lb.			
.,\$ 05	\$ 25	\$ 75	\$2 25			
h <b>,</b>						

color, perfectly smooth, comes	05	25	75 2 25	i
r; ripens evenly, without				

`05	25	75	2 25	

05	25	75	2 25	

05	40	1 25	4 00	

05	40	1 25	4 00	
05	95	75	0.50	

05	25	75	2.50	

)5	25	75	2	25	
5	25	75	2	25	

03		13	4 45
	•		
0=	~ =		

#### TURNIP-(Weise Ruebe)

Fall turnips may be sown from the first of July till about August tenth, or in favorable seasons even later. These varieties are also used for early crops, the seeds being sown in April. But few soils or locations will produce early turnips of good quali-



Red Top Strap-Leaf Turnip.

grown; flesh cream yellow; very smooth and solid; yields immense

crops.....

ty; old pasture lands, recently broken, and dressed with the best bone dust or guano, will sometimes produce satisfactory crops, but, at best, success is the exception rather than the rule in growing early turnips. Sow the seed broadcast upon an even surface, using about a pound of seed per acre, and rake it in evenly. The Swedish, or Rutabaga varieties should be sown in drills fifteen to eighteen inches apart, at any time from the first of June to the last

	of July, using about one pound of seed per acre. to about eight or ten inches apart.		-		
Carrie	P	kt.	Oz.	⅓ lb.	Lb.
	RED TOP STRAP-LEAF. The best of the flat or English turnips; used for early or late crops\$	05	\$ 10	\$ 20	\$· 75
	White Top Strap-Leaf. Very similar in form and quality to the Purple-Top: and quite as desirable and popular	05	10	20	60
1/5	RED TOP WHITE GLOBE. This is one of the best and handsomest varieties of turnips, large, very solid, an immense yielder and good keeper; more sown here than any other variety	05	10	20	75
Red Top Strap-Leaf Turnip.	White Egg. Keeps well through the winter; skin very smooth, pure white; grows large; oval-shaped	05	10	20	75
Early Snowball. Globe-shaped, ve grower; keeps well	ery solid, sweet and crisp; a very rapid	05	10	20	75
Early White Stone. Of medium six	ze, with white flesh; keeps well	05	10	20	75

Orange Jelly, or Golden Ball.  This variety cannot be too highly praised; bright orange yellow; it does not become pithy by keeping, but retains its solid crispness late in the spring\$ 05 \$	10	\$ 20	\$ 75
Large White Globe. A very hand- some, smooth, pure white sort; its beauty of appearance makes- it sell well in the market; good table quality, and excellent for			
stock	10	20	60
Yellow Aberdeen. An old, well-known yellow sort; flat in shape 05	10	15	50
White Russian. A Swede turnip, oval in form, clear, white flesh; one of the best winter turnips; keeps well until June 05	10	15	50
IMPROVED PURPLE-TOP RUT- ABAGA. The best Swede turnip			

Pkt. Oz.

⅓ lb. Lb.

20

10



Red Top White Globe Turnip.

PER LB.

PER BOX.

#### SWEET, POT AND MEDICAL HERBS

A small space in the garden may be used to good advantage for the cultivation of a few of the most useful and desirable herbs. Their cultivation is very simple, but little care being needed beyond keeping down the weeds. Sow in April or May in drills twelve to fifteen inches apart, and thin out the young plants where they stand too thick. When the ground is well covered with the foliage it is good plan to cut out every other row, which the in bunches and dry in the shade. The balance of the crop, having more room, will spread out and again cover the ground in a short time. In this way a large crop may be taken from a small patch of land. As a rule all herbs should be gathered when just coming into bloom.

PKT	OZ.	LB.	PKT. OZ.	LB.
Anise (for sowing)\$0.05	\$0.10	<b>\$</b> 0.75	Fennel, Sweet (for flavoring)\$0.00 \$0.00	\$0.30
Anise (for flavoring)		. 30	Horehound, perennial	2.50
Basil, Sweet, annual	.15	1.50	Hyssop, perennial	2.50
Borage, annual	.15	1.50	Lavender, perennial	2.00
Burnet, perennial	.20	2.00	Marjoram, Sweet, annual	1.50
Caraway, biennial (for sowing) 05		,60	Rosemary, perennial	3.00
Caraway (for flavoring)		. 20	Saffron, annual	2.00
Chervil (Curled, annual)	. 15	1.50	Sage, perenniai	2.00
Coriander (for sowing)		.80	Sorrel, perennial	2.00
Coriander (for flavoring)		. 20	Summer Savory, annual	1.00
Dill (for flavoring)		.30	Tansy, perennial	4.00
Dill, annual (for sowing)	.10	.70	<b>Thyme</b> , perennial	3,00
Fennel, Sweet, perennial (for sow-			Woodruff	
ing)	, 10	1.00	Wormwood	3.00

#### BIRD SEED, ETC.

The bird seed we offer is in every case of the best grade, and has all been carefully recleaned. We do not attempt to compete with cheap bird seed, which has been mixed with other seed to make it cheap, but sell only the best. If your bird has been sick or out of song try our seeds and convince yourself that birds enjoy good, wholesome food as well as you do. We guarantee each package to contain what it is marked, and to be full weight, without the paper or box.

PER LB.	
Mixed Canary and Rape	Sunflower Seed, 3 lbs. 25c Parrot Food, 3 lbs. 25c Cuttle Bone, 2 for 5c
Millet, large Italian         08           Rough, or Unhulled Rice         12           Maw, or Poppy Seed         15	Song Restorer
Lettuce Seed for Birds	Silver Gravel

#### FIELD SEEDS

(Subject to Market Fluctuations.)

PER BU.
\$3.00
3.00
.00 to \$1.25
.00 to 1.25
00 lbs. \$5.00
001bs. 5.00

#### DWARF ESSEX RAPE

A forage plant of highest value. It can be sown in April for an early crop, and for fall in July, August and September, and still later further south. It is sown broadcast 6 lbs. to the acre, but is better drilled, in which case 3 lbs. to the acre will suffice. In a few weeks from the time of sowing, sheep, hogs or cattle can be turned on it; all reports agree that they can gain weight faster on this than any other fodder, as it can be sown after other crops are off; the gain in fodder is secured at a nominal cost. Stockmen, dairymen and farmers have proved its value.

Price Variable.

#### SOUTHERN COW PEA.

Its value as a fertilizing crop exceeds that of clover, for in addition to being a larger Nitrogen gatherer than clover, it draws from the subsoil to the surface large amounts of both Potash and Phosphoric acid, thus putting the soil in most excellent condition for following crops.

The feeding value of Cow Peas, either green fed as hav, or preserved as ensilage is very high, being considerably above that of Red Clover.

Cow Peas like all other crops thrive best on good ground. The maximum result being obtained from dry sandy loam, but from their strong growth of roots will do well on almost any soil not too wet.

most any soil not too wet.

Sow 1½ to 1¾ bushels per acre, on land thoroughly pulverized, and disk or plow with a cultivator or double shovel, plow. If wanted for hay, cut when peas are forming, cure as clover. If peas are for fertilizer, sow same quantity after same preparation as for hay, turn under when peas are in bloom. If farmers will first roll and disk peas, they will turn under much easter and be more satisfactory. For a fertilizer, especially to be followed by wheat or corn, they are simply the best Bear in mind that the Southern Cow Pea belongs to the Bean family, therefore must not be sown until the ground is thoroughly warm, and all danger from frost is past. Weight 60 lbs, to bushel.

Price on Application.

#### FIELD SEEDS-Continued

#### SORGHUM OR SUGAR CANE.

While Sorghum is grown very extensively for the syrup which is extracted from it, yet its chief value lies as a forage plant which is highly relished by horses, cattle and sheep. It possesses the power in a marked degree of sprouting up again after it has been eaten off, hence it provides forage for a much longer period than corn. Sorghum may be grown in much the same way as corn; like corn it would be advisable to sow the seed at intervals in order to prolong the season of pasturage. It is a deep and firm rooted plant and possesses the faculty of growing in dry weather. The readiness with which it springs up when cut off frequently adapts it for soiling purposes, in some sections two or three cuttings can be obtained. If Sorghum cane is wanted for hay, seed can be sown broadcast or in drills, cut when seed is ripe, shock in field and haul in as needed. Do not stack or store in barns, or sorghum will spoil unless the cane is left so the air can freely circulate through. For ensilage, for milch cows, nothing circulate through. For ensilage, for milch cows, nothing

can be better or more profitable. Sow broadcast about one-half bushel; in drills, 6 quarts to the acre. Weight, 56 lbs. to bushel.

Early Orange. A strong grower and more juicy than the other varieties, the stalk is heavier and a little later than the Amber. Per lb. 12c. Bushel price on application.

Amber Cane. The earliest of all. Per lb. 12c.

#### CANADA FIELD PEA.

For the Northern States there is no crop of greater value than Field Peas. Whether for fodder, in mixture with oats, sown at the rate of two bushels per acre, or the peas sown alone at the rate of three bushels per acre for plowing under there is no crop that we can so strongly recommend for more extended culture. Used as feed for pigeons, etc.

Price on Application.

#### CLOVER AND GRASS SEEDS

Terms: Cash with Order.

#### CLOVER SEED.

In regard to grass and clover seeds we should say that we only handle the very best quality, and at all times will be as low in prices as is consistent with a good quality of seed.

Cartage is free, but 'the purchaser must pay freight and express charges. On account of the early publication of this catalogue, we cannot quote prices on Clover and Grass Seeds, as they are subject to frequent variations; but purchasers may depend on having them at the price ruling in store on the day of shipment and we will always send as much as the money will pay for.

Red Clover. (Trifolium Pratense.) This invaluable plant may justly be placed at the head of the list; by its judicious use, land which may have been exhausted by too severe a course of cropping may be brought back to fertility, and fresher and unexhausted fields preserved in undiminished vigor. It succeeds on any soil of moderate fertility, if sufficiently dry. May be sown in autumn or winter in the south, or in this latitude upon the snow immediately previous to its disappearance, by which the seed is distributed with regularity, and carried down in the crevices of the soil. A dressing of one bushel of gypsum to the acre will immediately increase the clover crop. From 15 to 20 pounds of good seed is required for an acre, more being necessary on old and stiff soils than on new and lighter ones. Weight, 60 lbs. per bushel.

#### Market Price.

Mammoth or Sapling Clover. This variety grows five or six feet long, and is used almost exclusively for plowing under for fertilizing. Its stalks are so coarse and large that stock will eat only the leaves. Sow in the spring or autumn, at the rate of 10 to 15 pounds per acre. Weight, 60 lbs. per bushel.

#### Market Price.

Alfalfa, Lucern or Chilian Clover, (Medicago Sativa). It is a valuable fodder plant, lasting from 8 to 10 years. The roots penetrate the ground from 10 to 15 feet. It requires a deep, richly manured and well cultivated soil. Sow from 20 to 30 lbs. per acre. Weight, 60 lbs. per hushel.

#### Market Price.

We wish to draw attention to Nitro-Culture and Farmogerm quoted elsewhere in this book.

It is not wise to take chances of failure at so slight an additional cost. If alfalfa or clover has failed to make a good catch it may pay to investigate. Write for booklet on the subject.

Two-Bushel Bags, at Cost.

Crimson or Scarlet Clover. (Trifolium Incarnatum.) An annual with crimson flower. It should be sown as soon after August 1st as possible, otherwise it is apt to prove disappointing. It has been sown to some extent, and has made a most beautiful sight when in bloom; we have heard of but few having much success with it as a foliage plant, however. Sow 15 to 20 lbs. to the acre. Weight, 60 lbs. per bushel.

#### Per lb. 15c. Price Variable.

Alsyke, or Swedish Clover. (Trifolium Hybridum.) A native of Sweden, perfectly hardy, does not heave in winter or spring from frosts, stands drought well, and is in many respects superior to the common red variety. It affords a large return in hay, is excellent for soiling, and for bees it is unsurpassed. When the plant is once established, it will remain for a great many years in full vigor, and produce annually a great quantity of herbage of excellent quality. It is excellent for sowing on hillsides or sloping lands that are liable to wash or gully, and it has a great mass of long, strong, fibrous roots, which take firm, deep and widespread hold into the soil, and prevent its washing. Sow in spring or fall, about eight or ten pounds per acre. Weight, 60 lbs. per bushel.

#### Per 1b. 25c. Price Variable.

White Dutch Clover. (T. repens.) An excellent pasture grass, forming in conjunction with Kentucky Blue and other grasses, the finest and most nutritious food for sheep and cows. Its flowers are also a favorite resort for the honey bee. It succeeds on all good lands, if not too wet. It takes six to eight pounds per acre. Weight, 60 lbs. per bushel. Choice quality.

Per lb. 50c. Price Variable.

#### GRASS SEED.

The following are the most valuable of the natural Grasses for agricultural and other purposes. We give a short description of the different varieties, which will be a guide for the selection of seed for permanent pasturing, etc. We strongly recommend our mixtures for lawns, pastures, etc., as being the best and most economical that can be used

Timothy. (Phleum pratense.) This is the best grass for hay, making a large return on strong, rich clay, of medium state of moisture; though somewhat coarse and hard, especially if allowed to ripen its seed, yet if cut in the blossom or directly after, it is greatly relished by all kinds of stock, and especially so by horses. It grows very rapidly and yields large crops on favorable soil. It cannot be used advantageously as a pasture grass. Sow fifteen to twenty-five pounds to the acre. Weight, 45 lbs. per bushel. per bushel.

Market Price.

# GARDEN RECORD

## A. C. KENDEL'S SEED STORE 2010 ONTARIO ST., CLEVELAND, O.


COPYRIGHT 1914
BY A C. KENDEL'S SEED STORE



This Garden Record provides a place where you may jot down in permanent form the new ideas gathered from your own or other people's experience.

Properly kept, it will teach you the length of row required for your particular needs. It will enable you to judge when to sow, to keep your table supplied continuously, so there will not be super-abundance one week and famine the next.

You will gain a knowledge of the peculiarities of your own particular piece of Mother Earth and thus be able to turn to account what you learn in pursuing the best of all Hobbies—the Garden Hobby.



## GARDEN RECORD

# FOR THE YEAR 1914

HOCHES INCHES NUMBER
BETWEEN BETWEEN OF PLANTS
OR FEET
OF ROW DATE NUMBER OF UNITS DATE VARIETY PLANTED EARS, HEADS, QTS., ETC. FIRST PICKING LAST PICKIN PLANTED NOTES AND COMMENTS TO GOVERN NEXT YEAR'S GARDEN TALLY COLUMN TOTAL

# GARDEN RECORD

# A. C. KENDEL'S SEED STORE 2010 ONTARIO ST., CLEVELAND, O.



Soil conditions vary. Individual tastes differ. Varieties may do well in one locality and be all but worthless in another.

We can tell which particular variety of a certain vegetable suits the majority, by the amount we sell, but each gardener should learn which variety suits his own taste best.

A thirty foot row of Beans might produce all one family could use and for another not enough for one meal.

The ideal garden will have only just enough of each kind of vegetable in season and yet have something almost literally from Spring to Spring.

Hence the advantage of keeping a Garden Record.

This Record will suggest the things to know and we hope that you will faithfully fill it in so that your garden will grow increasingly profitable and enjoyable with the years.

### GRASS SEEDS—Continued

German, or Golden Millet. This variety is not so early as the Common Millet, but yields a much larger crop. Will grow from five to ten feet high; the heads are closely condensed, spikes very numerous; seeds golden yellow, round, in rough bristly sheathes. It is extensively grown, and gives general satisfaction. When in the bloom, or soon after, the stalks are soft and readily eaten by all kinds of stock. Sow thirty-five or forty pounds per acre. Weight, 50 pounds per bushel.

Hungarian Grass. (Panicum germanicum.) A valuable forage plant. Succeeds well on dry, light soil. Withstands the drought remarkably well, remaining green when other vegetation is parched up; and if its development is arrested by dry weather, the least rain will restore it to vigor. Sow broadcast at the rate of thirty to forty pounds to the acre, and cultivate the same as Millet. Weight, 48 lbs. per bushel.

#### Market Price.

Red Top. (Agrostis vulgaris.) A valuable grass for moist soils. It is permanent, standing our climate well, and consequently well suited for pasture, in which it should be fed close, for if allowed to grow up to seed the cattle refuse it. On moist, rich soil it will grow two feet, and on poor, gravelly soil, about half the height. Sow twenty pounds per acre. Weight, 14 lbs. per bushel.

#### Price Variable.

Orchard Grass, or Rough Cocksfoot. (Dactylis Glomerata.) This is one of the most valuable and widely known of all pasture grasses, coming earlier in the spring, and remaining later in autumn than any other; it grows about two and a half feet high, producing an immense quantity of leaves and foliage. It is well adapted for sowing under trees or orchards, and valuable either for grazing or, if cut when in bloom, for hay. Sow fifteen to twenty-five pounds to the acre. Weight, 14 lbs. per bushel.

### Price Variable.

Kentucky Blue Grass. (Poa pratensis.) This is known in some sections as "Green Meadow Grass," and "June Grass," but should not be confounded with "Poa compressa," which is the true "June Grass." It is the best pasturage for our climate and soil, succeeding finely on uplands, producing the most nourishing food for cattle, retaining its quality to a late period in winter, and farther south affording abundant food throughout the winter. In combination with Red Top, White and Alsyke Clover, it forms the finest and closest pasture. For this purpose an extra quantity of seed should be used—say one bushel of Blue Grass, one bushel of Red Top, and two pounds each of White and Alsyke Clover per acre. Sow early in the spring or during the month of October or November. Weight, 14 lbs. per bushel.

Fancy Clean Seed, Market Price.

Italian Rye Grass. (Lolium Italicum.) This variety is similar to the English Rye Grass. It is very nutritious and valuable for pastures, especially for early sheep feeding. Sow about two bushels to the acre. Weight, 24 lbs. ing. Sow a

#### Per Bushel, Variable; 1b. 10c.

Perennial Rye Grass. (Lolium perenne.) A very nutritious and valuable grass for meadows and permanent pastures. Use 1 to 1½ bushels per acre. Weight, 24 lbs. per bushel. Price variable.

Meadow Fescue—True English Blue Grass. (Festuca pratensis.) One of the most valuable pasture grasses. Its long and tender leaves are much relished by stock of all kinds. It succeeds well, even in poor soil, and as its roots penetrate the earth twelve or fifteen inches, it is not affected except by exceedingly dry weather, and is as valuable a fertilizer as Red Clover. When cured like timothy, it yields a very superior quality of hay. Not withstanding its acknowledged merits, this grass has only been sown to a limited extent in this country. It is deserving of much more attention than it has hitherto received from American farmers. Sow in spring or fall at the rate of thirty to forty pounds per acre. Weight, 24 lbs. per bushel.

### Choice Seed, True Meadow Fescue. Per Bushel, Variable.

True Perennial Sweet Vernal Grass. (Anthoxanthum odoratum.) This grass yields but a moderate percentage of herbage. It is remarkable for giving out a pleasant, sweet smell during the process of drying, and it is to the presence of this grass that hay from natural meadows owes its peculiar fragrance. Permanent pastures should not be sown without a portion of this grass, particularly in parks and pleasure grounds, if for no other reason than for the pleasant scent which it yields, not only when cut for hay, but also when the seed becomes nearly ripe. Sow twenty-five to thirty pounds to the acre. Weight, 10 lbs. per hushel. 10 lbs. per bushel.

### True Perennial, per 1b. \$1.25.

Mixture of Grass and Clover Seed for Permanent Pastures. This mixture is composed of a suitable selection of natural grasses and clovers best adapted for permanent pasture, and the kinds, as well as the qualities, are regulated according to the nature of the soil, situation and purpose for which they are sown. When ordering, please state whether soil is light, medium or heavy. It will take from two to three bushels to sow one acre. Weight. 16 lbs. per bushel.

Per Bushel, \$2.50.

### TREE SEEDS

Seeds of trees and shrubs often fail to germinate well. This is in part owing to their peculiar nature, which requires careful study and treatment. They should always be protected by partially shading the ground where the seeds are sown. The neglect of this is the cause of many failures. A slight shading of brushwood or cornstalks, or any other convenient material should be placed so as to partially exclude the sun's rays until the plants are well started. Another important matter is early sowing. Many species remain in the ground a whole year, and then germinate. Therefore a careful examination should be made to ascertain the condition of such seeds as have failed to come up when expected, and have been condemned as worthless. We do not keep forest tree seeds in stock,

not having sufficient call for them, but can furnish all varieties on short notice. The following we have in stock and quote as follows:

BU.	LB.	OZ.
Apple\$8.00	\$0.30	
Peach	.25	
Quince	2.50	. 25
Pear	1 50	. 15
BU.	LB	oz.
Osage Orange\$8.00	\$0 40	\$0.10
Yellow Locust	.50	.10
Honey Locust	.50	.10
Norway Spruce	1 00	.10

### **Culture and Care of Flowers**

N OUR List of Flower Seeds will be found all those varieties known to be desirable and worthy the attention of florists and amateurs. Our Catalogue is arranged with a view to aid our patrons in their selection by offering the very best varieties of each species, and to avoid the confusion attending the selection from catalogues in which the greatest possible number of varieties are presented, regardless of their value, many of which only disappoint the cultivator by taking time and garden space which might otherwise be used in growing better flowers.

Success. With patience and the exercise of reasonable judgment, anyone may soon acquire experience enough to successfully grow most of the species of flowers; failure more often REQUIRED in any event.

Requisites. A few suggestions may prove of value to those who are unfamiliar with floriculture; the selection of the seeds, the preparation of the flower-beds or borders, the choice of location best suited to each species, the use of fertilizers, the time and manner of sowing seeds or of setting plants, the destruction of noxious weeds and injurious insects, and many other details incident to the cultivation of a flower garden—each of which requires care and more or less skill.

Reliable Seed is the first requisite. We spare no pains or expense to procure the VERY BEST. A thorough trial of our seeds will do more to establish this fact in the minds of our patrons than any statement made by us would be likely to do.

Causes of Failure. The seeds of some of the species are very small and delicate, and from many causes are liable to fail, particularly when sown in the open ground. IF SOWN TOO EARLY, the earth lacks the warmth necessary to insure germination; IF COVERED TOO DEEPLY, the delicate sprouts cannot force their way through; IF HEAVY RAINS ENSUE, the seeds may be entirely washed away or the soil beaten down and crusted over, or perhaps left in such a wet condition as to cause the seed to decay. Again, the sowing may be followed by EXTREME HEAT AND DROUGHT, and if the seeds have started to germinate the germs are liable to become dry again, in which case they are utterly ruined.

The first of May is early enough, in this latitude, to sow most of the species in the open ground; too early sowing is a great mistake. The small and delicate seeds must be covered VERY LIGHTLY with earth; the finest of them had better be sown WITHOUT ANY COVERING, the simple pressure of a smooth board dition, the covering of such seeds with sheets of newspaper until they are through the ground, thereby preventing the surface evaporation, which so often causes failure, besides protecting the seeds from being forced into the ground so deeply through careless watering, that they could not sprout. By following this method, many seeds that are rather difficult to start may be quite successfully grown. The larger and more hardy seeds may be planted deeper and some of them earlier. It is a safe rule to sow most seeds to a depth of FOUR OR FIVE TIMES THE DIAMETER of the seed itself.

**Location.** A rather light sandy loam suits most flowers, and, in such soils, seeds generally gerclay soils (the Pansy is a notable instance), while others do best upon light, poor soils, and exposed to the full rays of the sur; this is particularly true of the Portulaca.

Early Sowing.

The seeds of nearly all the annual varieties, and many of the biennials and perennials, may be sown in March or April, under glass frames, in greenhouses, or in small boxes in any sunny window. In this way a good stock of plants may be had at small expense, and a gain of several weeks made in the season of blooming; less weeding of the flower-beds will be necessary, and, when the plants are set out of doors further transplanting is not required. Shallow boxes, two or three inches deep, and with open seams at the bottom are the best in which to start the seeds. Fill these boxes to within half an inch of the top with good rich soil, mixed with about one-fourth sand; or, if convenient, procure some fine leaf mould from the woods. Make the surface level and smooth, and upon this scatter the seed sparingly. Use a fine sieve, with which sift carefully over the seeds just enough earth to cover them. Afterwards gently shower them with tepid water, using a fine sprinkler, and keep the boxes in a temperature as near 60° as possible. Avoid much watering unless the surface of the soil appears dry. Transplant into other boxes when the plants are large enough to handle, setting them from half an inch to an inch apart. Sometimes the young seedlings are attacked by a minute fungus, which causes them to "damp off." In such case no time is to be lost in transplanting into other boxes. In setting plants out into the beds or borders, allow a liberal space for each; crowding too many into a small area is a mistake very often made.

Lafe Sowing. Most of the biennials and perennials may be sown late in the summer, from the middle of August through September, and they will then bloom the following season. When cold weather sets in, about the only protection necessary for the young plants is a covering of leaves, straw or litter to a depth of three or four inches, and a board on top to keep it in place. They should be uncovered soon after the middle of March.

For fertilizers use well-decayed stable manure, made very fine and well mixed into the soil, or some first-class commercial fertilizer. From an experience of several years we confidently recommend for general use permanent than stable manure, and has the additional advantage of never introducing seeds of weeds. By its use the foliage of plants soon acquires a rich green color, and many claim that it imparts a brighter hue to the flowers of many species. It should be applied at the time of sowing or of transplanting to gain the best results.

Annuals, Biennials, Biennials, Biennials, and Perennials. Annuals are those plants that bloom the first year from seed, and, after ripening their seeds, perish the same season. They comprise many of the most beautiful flowers, and, as a rule, are of easy culture. Some of the Biennials and Perennials will flower the first season if the seed they may then be kept over for another year or longer. Pansy, Snapdragon, Pinks, etc., belong to this class. Biennials bloom the second year from planting the seed, and then die. Perennials, as a rule, bloom the second year, and are more or less permanent thereafter. The seeds of some of the Perennials remain a long time in the soil before germinating. Several species of the Biennials and Perennials will succeed well if the seeds are sown in early autumn.

### CLASSIFIED LIST OF FLOWERS.

VINES

			VINE	es.		
Balloon Vine. Gourds. Passion Flower	Balsam Pe Japanese Sweet Pea	Hop.	Beans. †Maurandia. Thunbergia.	Cobaea. Morning Glory Wild Cucumber		Dolichos. ajor.
			TRAILING	PLANTS.	•	
Ice Plant.	Linaria.		Lobelia.	Mimulus.		Torenia.
			BORDER I	PLANTS.		
Anagallis. *Daisy. Portulaca.	Ageratum Gilia.		Alyssum. *Golden Feather	†Arabis. r. Godetia.	Candy Tuft. Lobelia.	Centranthus. Mignonette.
2 0 - 7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	PL	ANTS GR	OWING WI	ELL IN THE S	HADE.	
†Aconitum.			†Forget-me-not.	Mimulus.		Nemophila.
		GF	REEN HOUS	SE PLANTS.		
†Calceolaria.	Cineraria.	†Cyc	lamen. Ge	eranium. †Gloxii	nia. Primula	. '†Viola.
		OH	RNAMENTA	L PLANTS.		
Amaranthus. Euphorbia. Martynia. †Solanum.	Celosia. Four O'Clo Mimosa. Sunflower.	Nico	us. llyhocks. otiana. gandia.	Cleome. Kochia. †Penstemon.	Canna. Larkspur. Perilla.	*Digitalis. Lupins. Ricinus.
		EVI	ERLASTING	FLOWERS.		
Acroclinium.	Amı	mobium	Elich	rysum.	Gomphrena.	Xeranthemum.
	•	F	OUQUET F	FLOWERS		
Adonis. Aster. †Carnation. Eschscholtzia. †Larkspur. Pansy. Scabiosa. Verbena.	Balsam. B Centaurea. C †Feverfew. G †Lychnis. M Petunia. P Schizanthus. Si	geratum. artonia. oreopsis. aillardia. Iarigold. hlox. ilene. ïscaria.	†Agrostemma. Browallia. Cosmos. Geranium. Mignonette Poppy. Stocks. †Wallflower.	Alonsoa. Calendula. Chrysanthemum. Gypsophila. Nasturtium. †Pyrethrum. Sunflower Zinnia.	Antirrhinum. Campanula. †Dahlia. †Heliotrope. Vigella. Šalvia. Sweet Sultan.	†Aquilegia. Candytuft. Dianthus. †Heuchera. *Oenothera. Salpiglossis. †Sweet William.
PERENNIALS.						
Aconitum. Chrysanthemus Larkspur. Pyrethrums.		orget-me-not. ychnis.	Arabis. Gaillardia. Penstemon. Sweet Rocket.	Asperula. Gypsophila. Phlox. Sweet William.	Campanula. Hollyhocks. Polyanthus.	Carnations. Heuchera. Poppy.

### GENERAL LIST OF FLOWERS.

\*Riennials

IN ORDERING, THE NUMBERS ARE SUFFICIENT.

### ACONITUM. (Eisenhut.)

Annual.

Hardy perennials with panicles of blue helmet-shaped flowers. NO.

1 Napellus. Monk's Hood; well adapted to grow among the shrubbery and shady corners; 4 ft.... .05

### ACROCLINIUM. (Acroclinium.)

Beautiful and valuable everlasting flowers, easily grown and used extensively for winter bouquets. Annuals. 2 Single. Mixed; Bright Pink and White; 1 ft. .05 

### ADONIS. (Adonis.)

Annual with showy globe-shaped flowers. Easily grown in good soil in the sun or partial shade. Sow in fall or earliest spring.

4 Autumnalis. Crimson, with dark Center; 1 ft.....

### AGERATUM. (Leberbalsam.)

Splendid free flowering annuals, especially suitable for borders and fine for pots or window boxes. 5 Dwarf Imperial. Blue; ¼ oz. 20c.....

### AGROSTEMMA. (Lichtnelke.)

Easily grown in good soil and sunny place. Coronaria. (Mullein Pink or Rose Campion) Flowers large, circular in outline, crimson; leaves silvery; perennial, 1 to 2 ft......

### ALONSOA. (Mask-Flower.) (Alonzoa.)

†Perennials.

Desirable in the garden for its brilliant flowers. ceeds best in light, rich soil, finely prepared; annual. NO.

Warscwiczii. Flowers 1 inch across; rose-red. .05



### ALYSSUM. (Steinkraut.)

Free-flowering plants, suitable for beds, borders or pots. Grow well in any rich garden-loam.

10 Little Gem. A most satisfactory border, beginning to bloom when but an inch or two high and continuing until frost. White; annual ½ ft.; ¼ oz. 15c. oz. 40c....

Greffec	AMARANTHUS. (Amarant.) raceful ornamental foliage plants, producing a strik tt in the flower garden. Sow the seeds early, and last of May, or in June, in rich soil. Annual.	ing set
NO.	PI	ζŢ.
11	Bicolor Ruber. Scarlet and orange foliage; 2 ft	.05
12	Caudatus. (Love Lies Bleeding). Crimson; 3 ft	.05
13	Meloncholicus Ruber. Dark crimson foliage; 3 ft	.05
14	Tricolor (Joseph's Coat). Red, yellow and green foliage, very attractive; 2 ft	.05
n.	AMMOBIUM. (Ammobium.)	
Sow well	retty annuals, producing white everlasting flow the seed the last of May in the open border. They in almost any situation.	ers. do
15	Alatum Grandiflorum. Large flowering and pure white; 2 ft	.05
	ANAGALLIS. (Gauchheil.)	
bedd		for
16	Grandiflora Mixed. Large flowering varieties; ½ ft	.05
	ANTIRRHINUM. (Snapdragon.) . (Loewenmaul.)	
splen	ery showy bedding plants and make an abundance adid cut flowers. The newer large flowering type eat improvement.	of are
a git	Plants ready end of May.	
17		.10
18		.10
19	PR 44 W . THE A . TO THE A	.10
20	Tall, Large Flowering; Dark Scarlet	.10
21	SUPERB MIXED. Many spotted and variegated sorts in addition to all the above. ¼ oz. 30c.	.10
22	Majus. Tall Mixed; 2 ft	.05
23	Tom Thumb. Finest dwarf varieties mixed;	.05
	AQUILEGIA. (Columbine.) (Akeley.)	
Ve freely	ry ornamental, perennial, herbaceous plants, bloom y in the spring. They grow well in any dry soil.	ing
	Plants ready early in May.	
24	Caerulea (Rocky Mountain Columbine). Mixed. Beautiful species	
25	T . O 1 TT 1 11 301 4	.10
26		.05
27		.05 .05
28	Glandulosa. Large blue flowers with white	.03
		.10
ττ.	ARABIS. (Gaensekraut.)	
resen	ardy herbaceous plant, with pure white flowen hbling candytuft; blooms very early in the sprin ble for borders, rock work, etc.	ers,
	ble for borders, rock work, etc.	
29	The second second	.05
	1	

CROWN ASTER



### ASTER. (Schoenkranz, Aster.)

This flower is not only one of the most popular, but also one of the most effective of our garden favorites, producing flowers of great richness and variety of color, with the most perfect and beautiful form. Annual.

	Aster Ptants ready in June.	
NO.	P	KT.
30	SUPERB MIXED. Our own mixture of tall Asters of every color, embracing Comet, Paeony, Branching, Hohenzollern, Ostrich Plume, etc. 1/4 oz. 60c.; oz. \$2.00.	.10
31	French Paeony. Extra Mixed. ½ oz. 50c; oz. \$1.50	.10
32	Giant Comet. Extra mixed. Large fluffy flowers	.10
33	Ostrich Plume. Extra Mixed. Feathery	.10
34	Hohenzollern. Extra Mixed. Robust grower of the Comet type, but larger. ½ oz. 50c.; oz. \$1.50	.10
35	Perfection. Extra Mixed. ¼ oz. 50c.; oz. \$1.50	.10
36	Imbricated Victoria. Extra Mixed. Grow erect. ½ oz. 50c	.10
37 38	Queen of the Market. Extra Mixed. The earliest. ¼ oz. 50c.; oz. \$1.50	.10
30	½ oz. 50c	.10
39	Crown Asters. Extra Mixed. 1/4 oz. 50c	.10
40	China Aster. Fine Mixed. 1/4 oz. 40c.; oz. \$1.25	.05
41	Quilled German. Fine Mixed. 1/4 oz. 50c	.05
M 40c.	ost of above sorts may be had in separate color per oz. advance.	s at

### ASTERS IN SEPARATE COLORS.

W	hich we can supply in several types besides the	for-
42	Tall Branching White	.10
43	Tall Branching Red	.10
44	Tall Branching Rose Pink	.10
45	Tall Branching Light Pink	.10
46	Tall Branching Lavender	.10
47	Tall Branching Purple	.10
	Auricula. See Primula.	

Baby's Breath. See Gypsophila. Bachelor's Button. See Centaurea.

### BALSAM. (Balsaminen.)

One of the most beautiful and popular annuals, forming a cone of clear-colored and finely variegated, camellialike flowers. Succeed in a rich soil. Annuals.

48	Double Spiendid Mixture of Choicest	
	Varieties. 2 ft.; 1/4 oz. 25c.; oz. 80c	.10
49	Double Camellia-Flowered. Finest mixed;	
	2 ft.; 1/4 oz. 25c.; oz. 80c	.10
50	Double Fine Mixed	.05

A. C. KENDELS
BALSAM PEAR. (Balsambierne.)
Curious climbers with ornamental foliage. The fruit is
bright orange, and, when ripe, bursts open, exposing its
bright-red seeds and yellow interior. Very effective on
rock-work, stumps, etc. Annual.
NO. PKT.
51 Charantia, 10 ft
BALLOON VINE. (Herzamen.)
(Cardiospermum Halicacabum.)
52 A very pretty climber, interesting for its inflated
membraneous capsule, from which it derives the
name of "Balloon Vine." Annual; 8 ft05
BARTONIA. (Bartonie.)
53 Aurea. Splendid annual, with golden-yellow
flowers, 2½ inches across and very fragrant;
2 to 3 ft
Beilis Perennis. See Double Daisy.
Deins Telemins. See Double Daisy.



### BROWALLIA. (Browallia.)

Very handsome, free-flowering plants, completely studded during the whole summer with their beautiful flowers; excellent for cut flowers. Light, rich soil. Annual. 54 Elegans. Deep blue with white center; 

### CALCEOLARIA. (Pantoffelblume.)

Plants of a highly decorative character; very desirable for house or conservatory culture; remarkable for their size, color and markings. Sow the seeds in August or September for early flowering, in a light, rich compost. Tender perennial.

### CALENDULA. (Pot Marigold.) (Ringelblume.)

Showy, free-flowering, hardy annuals, producing a fine effect in beds or borders, and flowering until very late in the autumn. Grow well in any good, loose garden soil. 58 Le Proust. Double; buff colored; 11/2 ft.; 1/4 oz. 10c.. .05 Double Large Flowering. Dark orange red; 1½ ft.; ¼ oz. 10c...... .0.5 Prince of Orange. Striped Yellow and deep orange; ½0z. 10c..... 05 Royal Marigold Trianon. Double bright yel-

### CAMPANULA.

.05

Beautiful, well known plants, characterized by the richness of their colors, and profusion of their bloom. They include the favorite Canterbury Bells, which are among the most attractive border plants. Light rich soil.

### Plants ready in May.

62	Grandiflora. (Platycodon.) Chinese Bell	
	Flower. A fine hardy perennial, colors blue and	
	white; 2 ft.; well drained, sandy loam	.05



	WI 29		
	CANTERBURY BELL. (Glockenblume.)		
NO.		KT.	
63	Canterbury Bells. Mixed single; biennials; 2½ ft	.05	
64	Cup-and-Saucer. Mixed; biennials similar to the preceding with an enlarged calyx, giving the flower the appearance of having a saucer	٥٤	
65	under it	.05	
66	Carpatica. Mixed; colors deep blue and white:	.03	
67	plants hardy perennials; height 1 ft.; very fine Persicaefolia. Mixed; handsome perennial, with large drooping bell-shaped flowers in many	.05	
	shades of blue and white; 3 ft	.05	
68	<b>Pyramidalis.</b> Mixed. (Chimney Bell-Flower). Probably the most conspicuous; height, 3 to 4 ft.	.05	
	CANDYTUFT. (Iberis.) (Schleifenblume.)		
mass	ell known as a splendid cut flower to be grown ses. Should not be crowded if large blooms are wan t, rich soil. Annual. Empress. White; the standard variety. 1/4 oz.	ted.	
70	15c.; oz. 40c	.05	
74	across. ½ oz. 15c.; oz. 40c	.05	
71 72	Crimson	.05	
73	Rose Purple	.05	
74	Mixed. Choice colors; ¼ oz. 15c	.05	
75	Hybrid Dwarf Mixed. This makes fine, large, compact heads and remains in bloom a long time; 1/2 oz. 15c.	.05	
76	Hardy Candytuft (Iberis). A perennial of low, spreading habit, covered with pure white flowers in May and June	.10	
CANNA. (Indian Shot.) (Blumenrohr.)			
These plants are grown for the remarkable beauty of their foliage, which produces a striking effect on lawns during the summer, either singly or in groups. The French Cannas are grown also for their fine heads of flowers. New and valuable varieties are raised every year from			

New and valuable varieties are raised every year from seed. Seed should be scalded and sown early in a strong, moist heat, and the roots may be kept through the winter

TIPC	dannas. Han hardy peremitation	
77	Dwarf French Mixed. Bronze foliage; ¼ oz.	
	30c.; oz., \$1.00	.10
78	Fine Mixed. Common varieties; 4 to 8 ft.; 1/4	
	oz. 10c.; oz. 40c	.05
79	Dwarf French Mixed. Green foliage; 1/4 oz.	
	30c; oz. \$1.00	.10

For prices of Canna Plants see List following Flower Seed List.

Canterbury Bell. See Campanula.

Caster Oil Bean. See Ricinus.

Catchfly. See Silene.

#### CARNATION PINK. (Nelke.)

The most magnificent of all the Dianthus family. Flowers large, beautiful and delightfully fragrant. Sown in the spring, they bloom the second season. The plants are hardy the first winter; afterward they need protection. Perennials.

NO.	P	KI.
80	Marguerite. Dwarf mixed. If sown early will flower the first season; eminently satisfactory in the garden both in quantity and color of the flowers; ½ oz. 40c	.10
81	Early Dwarf Double Carnation. Fine mixed; 1 ft.; ¼ oz. 60c	.10
82	Red Grenadin. Double scarlet	.10
83	Fancy Picotee Carnation. Prize stock; from stage-flowers; finest double mixture of Picotees, Carnations, Bizarres, Flakes, Fancies and Selfs; 2 ft.	.25
84	Perpetual or Tree Carnation. Extra double mixed; 2 ft; this type is the one used exclusively by the florists to develop new varieties	.50
	CELOSIA. (Cockscomb.)	
Fre	ee-flowering, graceful plants, producing their flow	vers



### CENTAUREA. (Flockenblume.)

Very showy, free-flowering plants, some of which have beautiful silvery foliage, and are well adapted for ribbon borders and carpet bedding. Succeed in any garden soil. 89 Cyanus. (Bachelor's Button.) Blue: 14

89	Cyanus. (Bachelor's Button.) Blue; 1/4	
	oz. 10c.; oz. 40c	.05
90	Cyanus. (Bachelor's Button.) Mixed colors	
	Annual; 2 ft.; ¼ oz. 10c.; oz. 40c	.05
91	Candidissima (Dusty Miller). Silver leaved,	
	foliage broader and whiter than the other; half-	
	hands nanomnials 1 ft s 1/ on 100 s on 61 50	0.5

### Chinese or Indian Pink. See Dianthus.

### CHRYSANTHEMUM. (Wucherblume Goldblume.)

Showy and effective garden favorite. The annual varieties are in great demand, and extensively grown for cut flowers, making a fine pot plant for winter, and excellent for beds or borders through the summer. Succeed best in loam and rotted manure, equal parts.

NO.	CHRYSANTHEMUM—Continued.	т.
94	Japonicum. Double mixed. Magnificent varieties	.10
95	Double Mixed Coronarium. Annual varieties; 1½ ft	.05
96	Single Mixed Carinatum. Annual varieties;	.05
DI.	onto of hardy and an anisting and in M	,

Plants of hardy garden varieties ready in May and June.



#### CINERARIA. (Aschenpflanze.)

A favorite greenhouse plant with a great variety of beautiful colors, blooming through the winter and spring months. Seed should be sown in July or August; when large enough, put in an equal mixture of loam, leaf-mold and sand, and in December repot in a stronger soil. Our strains of these beautiful flowers are acknowledged by all our florists to be the best stock in this country.

97	Hybrida Grandiflora. This strain saved only, from extra large flowering prize varieties; 1½	
	ft	.50
98	Hybrida Grandiflora Nana. New, large- flowering, dwarf varieties, splendid strain; 8 in.	.50
99	Maritima Candidissima. Silvery foliage; 1½ ft.; ¼ oz. 10c.; oz. 40c	.05

Columbine. See Aquilegia.

Cock's Comb. See Celosia.

### CLEOME PUNGENS.

Convolvulus Major. See Morning Glory.

#### COBAEA. (Cobaee.)

101 Scandens. A magnificent, rapid-growing vine, with beautiful foliage, and large purple, bell-shaped flowers; seed should be planted edgewise, and covered lightly; half-hardy perennial; ½ oz. 20c; oz. 75c.

### Plants ready in May.

#### COLEUS.

Plants ready in June.

### COREOPSIS.

	,	
	genus of showy annuals and perennials. They hardy character, and will grow in any garden.	are
NO.		KT
103	Fine Mixed Tall. Annual; 1½ ft.; ¼ oz. 10c;	
	oz. 40c	.05
104	Coronata. Yellow: very fine; annual; 1 ft.;	.05
405	1/4 oz. 10c.; oz. 40c	.03
105	Tinctoria. Golden yellow, with brown center; annual; 1½ ft.; ¼ oz. 10c.; oz. 40c	.05
106	Purpurea. Dark-brown, 1½ ft	.05
107	Drummondii. Yellow and red; annual;	
	1½ ft	.05
108	Lanceolata. Probably the best and most satisfactory yellow perennial we can grow. A plant is a continuous mass of bloom until late summer and a few flowers will be had until frost. A few plants winter-kill so a bed should be resown each	
	fall. Keep the flowers picked	.10

### Plants ready end of April.

#### COSMOS. (Cosmos.)

### Plants ready in June.

#### CUCUMBER. (Wild.)



#### CYCLAMEN. (Erdscheibe, Alpenveilchen.)

One of the most popular plants for winter and spring blooming. The foliage is beautifully marked, and the flowers are extremely handsome. Sow the seed in a compost of well-rotted manure, leaf-mold and coarse sand, thoroughly mixed, and they will make flowering bulbs in one year, if well grown. They require gentle heat and even temperature.

115 **Persicum**. Prize stock; extra mixed; superb strain of very large and rich-colored flowers.... .2.

### CYPRESS-VINE. (Ipomea.) (Quamoclit.)

A popular climbing plant with delicate, fern-like foliage, and beautiful, star-shaped flowers. Annual; 10 ft. Soak the seed a day before sowing.

116	Scarlet	.05
	White	
	Mixed 14 oz 10c : oz 40c	0.5

Summer Cypress. See Kochia.



### DAHLIA. (Dahlie.)

This favorite fall flower, to succeed well, should have a strong, deep and rich soil. The roots should be stored during the winter in a dry, warm cellar, and covered with sand. If the seed is started very early in a hotbed, and transplanted in May, the plants usually bloom the first year. Half-hardy perennials.

NO.	P	KT.
119	Extra Fine Double Mixed. Saved from very choicest varieties	.10
120	<b>Single Mixed.</b> From finest varieties. Single Dahlias will flower the first season from seed. The roots are lifted, and wintered over the same	
	as the double	.10

### Dahlia Roots ready in April. Rooted cuttings about May 15th.

#### DAISY. (Bellis Perennis.) (Tausendschoen.)

Well-known perennials. Admirably adapted for making edgings to borders, and growing in pots. They grow best in a shady and rather cool situation, in loamy soil richly manured.

121	double flowers	.10
		.10
122	Double Giant Rose	.10
123	Double Deep Pink. 1/8 oz. 60c	.10
124	<b>Double Giant Mixed.</b> These are a vast improvement over the common English Daisy, the flowers often being as large as a silver dollar	.10
125	Shasta Daisy. One of Luther Burbank's productions and a very satisfactory perennial. Like our common white daisy of the meadows, but much larger and more floriferous. The seed produces varying types, all interesting and worth having	.10

Double Daisy plants, one dozen in a basket, ready in May. Shasta Daisies in clumps ready end of April.

#### Delphinium. See Larkspur.

### DIGITALIS. (Foxglove.) (Fingerhut.)

Well-known hardy biennials of easy culture. They prefer a rich, loamy soil, and partial shade.

126 Gloxinides. Mixed varieties, finely spotted;

### Plants ready first of May.

DIANTHUS. (Chinese Pink.) (Nelke.)			
The following all bloom the first year, and are highly valued for the beauty of their flowers, which present a rich variety of colors. The different varieties are hardy, and usually live over winter, blooming more profusely the			
usually live over winter, blooming more profusely the			
second year. NO. PKT.			
127 Chinese Double Extra Fine. Mixed; 1 ft.;			
1/4 oz. 15c.; oz. 60c			
129 Eastern Queen. Large, single, rose-colored			
flowers, splendidly striped and stained			
130 Double Japan. Large flowers varying from the richest crimson to the most delicate shade of pink			
131 Royal Pinks. A single, large flowering variety showing rich colors from white to deep scarlet.  A splendid type			
DOLICHOS. (Hyacinth Bean.) (Dolichos.)			
A beautiful quick-growing climber, with purple and white flowers blooming in clusters resembling the blossoms of hyacints. Will thrive in a hot situation; annual; 15 ft.			
132 <b>Soudan.</b> Purple			
133 Japanese. White			
ESCHSCHOLTZIA. (Eschscholtzie.)			
Annuals of easy culture with bright orange or golden flowers and attractive foliage. Fine for bedding. Light, rich soil.			
134 Californica. The True California Poppy; rich yellow; 1 ft.; ½ oz. 10c.; oz. 30c			
yellow; 1 ft.; ¼ oz. 10c.; oz. 30c			
136 Golden West. A superb variety with large			
deep ye low flowers; 2 ft			
137 Thorburni. Large flowering; petals crimson outside, orange-yellow inside. A handsome new variety			
ELICHRYSUM. (Everlasting Flower.) (Strohblume.)			
Very effective everlasting flowers; extensively used for winter boundes and decorations. Succeed in any good			
garden loam. Annuals.  138 <b>Double Mixed.</b> All colors; 1½ ft.; ¼ oz. 20c.; oz. 75c			
EUPHORBIA. (Snow on the Mountain.) (Wolfsmilch.)			
A showy border plant, with foliage veined and margined with white. Grows well in common garden loam.			
139 Variegata. Annual; 1½ ft.; ¼ oz. 10c.; oz. 30c			
FEVERFEW. (Matricaria.)			
(Mutterkraut.)			
Low-growing plants, suitable for beds and edgings, extensively grown by florists for their flowers. Succeeds best in a light, rich soil. Half-hardy perennial.			
140 Parthenium. Dwarf double white; very fine; 1 ft			
Flos Adonis. See Adonis.			
Foxglove. See Digitalis.			
FOUR O'CLOCK. (Mirabilis.) (Wunderblume.)			
A well-known, old-fashioned, garden favorite with			
A well-known, old-fashioned, garden favorite with beautiful foliage and fragrant flowers. They will grow anywhere in the sun, require no special care and are especially useful as a temporary hedge. In rich loam, plants will spread three feet. Blooms first year.			
pecially useful as a temporary hedge. In rich loam, plants will spread three feet. Blooms first year.			
141 Hybrid Fine Mixed. A splendid mixture of			
all colors in great variety. ½ oz. 10c.; 4 oz. 40c05			
FORGET-ME-NOT. (Myosotis.) (Vergiss-mein-nicht.)			
Neat and beautiful little plants with star-like flowers.			
Neat and beautiful little plants with star-like flowers, too well known to need much description. Succeed best in most situations			

142 Palustris, Large-flowering. (True Forgetme-not.) Beautiful blue; Perennial, but blooms first year. ½ ft.; ½ oz. 50c.
143 Palustris Semperflorens. A dwarf form blooming all summer.

.10

.10



### FORGET-ME-NOT.

### GAILLARDIA. (Gallardie.)

A genus of beautiful, showy plants, well adapted for garden decoration, giving a profusion of brilliant flowers during the summer and autumn.

NO.	P	KT.
144	Choice Mixed Single, 1½ ft	.05
145	Choice Mixed Double, 1½ ft	.05
146	Aurora. Single; red tipped with yellow	.05
147	Perennial. Very large, handsome, single flowers with red centers and golden tips. Very effective when planted among perennials that	0.5
	grow tall	.05

### Plants of the latter ready in May.

### GERANIUM. (Storchschnabel.)

Pot plants of standard sorts ready end of May.



### GLOXINIA.

149 **Hybrid.** Choicest French varieties; mixed, spotted and stained; from a splendid collection. .25

Gilliflower. See Stocks.

### GODETIA. (Godetie.)

A. C. KENDEL'S
GOMPHRENA. (Globe Amaranth.) (Kugelamaranth.)
Well-known everlastings, with showy flowers; extensively used in winter decorations. Start the seed in heat, and transplant, as they are slow to germinate outside. Annuals. NO.  PKT.
151 Globosa, Mixed Varieties
GOLDEN FEATHER. (Pyrethrum.) (Metterich.)
Indispensable as a foliage plant for edging. Of a beautiful golden-yellow throughout the season.
152 Aureum. Golden foliage; biennial; 1 ft.; ¼ oz. 20c.; oz. 80c
GOURDS. (Kuerbis.)
These are grown for their curiously-shaped and variegated fruit. The vine is desirable for covering arbors, walls, etc. Annual.
153 Hercules Club. Club-shaped
154 African Pipe.         Smoker's delight.         .10           155 Dish Rag         .05
155         Dish Rag         .05           156         Bottle-Shaped.         Very desirable         .05
157 Dipper
158 Large Varieties. Mixed; oz. 30c
159 Apple-Shaped. Striped with green
160 Egg-Shaped. Resembling an egg
<ul> <li>161 Mock Orange. Shape and color of an orange05</li> <li>162 Pear-Shaped Bi-Color. Half green, half yel-</li> </ul>
162 Pear-Shaped Bi-Color. Half green, half yellow
163 Small Varieties. Mixed; oz. 30c 05
GYPSOPHILA. (Gypskraut.)
Graceful, free-flowering plants. Flowers small, but produced in great quantities in loose panicles; elegant, for bouquets. Succeed well in common garden soil.
164 Elegans. White; annual 1½ ft
<ul> <li>Muralis. Pink; annual; ½ t</li></ul>
nial; white; 2 ft.; fine for bouquets; 1/6 oz. 10c05  Plants of the latter ready first of May.
Helianthus. See Sunflower.
Helichrysum. See Elichrysum.
HELIOTROPE. (Sonnenwende.)
Well known deliciously fragrant plants; excellent for bedding purposes or pot-culture. Half-hardy perennial. 167 Finest Mixed. 18 inches
Plants ready end of May.
HEUCHERA. (Heuchere)
Desirable bushy, hardy perennials, bearing many slender stems of bright, dark-crimson flowers during July and August. Grow in any good garden soil.
168 Sanguinea Splendens. Dark-crimson; 1 ft10
HOLLYHOCK. (Stock-rose.)  This is one of our handsome ornamental biennials, giving spikes of flowers, about five feet high, of almost every color Seed sown in June or earlier will flower the following season.
They require dry, deep soil, enriched with plenty of manure.
169 SUPERB MIXED. Our own mixture of superb colors and kinds; a beautiful collection; ½ oz
Separate colors at same price.  170 Allegheny. Semi-double, fringed; mixed colors; quite unlike the preceding and very
showy 10
171 Hybrid Double Annual. Mixed; a new, everblooming type, flowering the first season. Start the seed early in the hot-bed
Hollyhock plants ready early in May.
Humulus. See Japanese Hop.

### JAPANESE HOP VINE. (Humulus Japonicus.) (Hopfen.)


A very rapid growing vine, with fine foliage, which is very dense and quite free from insect enemies, and which endures the heat remarkably. Grows 25 feet high and selfsows if the ground is not disturbed. Annual.

NO.	P	KT.
173	Humulus Japonicus. Large, dark green foliage; ½ oz. 15c	.10
174	Humulus Japonicus Variegatus. Like the preceding except with variegated foliage. Makes a handsome vine; ½ oz. 20c	.10

Jerusalem Cherry. See Solanum.

Joseph's Coat. See Amaranthus.

Kenilworth Ivy. See Linaria.



### KOCHIA. (Summer Cypress.)

An annual ornamental plant that closely resembles a small cypress tree. It grows as much as three feet high and in the fall changes from green to a flaming red. It makes an exceedingly attractive plant for a temporary hedge or for a border for a bed of tall growing plants. The plant will bear trimming like hedge plants and is easily grown from seed and readily transplanted.

### LARKSPUR. (Delphinium.) (Rittersporn.)

Well-known annual and perennial plants with finely cut leaves and an abundance of flowers on long stems that keep well after cut. If the plants are not allowed to mature seed, the flowering period can be greatly lengthened. Good, rich soil dug deep and a sunny location suit them

nest.		
NO.	1	PKT.
176	Double Branching Carmine. Annual; beautiful color; 1 ft	.05
177	Double Branching White. 1 ft. Annual	.05
178	Double Branching. Mixed annual; 1½ ft.; ½ oz. 20c	.05
179	Elatum Blue. (Bee Larkspur). Soft, clear blue; perennial; 3 ft	.05
180	Formosum. Single dark blue, white center; perennial; 3 ft	.05
181	Chinese. Mixed. Large flowers and finely cut leaves; perennial	.05
182	Belladonna. Sky Blue, white center; very fine; perennial	.05
183	Perennial Hybrids. Single; large spikes and handsome colors: 3 ft.	

### Plants ready in May.

### LINARIA. (Kenilworth Ivy.) (Cymbelkraut.)

This is perhaps better known under the name of Coliseum or Kenilworth Ivy. It is a very handsome trailing plant, or Kenilworth Ivy. It is a very handsome trailing plant, suitable for hanging-baskets and window boxes. 184 Cymbalaria...



#### LOBELIA. (Lobelie.)

Exceedingly pretty, profusely-blooming plants, of easy culture; valuable for beds, borders, edgings, ribbon-work, Tender perennials, flowering first season from

185		Blue; trailing;	.05
186		pacta. Dark	.05

Love in a Mist. See Nigella.

Love Lies Bleeding. See Amaranthus.

Lovegrove. See Nemophila.

### LUPINS. (Wolfsbohne.)

Desirable plants with long, graceful spikes of various-colored flowers. Common garden soil. 

### LYCHNIS. (Lichtnelke.)

Very handsome and useful perennials, of easy culture, strikingly effective in mixed borders. Good, rich loam. 190 Viscaria Splendens. Rose pink; 1½ ft.....

Matricaria. See Feverfew.

### MARTYNIA. (Gemsenhorn.)

A large-growing annual, producing spikes of purple-red flowers, streaked with yellow, which emit a deficious odor. The green pods are highly esteemed for pickles. Half-hardy 2 ft.

NO. 

### Maskflower. See Alonsoa.

#### MAURANDIA. (Maurandie.)

These handsome climbers are well adapted for gardens and window-boxes. They bloom profusely from seed the first season. Half-hardy perennial.



#### MARIGOLD. RIGOLD. (Tagetes.) (Sammetblume.)

Old garden favorites of rich and beautiful colors. Many of the dwarf varieties make excellent pot-plants for winter blooming. They grow well in a good garden loam. Annual. .05 African Double Tall Mixed. Large flowering; 195 .05 ¼ oz. 15c . . . . 196 African Double Early Dwarf Mixed. 1/4 oz. .05 French Double Cloth of Gold. Bright gold 197 stripes on dark petals..... 0.5 French Double Tall Mixed. 1/4 oz. 10c..... .05 198 French Double Dwarf. Very large flowering; golden yellow, with brown margin...... .05 French Single Dwarf Legion of Honor. 200 Golden yellow with a crimson spot on each petal. 6 in....

### MIGNONETTE. (Reseda.)

A well-known favorite for pot or garden-culture, with very fragrant spikes of flowers. If well thinned out they produce stronger plants and larger spikes of flowers. Grown in light, sandy soil, its fragrance is much stronger than when grown in a rich soil. Cannot be transplanted. Annual.

Large Sweet-scented. The best for garden; 1/4 oz. 10c. 201 .05 Machet. Large flowering; 1/4 oz. 20c.; oz. 75c. 202 Goliath. Sturdy plants with huge heads. Used by florists but does well in the garden. 203 ½ oz. 50c.....

### MIMOSA. (Sensitive Plant.) (Sinnpfianze.)

A very interesting and curious plant, its leaves closing if touched or shaken. Good garden loam. Annual. 204 Pudica. Pinkish-white; 1½ ft.....

	MIMULUS.		MORNING GLORY-Continued.
NO.	PKT.	NO.	PKT
205	Moschatus. Musk Plant. A small trailing plant with yellow flowers and fragrant foliage; used in hanging baskets or pots and to cover the soil in pots containing large plants	211 212	Pink
	Momordica. See Balsam Pear.		the hard shell prevents sprouting. ½ oz. 15c.; oz. 25c.; 4 oz. 75c
fine f	MORNING GLORY. (Trichterwinde.) (Convolvulus and Ipomoea.)  tensive genus of twining plants; remarkable for their oliage and showy flowers. Well adapted for open air eenhouse culture. Annuals  SUPERB MIXED. Our own mixture of separate colors embracing every shade; ½ oz. 10c.;  4 oz. 40c		Mikado Giants. This is the largest strain with which the Japanese growers will part. There they will make flowers 5 inches across. With high cultivation they are certainly worth having: ½ oz. 25c.; oz. 75c
207			
208	Crimson		Mourning Bride. See Scabiosa.
209	White		Musk Plant. See Mimulus.
210	Dark Purple		Myosotis. See Forget-Me-Not.

### NASTURTIUMS.

A garden is not complete without a bed or row of Nasturtiums. Few flowers give as much satisfaction in quantity or variety. Plant the seeds one inch deep, the tall sorts two inches apart and the dwarf about four inches apart each way. The plants will produce more flowers in rather poor soil, but should not be allowed to go to seed.



TALL VARIETIES—Height 5 feet.	
NO. PKT	
215 Asa Gray. Cream Yellow	,
216 *Brilliant. Bright Scarlet	
217 Cardinal	
218 Crown Prince of Prussia. Dark red	
219 Crystal Palace. Scarlet	
220 Dark Crimson	
221 Dunnett's Orange	
222 Edward Otto. Lilac brown	
223 *Firefly. Dark orange; spotted	
224 Giant of Battles. Light yellow; spotted05	
225 Golden Queen. Pure yellow	
226 Heinemanni. Chocolate	
227 Hemisphaericum. Straw Color	
228 King of the Blacks. Black red	

NO.	KT.
229 King Theodore. Crimson	.05
230 Lucifer. Very dark scarlet	.05
231 *Margaret. Cream, white; veined	.05
232 Moltke. Bluish rose	.05
233 Pearl. Cream white	.05
234 Queen Victoria. Scarlet	.05
235 Regaleanum. Violet crimson	.05
236 Rudolph Virchow. Ruby	.05
237 Scarlet. Golden-leaved	.05
238 Scheurianum. Striped	.05
239 Spitfire. Fiery scarlet	.05
240 *Vesuvius. Salmon rose	.05
241 Ivy-Leaved. Leaves shaped like the English	
Ivy; deep scarlet	.05
242 Madame Guenther's Hybrids. A new strain in many shades, beautifully mottled and stained.	.05
243 Chameleon. The latest addition and a decided	.03
departure. One plant bears several shades at	
one time	.05
244 SUPERB HYBRID MIXED. Our own mix-	
ture of all the above sorts carefully mixed in proportion; oz. 20c.; 4 oz. 50c.; lb. \$1.50	.05
245 <b>Lilliput-Hybrids.</b> Queen of Holland. A new	.03
type with small leaves and small flowers in	
type with small leaves and small flowers in beautiful rich colors all blotched	.05
DWARF VARIETIES-Height 1 foot.	
246 Aurora. Yellow veined	.05
247 Beauty. Yellow and scarlet	.05
248 Brilliant. Scarlet	.05
249 Cloth of Gold. Scarlet; golden leaves	.05
250 Crystal Palace Gem. Yellow and carmine	.05
251 Dark Crimson	.05
252 *Empress of India. Dark Scarlet	.05
253 *Golden King	.05
254 King of Tom Thumbs. Bright scarlet	.05
255 *Lady Rird. Orange Spotted	.05
256 Pearl	.05
257 Prince Henry. Cream white spotted	.05
258 Regalianum. Violet Crimson	.05
259 *Ruby King	.05
260 *Spotted King. Dark yellow	.05
261 Vesuvius. Salmon rose	.05
262 Chameleon. Has different colors of flowers on	
the same plant	.05
263 DWARF VARIETIES MIXED. Our own	
splendid mixture, including all the above; oz. 20c.; 4 oz. 50c.; lb. \$1.50	.05
* Dark-Leaved Varieties.	.03

#### NEMOPHILA. (Lovegrove. (Triften oder Hainblume.) (Lovegrove.)

Neat, compact, uniform of growth, with varied and beautiful colors, blooming all summer; suitable for beds, borders and pot culture. Grow best in a moist, partially-shaded situation and not very rich soil. Annual. PKT. 

#### NICOTIANA (Tabak)

111201111111 (111111)	
Sweet-scented, star-shaped flowers, 2 to 3 inches	
across; bloom continually; very showy annual	.05
265 Affinis. Sweet-scented pure white	.05

#### NIGELLA. (Love in a Mist.) (Schwarzkuemmel.)

Curious and interesting free-flowering plants of easiest culture. Annual. 267 Miss Jekyll. Sky-blue; fine for cutting.....

### OENOTHERA. (Evening Primrosa.) (Nachtkerze.)

A beautiful, free-flowering class of plants, very useful for beds and borders, flowering in long spikes. Common garden loam. Biennial. 268 Biennis. Beautiful clear canary-yellow.....



PANSY. (Heartsease, Viola Tricolor.) (Stiefmuetterchen.)

We endeavor to get absolutely the best strains of Pansies grown in France and Germany. A perusal of the list will show the choicest varieties, regardless of cost and if proper care is exercised in sowing, the germination will be found to be high. Seed sown in hotbeds or cold frames in February or March will flower better during the fall and winter, while that sown in August or September and wintered over will give better results in spring and summer. On account of the delicate nature of the fancy varieties, extreme care should be used to start the seeds, light, rich soil, made fine with a rake or sieve being important and a covering of newspaper or cheese-cloth until the seeds, which should be only slightly covered with soil, are up, is absolutely necessary to insure a good stand.

If more plants come up than are needed, when they have their fourth or fifth leaf transplant them three inches apart each way, taking them as they come, rather than picking out the strongest, as the delicate plants are apt to produce the finest flowers. Protection from the midday sun is necessary, to have large flowers and keeping them picked, will extend the flowering period. A mulching of Sheep Manure twice a month and a dusting of Tobacco Dust as often, will make them grow and keep the insects away. The Giant flowering only are listed.

NO.	. Р	KT.	NO.		PKT.
269	Trimardeau Mixed. 1/4 oz. 75.; oz. \$2.50	.20	289	Yellow, Purple Stained	20
270	Bugnot. Mixed; stained	.20	290	White, Purple Stained	20
271	Boulogne. Mixed; stained	.20	291	Brilliant Red	20
272.	Parisian. Mixed; stained	.20	292	Black. True	20
273	Odier. Five-blotched; mixed	.20	293	Royal Purple	20
274	Masterpiece. Mixed. Blotched and curled	.20	294	SUPERB MIXED. Our own mixture of all th	e
275	Cassier's Blotched. Mixed	.20	-/-	above large-flowering sorts including the ver	37
276	Madame Perret. Wine shades	.20		choicest Pansies grown. It is unsurpassed.	
277	Stained, White Ground	.20		oz. 75c.; oz. \$3.00; 4 oz. \$10.00. A packe containing over 500 seeds	
278	Stained, Red and Brown Ground	.20	295	FANCY SELECT. This mixture is our ow	
279	Pure White	.20	293	selection from the above list of all the rares	
280	Emperor William. Blue	.20		high-priced varieties and is intended for th	e
281	Lord Beaconsfield Improved. Purple and			specialist. None of the ordinary colors are included but, only the new, rare, unusua	
	white	.20		shades. ¼ oz. \$3.00; per packet of about 50	
282	Peacock. Beautiful	.20		seeds	
283	Fire King. Golden, upper petals purple	.20	296	Fine Mixed. Includes all the small-flowering	
284	Adonis. Light blue	.20		sorts; ¼ oz. 40c.; oz. \$1.50	
285	Indigo Blue	.20	297	Tufted Pansies. Until recently, these have	
286	Hortensia Red. Rare color	.20		been little appreciated in this country. I France and England they are used extensively	
287	Blotched and Striped	.20		for borders, where their masses of bright flower	
288	Pure Yellow	.20		are charming	10
	TO	7 7	,	. 1 1 . 1 . 14	

Plants raised from our own stock seed, one dozen in a basket, ready in May.

Panaver. See Ponny.

#### PASSION FLOWER.

		Start early in	
out in the open	ground in Ma	y. Tender per	ennial.
NO.			PKT.
200 Coomilia	Dluc		10

### PENTSTEMON. (Fuenffaden, Bartfaden.)

Beautiful and attractive, hardy, herbaceous plants, with long, graceful spikes of richly colored flowers. Succeed in a light loam, and should have a dry situation, as they suffer more from wet than cold during the winter.

299	Hybridus Extra Mixed. Perennial; 2 ft	.10
300	Gloxinioides. Mixed. (Sensation). 21/2 ft.	
	Need some protection during the winter. Very	
	fine	.10



#### DOUBLE PETUNIA. (Petunie.)

It is perhaps not generally understood that the seeds of double Petunias are only obtained by artificially fecundating single blooms with the pollen from the double, making the seed necessarily high priced, nor can all the seedlings be expected to come double. The finest double Petunias are always grown from seeds; when propagated by cuttings they degenerate.

301 Double Mixed Fringed. Extra fringed. blotched and striped, fecundated with double of the best strain.....


### SINGLE PETUNIA. (Petunie.)

For outdoor decoration or house culture few plants equal this. They flower early and continue a mass of bloom the whole season. Succeed well in common loam in a sunny

302	Giant Ruffled. Fringed and stained	.25
303	California Giants. A new, magnificent strain of Petunias originated but recently and surpassing in size and number of colors all other sorts; ½ size pkt. 25c	.50
304	Howard's Star. Rich crimson with a white star in the center	.10
305	Inimitable. Striped and blotched	.10
306	Extra Choice Mixed Hybrid. 1/4 oz. 25c.; oz. 80c	.10
307	Rosy Morn. Brilliant rose, white center	.10
308	Adonis. Carmine red	.10
309	Pure White	.05
310	Countess of Ellesmere. Dark rose, with white throat	.05
311	Fine Mixed	.05

Plants ready in May

Pelargonium. See Geranium.



#### PHLOX DRUMMONDII. (Grandiflora.) (Flammenblume.)

A popular bedding plant, producing flowers of the most brilliant colors; blooming throughout the season. Annual;

OHC I	oot mgm.	
NO.		PKT.
312	Pure White	05
313	Bright Scarlet	05
314	Bright Red; White Center	., .05
315	Bright Rose; White Center	05
316	Flesh Color; Purple Center	05
317	Dark Purple	05
318	Striped Mixed	05
319	Bright Pink	05
320	Star Phlox. Mixed	05
321	SUPERB MIXED. Our own splendid mixtur of above separate colors and kinds, insurin some of every color in each packet; ½ oz. 15c oz. \$1.00.	g .;
322	<b>Dwarf Phlox.</b> Extra mixed. This class make bushy plants 6 or 8 inches high, has large flower and bright colors; ½ oz. 40c	s

#### PHLOX PERENNIAL.

Fine, hardy, herbaceous perennials, with large heads of flowers; excellent border plants. Succeed best in a dry, rich soil.

323 Choice Mixed. Brilliant colors; 2½ ft...... .10

A very fine collection of choicest varieties of plants ready in April.

Polyanthus. See Primula.

### PORTULACA. (Portulak.)

Too much cannot be said in praise of these popular and beautiful annuals, which are covered with flowers in every color throughout the season. Succeed best in an exposed sunny situation, on poor, sandy soil.

- 324 SUPERB MIXED. Our own mixture of eleven separate colors; ¼ oz. 15c.; oz. 50c.......
- Double Mixed. Saved from the best varieties and colors and producing a large percentage of double flowers.

Pot Marigold. See Calendula.



### POPPY. (Papaver.) (Mohn.) Very showy, free-flowering plants with large and brilliant

flowers. Succeed well in any good garden soil. NO. Large-Flowered Carnation. Mixture of separate colors of finest double; annual; 2 ft.; ½ oz. 10c.; oz. 30c..... 326 327 Carnation Double Scarlet. 2 ft.; 1/4 oz. 15c.. .05 Paeony-Flowered. Double mixed; large flowers; ¼ oz. 10c..... 328 .05 Single Mixed Annual. Many varied types and 329 .05 330 Single Scarlet Field. The wild poppy of Europe; annual; ¼ oz. 10c.; oz. 30c......
 331 Oriental. Scarlet, large black blotch on each petal; perennial; 3 ft..... .05 .05 Plants ready in May. **Bracteatum.** A very large orange-scarlet flower, averaging 5 inches in diameter; perennial; 3 ft..... emnial; 3 It...
Shirley. Extra mixed; annual; a most beautiful semi-double variety; does well in any garden and embraces a great variety of colors, ranging from pure white, through many delicate shades of pink, to bright red. If cut before the sun strikes them they will keep a day in water; ½ oz. 15c.; ½ oz. 25c.; oz. 75c... 333

### PRIMULA. (Pri. (Primel.) (Primrose.)

334 Iceland. Extra mixed. Hardy; blooms first

These plants cannot be excelled for pot-culture in the sitting room or greenhouse. Seeds sown early germinate more freely than those sown during hot weather. Sow in a fine, rich loam, press lightly, and just cover the seed with fine leaf mould. Tender perennials.

mie i	lear mould. Tender perenmais.	
335	Sinensis Fimbriata. (Fringed.) Extra	
	mixed	.50
336	Obconica. Large-flowering mixed evergreen	
	and constantly in bloom	.25
337	Obconica. Apple Blossom Pink. Extra large	
	flowers in great profusion. Beautiful	.50
338	Japonica. Finest mixed. Large flowers	.25
339	Forbesi. (Baby Primrose.) Rosy lilac	.25
340	Polyanthus. Splendid mixed; hardy perennial	.10

#### PYRETHRUM. (See also Golden Feather.)

NO. PKT. Roseum. (Persian Insect Powder Plant.) Aster-like flowers of innumerable shades, ranging from pure white, through flesh tints, deep pink, to bright red. Perennials which will flower the first season if started very early. If the foliage is cut off after the plants have flowered in the spring they will again bloom in the fall. They are a fine addition to the list of perennials. 1,000 seeds 75c... 341 Roseum. 1,000 seeds 75c.....

Plants ready in May.

Reseda. See Mignonette.



### RICINUS. (Castor Oil Bean.) (Wunderbaum.)

Tall growing and highly ornamental plants, with beautiful foliage and brilliant-colored fruit. If planted singly on lawns they produce a fine effect. Annual.

Ricinus of any sort, 1/2 oz. 15c.; oz. 25c.

342	Major. Tall, dark-green foliage; 10 ft	.05
343	Sanguineus. Blood-red stems and fruit; 7 ft	.05
344	Cambodgensis. Leaves maroon; stems black; 5 ft	.05
345	Zanzibariensis. Mixed; 8 ft	.05
346	Gibsoni. Dark purple-red foliage; 5 ft	.05
347	Minor. Dwarf, with rose-colored fruit; 4 ft	.05



SALPIGLOSSIS.

		Α.	C.	KENDE	L'S
	SALPIGLOSSIS. (	Tromp	eten	zunge.)	
be s	he beauty of these annu- closely allied to Petunias greater range of color. Th own carefully and sparingl splanted. They make an soil and plenty of sun.	v as the	plan	ts are not rea	adily
NO. 348	Hybrid Extra. Largest 1/4 oz. 15c	flowerin	ıg; n		.05
	SALVIA.				
B The Febration 15 of that make the plane 349	y far the most brilliant seeds should be started vary or March and the pr 18 inches apart in soil as they require very little es spikes a foot long of the spikes are cut off as soot to will continue to blossor Splendens. Large flow so much everywhere in 75c.	vering. our city	; 3	kind seen	ave. se in May, After alvia nd if the
	Plants ready	May 1	5th		
<b>3</b> 50	<b>Dwarf.</b> Spikes about 1 than the preceding an border for large beds	ft. high; d make	blo s a	ooms earlier n excellent	.10
	SCABIOSA. (M (Scabi	ourning ose.)	Br	ide.)	
Or beau Ann	ne of the handsomest surtiful, variegated flowers.		wer freel	ing plants, y in good lo	with oam.
351 352 353	Tall Double. Fine mix				.05 .05 .05
A rich	SCHIZANTHUS. genus of beautiful annua and various-colored flowe				with
and 354	shelter from winds.				.05
	Sensitive Plant	See M	limo	sa.	
	SILENE. ( (Leinki	Catchfl aut.)	y.)		
W of ea loam	ell known plants, with be asy culture, blooming pro	right att ofusely i	ract n ar	ive flowers, ny good gan	and den
355	Armeria. (Catchfly.)	Finest	mix	ed; 2 ft.;	.05
<b>3</b> 56	Asterias Grandiflora. 3 to 4 ft	Perenr	uial;	carmine;	.10
	Snapdragon. S	ee Antir	rhin	um.	
	Snow-on-the-Mounta	in. Se	e Et	iphorbia.	
	SOLANUM. (Jer (Nachtsch	rusalem natten.)	Ch	erry.)	·
Or garde which soil.	(Nachtsch namental and interestin ens and greenhouse. The adhere to the plant all Perennial.	g fruit e fruit winter.	bear rese St	ring plants embles cher icceed in a	for ries, rich
357 358	Capsicum Little Gem.	um (Chri	stm	as Pep-	.10
	pers.) A profitable pot  Spider Plant.				.10
	STOCKS. (C	Gilliflow			
359	Dwarf German Ten-W		oubl	e. Bright	
360	Dwarf German Ten-Wrose; 1 ft	eeks D	ouh	le. Blood	.05
361	red; 1 ft				.05

Dwarf German Ten-Weeks Double. Sulphur Yellow, Rose Shaded....

362



#### GERMAN STOCKS.

	GERMAN STOCKS.	
NO.	P	KT.
363	Dwarf Large Flowering. Finest mixed ¼ oz. 75c	.05
364	Cut and Come Again. (Princess Alice.) Perpetual large flowering white	.10
	Summer Cypress. See Kochia.	
	SUNFLOWER. (Helianthus.) (Sonnenblume.)	
A	well-known genus of annuals, with large, brilliant flowers.	
365	Globe Flowered. Double globe-shaped; very fine; 7 ft	.05
366	Californian. Tall double; 5 ft.; ¼ oz. 10c.; oz. 30c	.05
367	Macrophylus Giganteus. Very large flowers; single, 8 ft	.05
368	<b>Double Dwarf.</b> Very handsome; 4 ft.; ½ oz. 10c.; oz. 30c.	.05
369	Miniature. (H. Cucumerifolius.) Identical in appearance with our common yellow Field Daisy. The dainty flowers are borne in profusion on long stems, which with the foliage make ideal subjects for vases and jardinieres in the house. Will grow in any soil; 2 to 3 ft.; ½ oz.	
370	Single Russian. The tallest common sun-	.05
	flower	.05
	SWEET PEAS.	
	See Page 44.	
	SWEET ROCKET. (Hesperis.) (Nachtviola.)	
371	Matronalis. Mixed. Perennial plants with spikes of showy, fragrant flowers; 2 to 3 ft. Blooms during June and July	.05
:	SWEET SULTANS. (Centaurea Moschata.)	
than	variety of the Centaureas with much larger flow the Cornflower and more colors. They require go nd plenty of room, crowding reducing the number a of the flowers materially. They have many bri s and keep remarkable well in water.	oori
372		.05
373	Finest Mixed. All colors, purple, lavender, white, yellow, &c	.05


374 Imperial Mixed. Coiors white and shades of pink, lilac and purple; flowers large and numerous.....

375 Americana. Native in the Southwest; color rosy-lavender; 2 to 3 ft......

.05

.05

### SWEET PEAS.



SWEET PEAS.

The following list is our selection of the best of each color. Those in CAPITALS are the best twelve of each type. Those marked (\*) are suitable for the greenhouse. WHITE. 377 DOROTHY ECKFORD. Oz. 10c..... 378 \*Emily Henderson. Oz. 10c..... PRIMROSE OR PALE YELLOW. 379 PRIMROSE SPENCER. Oz. 25c..... .10 LIGHT PINK. FLORENCE MORSE SPENCER. Oz. 25c... .10 382 \*PRIMA DONNA. Oz. 10c..... DEEPER PINK. 383 COUNTESS SPENCER. Oz. 25c.,.... .10 384 \*KATHERINE TRACY. Oz. 10c..... .05 LIGHT PINK SHADED. 385 Dainty Spencer. 1/2 oz. 25c..... .10 386 \*LOVELY. Oz. 10c..... ORANGE PINK. 387 HELEN LEWIS (SPENCER). Oz. 25c..... MERIAM BEAVER (SPENCER). Salmon; 388 ½ oz. 25c.. 389 \*MISS WILMOTT. Oz. 10c..... ROSE AND LIGHT PINK BICOLOR. 390 APPLE BLOSSOM SPENCER. Oz. 25c..... 391 \*Blanche Ferry. Oz. 10c..... BRIGHT RED SHADES. KING EDWARD SPENCER. Oz. 25c..... KING EDWARD VII. Red; oz. 10c..... QUEEN ALEXANDRA. Scarlet; oz. 10c.... .10 The modern culture of Sweet Peas has produced so many beautiful colors and such large flowers that they are almost indispensable. That these fine new varieties are harder to grow, goes without saying, for with many people success seems to be the exception.

We made a canvass, recently, among our customers and have come to the conclusion that poor soil caused most of the failures and the unfavorable place they were sown and the wrong method of culitvation caused the rest.

Sweet Peas need rich soil—the richer the better—and it should be rich to a depth of at least one foot. Raw Bone Meal, a pound to three feet of row, is the best fertilizer, especially in heavy soil. Sheep Manure comes next, and old cow manure and rotted horse manure follow, but fresh horse manure should never be used and in no case should any fertilizer come into direct contact with the seed, especially if the fertilizer is fresh.

In clay soil, three or four inches is a sufficient depth to sow the seed and in light soils six or eight inches will be better. Some people advise sowing the seed in a trench and filling in the soil as the plants grow, but this sometimes smothers the plants. Others advise covering the seeds to the proper depth at once and treading the soil down firmly. The latter method will take the seed longer to grow so that early sowing is necessary if early flowers are wanted. By this method successive sowings may be made so that flowers may be had until frost.

Better results are obtained by having the vines away from walls and tight fences as the plants seem to require air.

If the soil is frequently stirred and watered too often, rank vines are obtained, but at the expense of flowers. It is therefore better to only pull the weeds and stir the soil but little. If the vines are allowed to go to seed they soon cease blooming.

A mulch of lawn trimmings or similar material laid about the plants keeps the soil moist and cool and also 'hecks the growth of weeds.  $\,\,_{\circ}$ 

We wish to call the attention of our customers to the list of Giant Flowering Sweet Peas.

The flowers are of strong substance, measure 1¾ to 2 inches across, the edges are waved and fluted and three or four blossoms are produced on each stem. The number of colors is still limited but the immense size and beauty of the flowers easily compensate for that. We recommend a few at least, for trial, as they will probably supplant the older type eventually.

#### ROSE CRIMSON SHADES.

395	MARIE CORELLI (SPENCER). Rose Crimson; ½ oz. 25c	.10
396	GEO. HERBERT (SPENCER). Rose carmine;	
370	oz. 25c	.10
397	Prince of Wales. Oz. 10c	.05
	LAVENDER.	
200	ASTA OHN (SPENCER). Oz. 25c	.10
	*LADY GRISEL HAMILTON. Oz. 10c	.05
399	*LADY GRISEL HAMILTON. Oz. 10C	.05
	MAUVE.	
400	*Tennant Spencer. Oz. 25c	.10
401	Mrs. Walter Wright. Oz. 10c	.05
402	LOTTIE ECKFORD. Oz. 10c	.05
402	LOTTLE EGRICAD. Oz. 10c	.00
	BLUE.	
403	Captain of the Blues Spencer. Oz. 25c	.10
404	LORD NELSON. Indigo; Oz. 10c	.05
405	Duke of Westminster. Oz. 10c	.05
	MAROON.	
406	OTHELLO SPENCER. Oz. 25c	.10
407	OTHELLO. Oz. 10c.	.05
407	OTHEREO. 02. 10c	.03
	GIANT FLOWERING MIXED.	
т	his mixture consists of our selection of Spencers	and
Unv	vins including all the above Spencers and many n	nore

This mixture consists of our selection of Spencers and Unwins including all the above Spencers and many more that we buy, but do not list. Everyone should have at least part of the row Giant Flowering, for they are wonderfully large and beautiful.

Packet 10c.; ½ oz. 15c.; oz. 25c.; 4 oz. 75c.

### SWEET PEAS-Continued.

### SUPERB MIXTURE.

This mixture cannot be surpassed by anyone. It is our own best mixture of large flowering Sweet Peas only, embracing all colors with light colors predominating. New sorts will be added to this mixture from year to year as the opportunity for improving it arises. We intend to make it as good a mixture as it is possible to have. Packet 5c.; oz. 15c.; ½ lb. 35c.; lb. \$1.00.

#### EXTRA MIXTURE.

Consists of a mixture of all sorts with a number of the better named sorts added to insure a choice selection of colors. An excellent mixture.

Packet 5c.: oz. 10c.: ¼ lb. 20c.; lb. 60c.

### MIXED SWEET PEAS.

Consisting of many different kinds of Sweet Peas grown together, which will be found to be a good mixture for the price. Oz. 5c.; ¼ lb. 15c.; lb. 40c.

### DWARF SWEET PEAS. NO. PKT. 408 Cupids Mixed. These grow about 6 inches high and are suitable for beds and borders. Oz. 10c.; 4 oz. 30c.... PERENNIAL SWEET PEAS.

409	Pink Beauty	.10
410	Crimson	.10
411	White	.10
412	Mixed Colors	.10

Plants ready in May.



SWEET WILLIAM. (Dianthus Barbatus.) (Bartnelke.)

These are usually classed as Dianthus, with China pinks, but differ from them in not blooming until the second year. They are easy of culture and profuse bloomers, and bloom so early in the spring that they fully repay for time and locally in the spring that they fully repay for time and

LUDO			
413	Single Mixed.	All colors; 1/4 oz. 15c.; oz. 50	oc05
414	Pink Beauty.	Salmon-pink. Striking; 2 f	it10
415	Double Mired	1/ 07 600	10

Swan River Daisy. See Brachycome.



### THUNBERGIA. (Thumbergie.)

A genus of ornamental, free-flowering climbers of rapid growth, handsome foliage and much admired flowers. Succeeds best in light, rich soil and warm situation. Annual. NO.

#### TORENIA.

Beautiful, free-flowering plants; suitable for pot-culture in house or conservatory. They also succeed well in a moist, shady border, during the summer months, and, for baskets and vases, are unsurpassed. Light, rich loam. Tender perennial.

417 Fournieri. Fournieri. Azure blue, with three dark blue spots and bright yellow throat.....



### VINCA. (Sinngruen.)

Beautiful free-flowering plants, with handsome blossoms. Seed should be sown early inside and transplanted into the border in May or June, where they will give fine blooms through the summer and autumn. Light, rich soil.

### Plants ready in May.

### VIOLA. (Viol (Veilchen.) (Violet.)

Well-known hardy plants, much admired for their beauty, fragrance and long continuance in bloom. Extensively used by florists. Extensively

Odorata. Light violet, large and fragrant; 1/4 oz. 50c....

#### VERBENA. (Eisenkraut.)

Well-known popular plants, invaluable for summer decoration, with brilliant flowers of almost every color; very effective in beds. Plants raised from seed are much more vigorous than those grown from cuttings. They delight in a turfy loam. Half-hardy perennials, flowering the first season.

NO.	F	KT.
420	SUPERB MAMMOTH MIXED. Our own mixture of the separate colors; ½ oz. 30c.; oz. \$2.00	.10
421	Hybrid, Auricula Flowered. Mixed. Saved from finest varieties with large eyes	.10
422	Pure White	.10
423	Blue Shades	.10
424	Pink Shades	.10
425	Scarlet Defiance	.10
426	Striped Varieties	.10
427	Hybrid Fine Mixed. 1/4 oz. 25c	.05
428	<b>Lemon Verbena.</b> A tender perennial easily grown from seed	.10

### Plants ready in May.

### VIRGINIAN STOCK.

Very handsome free-flowering little plants, for beds, baskets or edgings; growing freely in any good garden loam. Annual.

429	Large-Flowering	White.	1 ft	.05
430	Crimson King.	1 ft		.05

#### VISCARIA.

Abundant blooming, hardy annuals, fine for bedding. They are easily grown, and succeed best in light loam.

431 Elegans Picta. White, with scarlet center;



#### WALLFLOWER. (Cheiranthuscheiri.) (Gelbveil oder Goldlack.)

Well-known deliciously fragrant plants, with large spikes of double and single flowers similar to the Gilliflower. The colors are very brilliant, varying from the brightest goldenyellow to deep blood color. Succeed best in light, rich soil in a moist atmosphere, Half-hardy perennials.

111 4	moist atmosphere. Translardy perennais.	
NO.	PKT	
432	Extra Double Finest Mixed. 2 ft.; 1/4 oz. 75c; oz. \$2.50	)
433	Early Flowering Single Mixed. ¼ cz. 15c.; oz. 50c	5



### ZINNIA. (Zinnie.)

This is one of the finest summer flowering plants. The flowers are large, handsome, finely formed, and in great variety of colors. Seed sown early, under glass, will commence flowering in June and continue the whole season. They require but little attention, but plenty of room—should have at least eight inches each way; any common garden loam. Annual.

434	Extra Mixed Double. From the finest large flowering varieties; ½ oz. 15c.; oz. 50c	.05
435	Fireball. Intense carmine, double flowers, 2 inches or more in breadth and a dazzling sight:	

2 ft.; ¼ oz. 20c.....

.05

.10

.10

.10

436	Mammoth Double. These are flatter than the
	preceding but much larger and have many fine,
	rich colors. 2½ ft.: ¼ oz. 25c

ut Doubl	<ul> <li>e. This char</li> </ul>	ming type	has small
, nearly y of brigh	globe-shape t colors. 1	d flowers	in great
	e, nearly	, nearly globe-shape	ut Double. This charming type e, nearly globe-shaped flowers y of bright colors. 1 ft.; 1/4 oz.

Red Riding Hood. This is a scarlet Lilliput with double flowers an inch or less in breadth, produced in great profusion all summer. It makes a splendid edging and is decidedly at-
tractive. 1 ft.; ¼ oz 25c

### BULBS FOR FALL PLANTING.

We issue a Fall Catalogue describing and pricing a complete list of Bulbs for Fall Planting, such as Hyacinths, Crocusses, Tulips, Narcissus, Scillas, etc., and giving concise directions for planting in pots for the house or in beds outdoors, that will be mailed about September 15th, upon application. If you plant such bulbs and appreciate the best grades, send for our Catalogue now or at any time and we will file the request and mail you one in the Fall.

### CALADIUM ESCULENTUM

Commonly called Elephant's Ears. One of the most beautiful and ornamental foliage plants, either for pot culture or the open ground. They have broad, light green leaves, beautifully veined with dark green, and will grow to immense size if well taken care of. We have ourselves grown the plants five and one-half feet high, with leaves forty-four inches long. The small bulbs make a fine border for a bed of Cannas, and as they grow well in the shade are unequalled to plant in the angle between the piazza and the house. The large plants are planted singly in lawns, and make a fine tropical appearance. To grow them successfully, the soil should be rich to a depth of two feet, and if the plants are watered plentifully (they cannot be watered too much) and an occasional dressing of fresh cow manure applied, they will make a growth that is really wonderful.

Caladium Esculentum.

Small bulbs (for bedding)	\$0.05
Medium\$0.10 and	
Large	.30
Mammoth	
Potted Caladiums, with two or three I	
roady May 15th por doz \$150. each	150

# LILIES

Each.

Lilies will thrive the best in a rich dry soil, where water will not stand in winter. After planting they require very little care, and should not be disturbed for years, as established plants bloom more freely than if taken up annually.

In this list we offer only such varieties as can be safely set in the spring.

For other varieties see catalogue of bulbs for fall plant	ing.
Canadense. Our native "Meadow Lily" with yellow flowers, spotted red. It does remarkably well under cultivation in the garden	Each 0. <b>1</b> 0
Speciosum Praecox. Pure white, with slight rose tint on ends of the petals	.25
Speciosum Rubrum. White spotted with crimson. Imported from Japan	. 25
Speciosum Magnificum. Similar to Rubrum, but the crimson extends nearly to the edge of the petals. A beautiful sort	.25
<b>Tigrinum Splendens.</b> (Tiger Lily). Bright orange scarlet, with dark spots; a strong-growing, showy	. 10
Day Lily. (Plantain Lily). This is commonly called a lily but has a fibrous root. It is pure white, deliciously fragrant and though the flowers last but a day, many are produced on a stem and an established clump will send up many stems during the season. A root will grow into a large clump in a few years and should therefore be planted by itself	. 15



### LILY OF THE VALLEY

No flower can take the place of the ever popular Lily of the Valley. We get large clumps of fifteen or twenty crowns from Holland in the winter and put them in cold storage for spring sales. They will bloom in three or four weeks from the time they are planted and have fine, long stems of very large bells. No flower will grow like them in a shady place.



### **EVER-BLOOMING FRENCH CANNAS**

There are but few plants which can be grown with only a small amount of care and attention that give so much satisfaction, and make so fine a display as a bed of French Cannas.

The old-fashioned tall Cannas, that were grown for their foliage, had a place in floriculture, that could not otherwise be filled, but with the improvement made by adding to fine foliage, fine flowers, almost as various in colors as the rainbow, we have a bedding plant that is unsurpassed. The flowers are being constantly improved. New colors are added, and shades are intensified until the list of sorts is numbered by the score.

The latest departure is in the size of the flowers, which have now been increased in a few sorts to a diameter of over five inch...

We give a list of seed varieties which may be depended upon as the choicest of many that are usually catalogued.

Our plants have been grown in pots and are large enough to be kept in the house if desired, where they also make a fine show, or they may be bedded, providing the danger from frost is past.

la de la companya de	±ach	Doz.
METEOR. This is without doubt the finest scarlet of medium height to date. Flowers immense in size, brilliant scarlet, large trusses; foliage green; height 4 to 5 ft	0.25	\$2.50
Venus. A beautiful pink mottled with cream white. A fine new sort and a great acquisition. Height 4 ft	.10	1.00
HUNGARIA. The new rose-pink and the finest in this color. Petals and trusses large; stalks 3½ to 4 ft. Wonderfully showy	.30	3.00
The Express. A good acquisition to the list of scarlet cannas. A free and continuous bloomer. Height 2 to $2\frac{1}{2}$ ft	.10	1.00
LONG BRANCH. A new gilt-edged canna like S. A. Crozy only much larger. Stalks 4 to 5 ft. high.	.25	2.50
Italia. One of the new monster-flowering Cannas. Flowers may be described as having large splashes of bright red on canary-yellow ground. Grows 5 or 6 feet high and is very vigorous; flower stalks large and carried well above the foliage, which is strong		
and tough	. 10	1.00
Louisiana. Height 4 to 5 feet. Color deep crimson. Trusses large and held high above the foliage	.10	1.00
Buttercup. This is the nearest pure yellow, free flowering canna yet introduced. It is a decided acquisition and will eventually head the list of this color. Height 3 feet	.10	1.00

CANNAS—Continued		
King Humbert. An orchid flowered canna, with bronze foliage. Flowers of immense size, orange-scarlet streaked with crimson and of much stronger substance than the	Each	Doz.
other orchid flowered cannas. Height 4½ to 5 ft\$	.10	\$1.00
Burbank. One of the orchid-flowering cannas. Large canary yellow flowers with a few crimson spots. Foliage strong and tough. Height 5 to 6 feet	. 10	1.00
Crimson Bedder. The best canna of its color yet introduced. Has large heads of good sized flowers that retain their color well in the sun. Plant is very vigorous, producing many trusses. Height 3 to 3½ feet	. 10	1.00
Rubins. Has handsome dark foliage and brilliant scarlet flowers of good size held well above the foliage.		
Height 3½ feet	.10	1.00
Duke of Marlborough. Color crimson maroon; very distinct. A fine bedding canna. Height 4 feet	. 10	1.00
Richard Wallace. A fine new canary-yellow canna growing 5 feet high. A splendid	. 10	
sort, long needed to complete the list of colors  Souvenir Antoine Crozy. The finest of the gilt-edged type. Plant grows 2½ to 3 feet	.10	1.00
high. Flowers intense scarlet, bordered with a broad band of gold. Does not fade with heat, and makes a striking appearance	.10	1.00
Florence Vaughan. An old sort, but deservedly retains its popularity. Height, 4 to 5 feet; habit vigorous, producing many strong stalks, bearing large spikes of brilliant flowers which are bright yellow, covered with large bright red spots. The best of this type	. 10	1.00
Black Beauty. This is a foliage Canna only, but the finest, darkest Canna grown; grows		
5 to 6 feet high and is a deep bronze, almost black; excellent for a center or background for dwarfer sorts	. 10	1.00
JULIUS KOCH. A new brilliant red canna with large flowers. Stalks 3 ft	.25	2.50
Alphonse Bouvier. A standard Canna, having brilliant scarlet flowers. Height 4 to 5 feet. Spikes large and drooping. Planted extensively and very popular	. 10	1.00
Gigantea Discolor. This is the strongest, tallest foliage Canna grown. Will attain a height of 8 to 10 feet, with strong leaves nearly a foot broad, green and so heavily		
veined and ribbed with bronze as to pass for a bronze-leaved Canna. Just the thing to hide an unsightly fence or to make a dense background or screen	. 10	1.00
Common Tall Green Cannas. Grown for foliage. Dry roots	.05	. 50
Common Tall Bronze Cannas. For their foliage. Dry roots	. 05	. 50



Cactus Dahlias.

### **DAHLIAS**

Dahlias are almost too common to need much description, but it may be perhaps well to draw attention to the fact that there are now various types that were not known a few years ago. Chief among the newer is the Cactus type with long curled and twisted petals, which is a radical departure from the old-fashioned "Show" Dahlias with each petal set in its place. Then there are Decorative and Fancy Dahlias with reflex petals, Pompon Dahlias, which have small ball-shaped flowers, and Single Dahlias in many beautiful colors and sometimes five inches in diameter.

Dry Roots. Separate colors of Cactus Show and Decorative Dahlias, ready April 1st. Per dozen \$1.00; each 10c.

\$1.00; each 10c.

Rooted Cuttings. The best named sorts of all types, ready May 15th. Per dozen \$1.00; each 10c.

Named Varieties. The grower that supplies us has a collection of fifty choicest varieties of the various classes of Dahlias and we are able to offer sets or collections of from twelve to thirty-six different named sorts at a uniform price of \$1.00 per dozen. New varieties are being placed on the market annually, which we can also supply if wanted at prices as low as others ask. Call or write if interested.

### GLADIOLI

Of summer blooming plants for general garden decoration the gladiolus is deserving of special attention. Requiring but little room, they are exceedingly useful for filling vacant places, while for massing in large beds, where a brilliant and effective display is desired, they are invaluable. They succeed best in good loam, enriched with well-rotted manure. The bulbs should be planted about three inches deep in heavy soil and six in sand and six or eight inches apart. It is a good plan to make plantings every three or four weeks beginning in April for a succession of bloom, Gladioli lending themselves readily to this treatment.

### Gladioli in Separate Colors.

This list is composed of a selection of different sorts of the same shade or color, and is given for those who have a stock of bulbs but are short of certain colors.

Red and Scarlet. Choice sorts only\$0.30	100 \$2.00
Light Colors. Standard selection35	
White and Light. Best named sorts, including a large number of Snow	
White	4.00
Striped and Variegated	2.75
Pink. Fine pink and rose shades	2.00
Yellow and Orange. Best shades 60	3.50

### Mixed Gladioli.

Fine Mixed.	A good mixture of all colors	
	\$0.25	\$1.50

The largest collection of kinds and colors. For variety this mixture takes Extra Choice. ...\$0.40 the lead not only of our list, but any other.....

**Special Mixture.** Equal quantities of the above separate colors, which will insure a fine assortment of all the most distinct sorts.....



\$2.50

2.75

### HERBACEOUS PEAONIES

Paeonies are among the showiest and most useful of hardy plants, growing well in almost any location or soil; the flowers will be larger and brighter and more numerous if the roots are planted in deep rich soil, well enriched with rotted manure; extreme care should be used in planting so that they are placed at the same depth they were before they were lifted because this is claimed to be the cause of their failure to flower. We can supply collections of 25 varieties for \$5.00 and standard sorts in separate colors at 25c each, \$2.50 per dozen.

### INCARVILLEA

The one we carry is a root producing large, rose-colored flowers in clusters on stems two feet high. The blooming period begins in July and extends for some weeks. Although it is called Hardy Gloxinia, which flower it much resembles, it should be given some protection of straw during the winter. Price, 15c each, \$1.50 per dozen.

### **ISMENE**

The Ismene is a bulb that resembles an Amaryllis. It produces a stem one to two feet long, bearing two or three very large, white, lily-like flowers that are very fragrant. The flowers appear in four or five weeks and the foliage is large and quite ornamental. The bulb should be dug up and kept in the cellar over winter, which is easily done. They give splendid satisfaction.

Price, largest bulbs, 15c each, \$1.50 per dozen.

### **TUBEROSES**

A white, sweet-scented flower, too common to need much description. The bulbs grow in any garden soil, but should be planted where the sun can reach them all day, if possible, and with the top of the bulb just out of the ground. They may be started in pots in the house, but being very tender should not be set out until the weather is quite warm, usually about the middle of May. It is important that the small bulbs be broken from the main one. **Double Pearl.** First size and quality 3c each; 25c per doz.; \$1.50 per hundred.

### IRISES



German Iris. These are very popular, being found everywhere. They increase very rapidly and should be divided once in three or four years to get the most flowers. They will grow almost anywhere, in the sun or shade and are perfectly hardy. Colors, blue, purple, white and combinations of each.

Mixed Colors......per doz. \$1.00; each 10c Named German Iris. We are able to supply any out of a list of a score or more and are in touch with growers in Europe who have been improving this Iris, so if choice new varieties are wanted, we may be able to considerably increase your collection. Prices range from 10c each for standard sorts to 50c each for choice new ones.



Iris Kaempferii. Called Fleur d'Lis and Japan Iris. One of the most beautiful varieties of the Iris family. The colors are blue, purple, red or white Some of the varieties are clear colors; others with yellow spots at the base of the petals, and others beautifully mottled, striped and variegated They need the sun, grow in any garden, and in a few years spread to a width of two feet, when the clumps should be divided

Mixed Colors. Roots grown in this country ......per doz \$1.50; each 15c

Japan Grown. Clumps of five of the very finest new large flowering varieties imported by us direct from Japan, each kind named per doz. .....\$3.00; each 25c

### **TRITOMA**

This is commonly called Red Hot Poker, a name which admirably describes the flower. The leaves are narrow and the stalk grows from the root to a height of  $2\frac{1}{2}$  feet. While not particularly graceful the flower is very conspicuous on account of its brilliant color and it looks well among other shrubs or in a large bed by itself. The roots are not quite hardy and should have a fair covering of litter or straw, to survive. We get the Pfitzerii, which is the largest and freest bloomer, Price, 15c each, \$1.50 per dozen.

### VINES

Postage on Roots and Bulbs, One Cent for Two Ounces.

### VINES—Continued

Japan Ivy. (Ampelopsis Veitchii.) A popular vine, perfectly hardy and able to cling to brick or stone walls without giving the sparrows a foothold for nesting. We get strong 2 year roots. Ready in March. Each	\$0.35
Madeira Vine. A rapid-climbing plant, having beautiful, wax-like green leaves and feathery white flowers, with a delicious fragrance resembling mignonette. Ready in April. 40c per dozen; each	.05
Japan Ivy. Grown in pots; ready in June, each	.50
Dutchman's Pipe. (Aristolochia Sipho.) A hardy vine with large heart-shaped leaves and brownish flowers resembling a miniature pipe. Excellent where a dense shade is wanted. Being slow to root, the vines do not make much growth the first season, but are well worth waiting for. Strong dormant plants in March\$0.35 to	.50
Kudzu Vine. This is a rather new hardy vine from Japan. It has three lobed leaves, each lobe the size of a man's hand and is the most rapid growing hardy vine we have. Further south where the growing season is longer it bears clusters of flowers that very much resemble the Wisteria, but here it dies down to the ground each winter to come up with renewed vigor the next spring. Roots imported from Japan, ready in Marcheach	. 25
Moonflower Vine. During May we shall have strong rooted plants of this, the most profuse and rapid-growing vine, that can be raised in our climate. Flowers, immense in size and pure white, open at night, and are delicately fragrant. Grows best in the sun, and requires rich soil and plenty of water. 3 for 25c. Each	.10
Cobaea Scandens. A very handsome, rapid growing annual vine having large blue, bell-shaped flowers, and particularly adapted for shady places. Out of pots. 3 for 25c. Each	.10
BEDDING PLANTS	
Ageratum. Stocky plants out of potsper dozen	30.6 <b>0</b>
Alyssum. Out of pots and in bloomper dozen Asters. Well grown plants out of 2 inch pots, white, red, light pink, deep pink, purple or lavender,	.60
separate colors or mixedper dozen	.30
Caladium Plants. Well rooted plants with two or three leaves; out of potseach	. 15
Coleus. Golden Bedder, red, variegated etc., choice assortmenteach Cosmos. Our own strain of Giant flowering in separate colors. Dozen 50 centseach	.05
English Daisies. The Double Giant flowering are raised for us from our own stock seed. Some	.00
of the flowers are large as a silver dollar and are a great improvement over the older type.  White or pink, either or both in a basketper basket	.35
English Ivy. Out of 4-inch pots Used for hanging baskets and window boxeseach	.25
Geraniums. Standard sorts such as S. A. Nutt, Madame Barney, etc., out of 4 inch pots; strong,	
well grown plants showing color	1.50
Geranium, Silver Leaf. Much used for borders; out of potseach	.05
Heliotrope. The odor is enjoyed by everybody. Make room for at least one. Come in two	
sizes at each, 10c and	.15
Lobelia. Single, beautiful blue for borderseach  Double Nasturtiums. Almost forgotten. Yellow, red or variegatedeach	.05
Pansies. Strong well grown plants in bloom in the greatest possible variety of color per 100.	
\$2.50 or in a basket of one dozen	.30
a basketper basket	.40
<b>Petunias.</b> Single Rosy Morn, beautiful pink or Giant Mixed, eithereach	. 05
Double Petunias. Choice strain out of pots and in bloomeach	.15
Salvia. Grown from our own superior strain of large flowering salvia, the finest in the world.  Any salvia seen in this city with dark scarlet flowers on stems a foot or more long and the plants	
two or three feet tall, came from our store. Our plants are 8 to 12 inches high; out of 1½	
inch pots. per 100, \$6.00, 50 for \$3.00. per dozen Snapdragons. We are having these grown from imported seed in separate colors, white, yellow,	1.00
red and pink. Any color or mixedper dozen	1.00
German Stocks. Blooming plants out of pots, all colorseach	. 10
Tuberous Rooted Begonias. Pot plants of this, the best plant for a shaded place, in bloom each	. 25
Verbenas. Mammoth flowering type; out of 2 inch pots and showing coloreach	.05
Lemon Verbena. There was at least one in grandmother's garden and they are just as fragrant now as ever. Two sizes, each 15c and	. 25
now as ever. Two sizes, each 15c and	
or white with pink eye. See cut on page 45	1.00

### PERENNIAL PLANTS

Hardy Asters. Common in the fields in the autumn but very attractive in the garden, where	ħΩ 15
they grow larger flowers in greater profusion. Various sorts	\$U.13
per clump each	.15
Campanula Persicaefolia. White or blueeach Hardy Candytuft (Iberis). A very satisfactory hardy border plant covered during May and	. 10
Tune with heads of pure white flowerseach	. 15
Canterbury Bells. See cut on page 32. Mixed colorseach	. 10
Chinese Bell Flower. (Platycodon). A fine Campanula flowering in midsummer and bearing	. 10
blue or white flowers. Very satisfactoryeach Chrysanthemums. Hardy varieties in strong clumps, white, pink, red or yellow, per clump	
15c. Pot plants, choice varieties	.10
Coreopsis (Lanceolata). One of the best vellow flowers in the garden. Strong clumps, grown	. 10
outdoors each Shasta Daisy. Strong field grown clumps, raised from division each	.15
Shasta Daisy. Strong field grown clumps, raised from divisioneach Eupatorium. Hardy Ageratum. A late flowering plant and a fine sort to have in the garden.	.10
Clumps	. 15
Clumpseach Foxglove (Digitalis). Mixed colors. Plants grown one season from seed and pretty sure to	4.0
flower	. 10
for borders	.15
Gaillardia. The one best perennial. In bloom until frost. Fine cut flower, lasting well in	10
water. Keep the flowers pickedeach Golden Glow. Probably the most popular perennial ever introduced. Clumpseach	.10
Gypsophila (Paniculata). Called Baby's Breath. Used as foliage for bouquets and very effec-	
tive. Rootseach	. 15
Heleniums. Besides the common yellow wild sort we have the new Riverton Beauty, lemon yellow with black center and Riverton Gem, old gold suffused with terra cotta. These are	
exceedingly handsome each	.25
Helianthus. There are many kinds, all yellow, single or double and early, medium or late	. 15
blooming, all very strikingeach <b>Hibiscus</b> (Mallows). Wonderfully attractive flowers in crimson, white, pink, white with pink	. 15
eve: all easily grown. Strong clumpseach	. 15
Hollyhocks. Fine seedlings raised from the best seed stock grown in France. We offer the	. 10
double at 15c each, and the Allegheny, semi-double, ateach Larkspur (Delphinium). Clumps of the various sorts, Bella Donna, Bee Larkspur, or Hybrids	. 10
·····each	. 10
Lobelia Cardinalis. The well known Cardinal Flower seen occasionally in our woods. They are an excellent garden subject in partial shade, throwing up two to ten large spikes a foot or	
two high of the most brilliant scarlet imaginable. The best scarlet perennial we have each Hardy Phlox. Indispensable in the hardy garden. Size of flowers and trusses are being con-	. 15
Hardy Phlox. Indispensable in the hardy garden. Size of flowers and trusses are being con-	
stantly increased in the new sorts and new shades are being added as well; some bloom steadily all summer. We can supply any new sort but carry only the standard choice varie-	
ties, which we sell in clumps ateach	.15
Physostegia (Obedient Plant). A rank grower, throwing up numerous long spikes of attractive pink or white flowers, three feet high. Makes a desirable background. Clumpseach	.15
Hardy Garden Pinks. They come in clumps in separate colors, white or pink; either at each	. 10
Hardy Poppies. Dazzling scarlet flowers of immense size in bloom in June. Very effective each	. 10
<b>Pyrethrums.</b> Called Summer Chrysanthemums and Summer Asters, from their form. They make a splendid show in June and flower intermittently all summer. Colors from pure white	
through pink and all shades of red to crimson. Make an excellent cut flower and have	
graceful fern-like foliage. Per clumpeach	. 15
Salvia Azurea. Beautiful blue, late flowering plant. Strong clumpseach Sweet William. They come in the greatest range of colors and the plants are fine stock that will	.15
bloom this seasoneach	. 10
NOTICE. We offer a special fertilizer, Bone, Blood and Potash for Perennial Plants, which is	highly
concentrated and therefore valuable because the roots of the plants need not be disturbed enoughing them, when it is applied in Spring or Fall. See page 60.	igh to

### **VEGETABLE PLANTS**


As usual we will have a large supply of all kinds of Vegetable Plants such as Cabbage, Cauliflower, Celery, Tomato, Egg and Pepper Plants, Strawberry and Sweet Potato Vines at reasonable prices. As far as possible, these are raised from our own stock seed of the best varieties and they may be relied upon. Ready in May and June.

# MATTHEWS' NEW UNIVERSAL GARDEN SEEDER

No. 17

BOXED F. O. B., CLEVELAND, NET \$6.25.





### "LITTLE GEM" SEEDER

No. 18

BOXED, F.O.B., CLEVELAND, NET \$5.00

# MATTHEWS' NEW UNIVERSAL HILL AND DRILL SEEDER

No. 16


Will sow continuously or drops seeds in hills any distance apart up to four feet. PRICE, BOXED, F.O.B., CLEVELAND, \$7.00.

# MATTHEWS' NEW UNIVERSAL COMBINATION HILL AND DRILL SEEDER

No. 22

Will sow in rows or plant in hills like the preceding and has all the attachments for hoeing, or cultivating. PRICE BOXED, F.O.B., CLEVELAND, \$9.25

# MATTHEWS' NEW UNIVERSAL DOUBLE WHEEL CONSTELLATION SEEDER



### "CYCLONE" BROADCAST SEEDER


This is the best broadcast seed sower on the market. It can be adjusted to sow any quantity per acre, is light and easy running, and more than all it can be operated without tiring.



### NEW UNIVERSAL SINGLE WHEEL HOE, CULTIVATOR, RAKE AND PLOW

No. 11

BOXED, F.O.B., CLEVELAND, NET \$4.50.





### NEW UNIVERSAL DOUBLE WHEEL HOE AND CULTIVATOR, RAKE AND PLOW

No. 14

Specially designed for working both sides of the row at one passing.

This new hand implement embraces all the good points of older efforts in the same line, and in addition offers new features which cannot fail to be appreciated. The special recommendation is the adjustable arch which by an ingenious device enables the teeth to be pitched at any angle desired.

# PRICE, BOXED AND DELIVERED AT DEPOT OR EXPRESS OFFICE, CLEVELAND, O.,

\$5.00.

The same machine, with Hoe Teeth alone, No. 15, Price, \$3.50

### EXCELSIOR WHEEL HOES AND CULTIVATORS

These machines are built of steel and wrought iron. They are light, strong and easy running and are especially adapted to heavy soil. You can buy a complete outfit or any part of it. They do excellent work and give splendid satisfaction. Order by number.


	Pr.	ice
No. 56.	Single Wheel Cultivator, 1 pair Hoes, 1 right-hand Plow, 1 6-tooth Rake, complete\$5.	.80
No. 55.	Single Wheel Cultivator, 1 pair Hoes, 1 right-hand Plow	40
No. 54.	Single Wheel Cultivator, 1 pair Hoes	65
	Single Wheel, Hoes alone	
No. 66.	Double Wheel Cultivator, 1 pair Hoes, 1 pair Plows, 2 Rakes, complete	.00
No. 65.	Double Wheel Cultivator, 1 pair Hoes, 1 pair Plows	.50
No. 64.	Double Wheel Cultivator, 1 pair Hoes	50
	Double Wheel, Hoes alone	

### PLANT TUBS

American Flower and Tree Tubs are made from everlasting cypress. The merits of the tub are commensurate with the demand for an article that is light, attractive and durable. Natural finish.

### **OUTSIDE MEASUREMENTS**

No.									
1	$11\frac{1}{2}$	in. i	in diam.	by	$11\frac{1}{2}$	in.	high	\$1	00
2	$13\frac{1}{2}$	4.6	"		111/4	66			
3	143/4	"	4.4		14	" "		1	65
4	16	64	44		15	46		2	00
5	17	"	64		18	"		3	00
6	22		"		$19\frac{1}{2}$	"		3	75
7	27	"	"		22	"			



### FLORISTS' SUPPLIES

Pot Labels, 5 in., painted, per 1,000\$1.40	Tin Foil. Two lbs., 25c; per lb\$ .15
Pot Labels, 6 in., painted, per 1,000 1.80	Tooth Picks, per package
Cape Flowers, white, per pound 1.25	Nicoteen, per pint bottle 1.50
Cane Stakes, 6 to 10 ft., per 100 1.00	Nico Fume, 24 sheets 1.50
Bamboo Stakes, 6 ft., per 100 1.00	Nico Fume, 144 sheets 4.50
Bamboo Stakes 8 ft.,per 100 1.25	Sphagnum Moss, per bale 2.25
Trowbridge's Grafting Wax, in 1/4, 1/2 and 1-lb. pa	ckages Per lb., 40 cents.

### **RAFFIA**

### TWEMLOW'S ENGLISH GLAZING PUTTY

This is a soft putty made for glazing greenhouses, it does not harden, and therefore when the glass contracts with the cold, fills in the crevices. The saving in the coal bill will pay for the putty. One gallon will glaze fifteen boxes of 16x24 glass.

Per gallon		75 Five gallons	\$8.50
Putty Bulbs, Scolla	y's Each		

### FIBRE WARE ROLLING STANDS

Fibre-Ware Rolling Stands are mounted upon ball-bearing Casters, and furnish an easy and ready means of moving heavy plants in permanent or temporary locations.


The four smaller sizes have a detachable and strongly made metal base, so that a new dish may be used in place of one damaged or broken, the enameled Steel Stand and Casters being separate.

The two larger sizes have the Casters securely attached to the shallow dish.

Out	Each.		
12 iı	nches	S	\$0.60
14			
16	44		
18	"		
20	44		



### FLORISTS' VASES FOR DISPLAYING CUT FLOWERS



These vases are used by the best florists and are far superior to anything else for displaying and keeping cut flowers. The new size for roses and 'mums will fill a long felt want.

No.	Top	Deep	Doz.	Each
0	8 5½	13 10	\$ 6.60 5.70	\$0.60 .55
2	41/2	9	5.00	.45
3	4 3	6 4½	$\frac{4.20}{3.30}$	.40
$2\hat{2}$	41/2	15	5.70	.55
33	· 4´	12	5.00	.45
44	3	9	4.20	.40
000	9	29	33.00	3.00

### FIBRE WARE FLOWER POT SAUCERS

These saucers have the advantage over earthen ware, in being waterproof, and are therefore desirable for window gardens and all house plants.

Size.	Each.	Doz.	Size	Each.	Doz.
4 inch	\$ .09	\$1.05	8 inch		\$1.30
5 "	. 10	1.10	9 "	14	1.45
6 "		1.15	10 "	15	1.55
7 "		1.25	12 "	18	1.80

### CUTLERY, ETC.



Pruning Shears. Best value in the market. Each	50
Pruning Shears. English make, two sizes. Each\$2.00 and 2	50
Pruning and Budding Knives. Each	00
Grape Pickers. Each	. 50
Grass Edging Shears, various sizes. Each	.50
Grass Hooks (American make). Each	. 25
Grass Hooks (English Rivet-back). Each	.75
	.50
Scuffle or Push Hoes. Each	
	2.50
Garden Trowels. Various styles. Each	.00
Lawn Scythes. English rivet-back; 32, 36 in. Each	. 25
	. 25
English Daisy Rakes. Two sizes. Each	.50
Garden Reels	.75
	.25

### COOPER HOSE MENDER

Made of heavy brass. Will last indefinitely. Cut the hose square off each side of the break and insert the mender half way into each end. It will not leak nor pull out. Two sizes, ½ and ¾ inch. Price 10c each, 3 for 25c.



YOU NEEDN'T BREAK YOUR BACK WITH A



The only practical device on the market.

Each, 50c.

LANG'S WEEDER.



PRICE 25 CENTS.

# EXCELSIOR WEEDER AND HAND CULTIVATOR

PRICE 10c.

### COMPRESSED AIR SPRAYERS

The particular advantage of this sprayer is its wide range of usefulness. You may have two or three trees too tall to reach with a bucket sprayer and not worth the cost of a pump large enough to reach them from the ground. Pump up the Compressed Air Sprayer, climb a ladder, turn on the faucet and let it run For small shrubs it can be easily carried about by the shoulder strap. When properly charged the tank holds three gallons of liquid and one gallon of air and two pumpings will empty it. Figure A in the cut is a self closing faucet which costs \$1.00.



PATENTED.

ALL BRASS TANK \$6.75, GALVANIZED IRON TANK, \$4.50.





"Gardener's Choice" Sprayer

"Perfect Success" Bucket Sprayer

Deming Sprayers are acknowledged by users to be the most satisfactory sprayers on the market. We have sold many, in different styles and have yet to replace a part broken by anything but an accident or to hear the first word of dissatisfaction with a single one. While we can supply any machine they make and will mail their catalogue on request, our leading sellers are the Perfect Success Bucket Sprayer, and the Gardener's Choice, which is as shown above a half-barrel mounted on wheels and fitted with a good pump and six feet of hose. Working parts of all Deming Sprayers are made of solid brass, brass valves and valve seat, plunger and every part that comes in contact with the liquid.

### HAND SPRAYERS







Continuous Sprayer

The above cuts show two of our popular hand sprayers that we sell in such large quantities for spraying roses, shrubs, house plants and chicken coops, or wherever a larger sprayer is not necessary. Those made with a brass tank can be used to spray Formaldehyde.

Atomizer, all tin \$	50
Cyclone Atomizer, brass tank, tin barrel	
Continuous Sprayer, galvanized tank, tin barrel	90
Continuous Sprayer, brass tank, tin barrel	1 25
Continuous Sprayer, brass tank and barrel	1 50

### TREE TANGLEFOOT

Tree Tangletoot. This is the sticky stuff put on fly-paper and prevents the wingless female moth of the Tussock Caterpillar from passing up any tree to lay her eggs, when a band an inch or two wide, is put around the trunk. This worm is the worst pest in the city as it is found on almost any kind of tree and will spread with surprising rapidity. A tree that is infested should be sprayed with Arsenate of Lead and all the trees near, "banded" with Tree Tanglefoot. A pound will "band" six or eight trees a foot or so in diameter. Price, 30c per lb., 3 lbs. 85c, 10 lbs. \$2.65, 20 lbs. \$4.80.

### INSECTICIDES AND SPRAYING COMPOUNDS

Lime & Sulphur Wash. Lime and Sulphur Wash is conceded to be the best remedy all things considered, that there is against San Jose scale. Scurvy Bark Louse, Oyster Shell Scale, etc., while the lime has some value against some fungus diseases also. In the Year Book of the Department of Agriculture for 1906 Mr. A. L. Quaintance discusses Lime-Sulphur Washes from first experiments up to the present-day usages. In summing up the results of his study of the subjects, Mr. Quaintance says: "But few dormant tree sprays have a greater range of usefulness than lime-sulphur wash." sulphur wash. In practice, one thorough application in spring, shortly before the buds open, is calculated to control effectively not only the San Jose scale, but other scales, excepting lecaniums." Its usefulness in controlling other insects as well as fungus diseases is also pointed out. Lecaniums include the soft-bodied scale bugs which can be destroyed with Whale Oil Soap or Kerosene

For a winter spray use one gallon of Wash to eleven of water and in summer one to sixteen. Per quart. 30c; gallon, 75c; 5 gallons, \$2.50; barrel of 45 to 50 gallons 20c per gal. f.o.b., Cleveland.

Whale Oil Soap. Prevents the ravages of mealy bug and various kinds of worms and insects that infest the bark of trees and shrubs. Per lb. package, 20 cents; 5 lb. box, 75c.

Stott's Fir Tree Oil Soap. A superior remedy for a great many insects that attack house plants, particularly for plant lice; in our experience it is the only article that really kills them and that can be used without inconvenience in the house. For ridding palms, rubber trees, roses, geraniums, and any kind of plant of insect enemies it has no equal. It is not offensive, may be applied with a syringe or brush and is cheap. One ounce makes one gallon. Price per ½ lb. can. 25 cents; 2 lb. can, 75 cents.

Scalecide. This is a miscible oil effective against scale on fruit and shade trees. It is used the same as the Lime & Sulphur Wash, opinions differing as to which is the best to use when considering the effects on the trees. Use 15 gallons of soft water to one of Scalecide. Price \$1.00 per gallon, 5 gallons for \$3.25, 10 gallons for \$6.00, 50 gallon barrel, \$25.00.

Arsenate of Lead. The best remedy against canker worm, curculio and all leaf-eating insects on any plant, tree or shrubs. A pure article will not burn the foliage. Ours is the purest to be had. It sticks to the foliage throughout the season. Use from three to six pounds for 50 gallons of water as directed on the package. Price, 1 lb., 25c; 2 lbs., 50c; 5 lbs., \$1.20; 10 lbs., \$2.00; 12½ lbs., \$2.50; 100 lbs. or more, price on application; variable.

Bordeaux Mixture. This is the only remedy recommended for the control of fungus diseases or blight, rot, leaf curl or whatever name is used to designate the condition into which various plants and trees get when infested. Ours is a thick paste, one gallon of which will make fifty gallons ready to apply. It is advantageous to add one quart of molasses or a pound or two of glucose to a barrel to make it stick better. Per lb., 20c; 5 lbs., 60c; 10 lbs., \$1.00; 40 lbs., \$3.00; 100 lbs., \$6.00; 500 lbs., \$25.00.

Bordeaux-Lead Arsenate Mixture. This is a chemical combination of the two preceding and will permit the use of both insecticide and fungicide in one operation. It is especially valuable on fruit trees after the fruit is set and on potatoes. Use five pounds to from thirty to fifty gallons of water, the latter proportion for tender foliage such as peach. Price 30c per lb., 5 lbs., 90c 10 lbs. \$1.50, 25 lbs. \$3.00.

Paris Green. Strictly pure. Price 1/4 lb., 10c; 1/2 lb., 18c; 1 lb., 30c.

Persian Insect Powder. Strictly fresh. Kills flies, mosquitoes, roaches, ants, etc. Lb., 50 cents.

White Hellebore. Effective for slugs on pear and other trees, currant and cabbage worms, etc. ½ lb., 10 cents; ½ lb., 18 cents; 1 lb., 30 cents.

Death. This is a fine powder most successfully used against potato bugs. The use of Bug Death not only kills bugs but acts as a fungicide against blight, prolonging the growth and increasing the crop. In fact the increase in the crop will pay for the Bug Death and the work to apply it. It is effective also against cabbage worms and leaf-eaters in general. It takes 15 to 25 lbs. to spray 

Hammond's Slug Shot. Recommended for most worms and caterpillars which infest cabbage plants, currants, gooseberries and the like, per package, 15 cents; 5 lbs. 35 cents; 100 lbs., \$6.00.

Nico Fume Tobacco Paper. Nicotine soaked into paper which when lighted gives off the fumes that are fatal to aphis or green fly, mealy bug, red spider, etc. An effective remedy easily applied against insects found in the greenhouse. A house 20x100 requires from four to eight sheets as directed on the can, 24 sheets, \$1.50; 144 sheets .....

Nicoteen. A liquid used as a spray or vaporized by heat. Used largely in greenhouses against insect pests. A bottle contains the extract from 150 lbs. of Tobacco. Per bottle, \$1.50. Defiance Fumigating Lamp. Uses kerosene for fuel, each, 50c. Small bottle, 25c.

Tobacco Dust. Fertilizer and insectcide. An excellent fertilizer for lawns and gardens, and a good preventive against cut worms and leaf-eating caterpillars. Dust on to the plants when they are wet, and for cut worms spread on the ground around the plants to be protected. If you have been troubled with wormy radishes or sickly lettuce, use a tablespoonful to the foot in the bottom of the furrow and sow the seeds right in the Tobacco Dust. It is a sure cure and will give you perfect radishes. Per lb., 5 cents; 25 lbs., \$1.00.

### **FERTILIZERS**

- Pure Raw Bone Meal. Raw Bone Meal is considered the best fertilizer for lawns, trees, shrubs, etc., being high in nutritive value but giving it up gradually as such plants need it. The coarser the bone the longer it takes to become effective and also the longer it lasts. Our brand is ground extra fine, especially for our use, and is therefore well adapted for lawn purposes for which we sell by far the larger part we handle. It is pre-eminently the best lawn fertilizer because it is clean, does not smell, contains no weeds, is enconomical and above all, it makes the grass grow. It is sold under license from the State of Ohio and its guaranteed analysis is  $4\frac{1}{2}\%$  to  $5\frac{1}{2}\%$  Ammonia, and 22% to 25% total Phosphoric Acid. Price per lb., 5c; 25 lbs., \$1.00; 100 lbs., \$3.00; 200 lbs., \$5.50; full ton \$45.00
- Pulverized Sheep Fertilizer. An excellent natural fertilizer where prompt results are desired. Used largely by the best florists and is safer to use than most chemical fertilizers. The stock we handle is the best grade on the market. It is not only entirely free from weed seeds but has no objectionable smell which is the real test of purity. Per pound 5c; 25 lbs., \$1.00; 100 lbs., \$3.00; 500 lbs., \$12.50.; 1000 lbs., \$20.00.
- Bone, Blood and Potash. This is a complete fertilizer showing the highest analysis of any commercial fertilizer in the market. We are offering it and recommending it especially for fertilizing the Perennials where the maximum of fertilizing elements may be applied without disturbing the roots enough to injure. It is also excellent for all kinds of garden crops whether manure is available or not as this article contains a large percentage of both Potash and Phosphoric Acid not found in manure and very necessary for the successful production of many garden crops. Guaranteed analysis, Ammonia, 5%, Available Phosphoric Acid, 8%, Potash, 7%.

  Price, 12½ lbs. \$1.00, 25 lbs. \$1.50 100 lbs. \$4.00, 200 lbs., \$7.00 Special price by the ton.
- Land Plaster or Gypsum. Used to conserve moisture and as a medium for thinning Paris Green etc. Price per sack of 167 lbs. \$1.25, per ton \$12.00.
- Nitrate of Soda. A highly concentrated plant stimulant and especially effective for forming leaves on such plants as cabbage, lettuce, etc. A pound is used for 50 gallons of water or a teaspoonful to a pail. Analysis 18% Ammonia. Per pound 10c; 6 lbs., 50c. For larger quantities write for prices.
- Wood Ashes. We handle Canada Hard Wood Ashes which are effective for root crops and vegetables whose seeds are wanted such as peas and beans. Excellent also for lawns especially where White Clover is wanted. In sacks of 100 lbs. only; Per Sack \$1.75.
- Muriate of Potash. Sulphate of Potash, Acid Phosphate and any other fertilizer can be supplied promptly at reasonable prices. Write for quotations, stating quantity desired.

### SOIL AND SEED INOCULATING BACTERIA

On account of the limited space in this catalogue we are not able to go into details about Nitrogen fixing Bacteria, but we have a booklet, that we will mail free to anyone interested. We carry two brands this season, Farmogerm and Standard. Both can be supplied for any of the Clovers, including Alfalfa, and any kind of Cow Peas, Vetches, Field Peas, Garden Peas, Beans, and Sweet Peas. The Standard can be had in various combinations also, such as Alfalfa and Sweet Clover, Vetch and Field Peas, Soy Beans and Cow Peas, Garden Peas, Beans, and Sweet Peas, or Red Crimson or Alsyke Clover.

Price: Farmogerm, per acre bottles\$2.00 Special Garden Peas, Beans, and Sweet Peas.		
Standard Inoculation, per acre	5 acre size	2.50
Above combinations, per acre50	5 acre size	2.50

### NOTICE

Seeds, Plants and Bulbs can not be mailed at Parcel Post Rates, such articles coming in a special class at a uniform rate of two ounces for one cent regardless of distance, but small tools, Insecticides, Sprayers, Bird Seed, and Fertilizers may be mailed anywhere within 150 miles of Cleveland at the rate of five cents for the first pound and one cent for each additional pound or fraction up to fifty pounds. The prices in this catalogue do not include the postage except on ounce packages or less, so we hope our customers will allow sufficient for postage.

### Quantity of Seeds Usually Sown to the Acre.

Carrots, in drills       3       "3½ lbs.       "Marrow, in drills       1         Cucumbers, in hills       1       "2       "Broadcast       25         Corn, in hills       6       "8 qts.       Potatoes, cut tubers, in drills       8         "in drills       2       "3 bush.       Radish, in drills       8         Clover, Red, alone       8       "10       "Salsify, in drills       8         "White, alone       8       "10       "Salsify, in drills       8         "Lucerne       19       "20       "Spinach, in drills       8         Flax, broadcast       1       "2       bush.       Turnip, in drills       1	"16 lbs. "3 bush. "6 lbs. "6 lbs. "1½ bush. "1½ bush. "1½ "1½ "1½ "1½ "1½ "1½ "1½ "1½ "1½ "1½
Quantity of Seed Required for a Given Number of Plants	

## Quantity of Seed Required for a Given Number of Plants, or Number of Hills, or Length of Drill.

Asparagus oz. to	60 feet of drill.	Melon, Musk
Beet1 oz. "	50 "	Okra 1 oz. " 40 feet of drill.
Beans, Dwarf 1 qt. "	100 "	Onions 1 oz. " 100 "
Beans, Pole qt. "	100 hills.	Onions, Setts, small1 qt. " 40 "
Carrot	150 "	Parsley
Cabbage 1 oz. "	3.000 plants.	Parsnip 1 oz. " 200 "
Cauliflower 1 oz. "	3.000 "	Peas1 qt. " 100 "
Celery 1 oz. "		Pepper 1 oz. " 2,000 plants.
Cucumber1 oz. "	50 hills.	Pumpkin 1 oz. " 40 hills.
Corn 1 qt. "	400 "	Radish oz. " 100 feet of drill.
Dandelion		Salsify 1 oz. " 70 "
Endive1 oz. "	150 "	Spinach 1 oz. " 50 "
Egg Plant1 oz. "		Squash. Early 50 hills.
Lettuce 1 oz. "	4 000 "	Squash, Marrow1 oz. " 10 "
Leek 1 oz. "	100 foot of deill	Equation
		Tomato
Melon. Water1 oz. "	30 hills.	Turnip

### Number of Plants, Trees, Vines, Etc., Required to Set an Acre.

Dista	ance.		Number.	Di	stance.			Number
1 ft.	. by	1 ft	43,560	6	ft. by	6	ft.	1.210
11/2 '		11/2 "		8	"	8	6.6	
2 '	4	1 "	21,780	10	"	10	66	
9 4	6	9 44	10,890	12	44	12	66	9.00
91/. '	6	91/4 "	0.000	15	66	15	66	104
274	4	72	14.500	18	66	10	66	
3 1		1 "	14,520		66	10		
3 .		2		20		20	•••	
3 '	6	3 "		25	"	25	6.6	70
4 '	6	4 "	2,722	30	"	30	4.4	
5 .	6	5 "	1,742	40	44	40	66	9.77
0		0				40		* * * * * * * * * * * * * * * * * * * *

### Weight of Various Articles in the State of Ohio.

Applesp	er bu.	48	lbs.	Orchard Grassper bu. 1	4 1	he
Apples, dried	"	22	44		50 '	"
Barley	66	48	66			44
2	"	60	46	To the state of th		44
15 1 1	66	50	6.		, ,	"
	66	46	66	Plastering Hair "	8	66
Broom Corn	66		66	1 opcorn 4	FO .	
Blue Grass, Kentucky	66	14	66	Mape	0	
_ " English	"	24	"	Nyc	66 '	"
Bran	"	20	"		L4 '	66
Canary Seed		60	66		50 '	66
Clover Seed	66	60			56 '	"
Corn, shelled	6.6	56	66	Sorghum " 5	0 6	"
Corn, on ear	"	68	"	Sweet Potatoes " 5	0 6	"
Corn Meal	66	50	66	Timothy Seed " 4	15 4	66
Charcoal	44	22	"	Tomatoes	6 6	"
Coal, Mineral	66	80	66	Turnips " 6	0 '	6.6
Coal, Cannel	6.6	70	66	Wheat		6
Coke	66	40	66	Flour, per bbl., net " 19		"
Cow Peas	46	60	66	Salt, per bbl " 28		4
Cranberries	66	40	66	Lime, per bushel	0 '	46
Dried Peaches		32	66			
Flax Seed	44	56	66	Hay, well settledper cubic foot, 45		
Hemp Seed	"	44	66	Corn, on cob, in bin " 22		
Hungarian Grass Seed	66	48	66	Corn, shelled. in bin " 45	•	"
	66	60	66	Wheat, in bin " 48	4	
Irish Potatoes, heaping measure		50	66	Oats, in bin " 253	6 "	66
Millet		34	66	Potatoes, in bin " 385		"
0		32	44	Sand, dry, in bin " 95	- 4	66
	66	33	66		-	"
Osage Orange		00		Clay, compact " 135		

# A. C. KENDEL'S "FOREST CITY"

# LAWN GRASS SEED

"The Seed that makes the Famous Lawns of Cleveland"



A. C. KENDEL'S "SHADY NOOK"

# LAWN GRASS SEED

For Price and Directions for Sowing see Pages 1 and 2